

Maintenance Plan

The following is a school-level snapshot from the 2010-11 fiscal year providing an overview of the District's facilities needs and projected life-cycle replacements. This report is derived from a central database formulated from on-site campus by campus assessments and linked to information in the District's financial and project management systems. The Facilities Condition Index (FCI), serves to guide maintenance and capital work at each site. The FCI represents a ratio of the cost to correct documented deficiencies to the facility's estimated replacement cost. A campus with an FCI greater than two thirds is considered a candidate for total replacement rather than remodeling or renovation.

The field descriptions are as follows:

- Loc # and Name: School location number and campus name
- Reg: Regional Center
- Board: Board Member District
- RMAC: Regional Maintenance Center
- Bldg# and Name: Building Description within Campus
- Yr. Built: Year building was constructed
- Def Cost: Total cost to correct all deficiencies identified at the campus
- Perm SF: Permanent Operational Area
- \$/SF to Repl.: Replacement Unit Cost
- Replace Cost: Building Replacement Cost
- FCI: Present cost to correct all deficiencies /Estimated replacement cost for all buildings

This database is continually updated as new deficiencies are documented and when maintenance or capital work is completed.

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
3581	Myrtle Grove Elementary School	01	1	2	01	Auditorium	1 Floor	1956	1,055,136	6,154	226	1,391,522	75.8%
3581	Myrtle Grove Elementary School	01	1	2	02	Media Center	1 Floor	1956	513,714	2,470	226	558,508	92.0%
3581	Myrtle Grove Elementary School	01	1	2	03	Classroom	1 Floor	1956	531,951	2,470	226	558,508	95.2%
3581	Myrtle Grove Elementary School	01	1	2	04	Classroom	1 Floor	1959	677,158	2,542	226	574,788	117.8%
3581	Myrtle Grove Elementary School	01	1	2	05	Classroom	1 Floor	1956	698,893	4,618	226	1,044,206	66.9%
3581	Myrtle Grove Elementary School	01	1	2	06	Classroom	1 Floor	1956	779,774	4,618	226	1,044,206	74.7%
3581	Myrtle Grove Elementary School	01	1	2	07	Classroom	1 Floor	1956	663,364	4,618	226	1,044,206	63.5%
3581	Myrtle Grove Elementary School	01	1	2	08	Classroom	1 Floor	1959	692,784	4,029	226	911,024	76.0%
3581	Myrtle Grove Elementary School	01	1	2	09	Classroom	1 Floor	1969	334,746	2,074	226	468,966	71.4%
3861	North Glade Elementary School	01	1	1	01	Administration	1 Floor	1958	587,237	2,280	226	515,546	113.9%
3861	North Glade Elementary School	01	1	1	02	Cafeteria	1 Floor	1958	805,760	6,283	226	1,420,691	56.7%
3861	North Glade Elementary School	01	1	1	03	Classroom	1 Floor	1958	717,825	4,526	226	1,023,404	70.1%
3861	North Glade Elementary School	01	1	1	04	Classroom	1 Floor	1958	825,919	4,526	226	1,023,404	80.7%
3861	North Glade Elementary School	01	1	1	05	Classroom	1 Floor	1958	654,577	3,755	226	849,068	77.1%
3861	North Glade Elementary School	01	1	1	06	Classroom	1 Floor	1958	916,807	3,755	226	849,068	108.0%
3861	North Glade Elementary School	01	1	1	07	Classroom	1 Floor	1967	418,457	6,202	226	1,402,375	29.8%
3861	North Glade Elementary School	01	1	1	09	Classroom	1 Floor	1969	200,419	2,077	226	469,644	42.7%
3861	North Glade Elementary School	01	1	1	14	Media Center	1 Floor	1991	188,694	4,869	226	1,100,962	17.1%
3781	Barbara Hawkins Elementary School	01	1	1	01	Classroom	1 Floor	1957	347,039	2,672	226	604,184	57.4%
3781	Barbara Hawkins Elementary School	01	1	1	02	Classroom	1 Floor	1957	427,284	3,006	226	679,707	62.9%
3781	Barbara Hawkins Elementary School	01	1	1	03	Classroom	1 Floor	1957	428,840	3,006	226	679,707	63.1%
3781	Barbara Hawkins Elementary School	01	1	1	04	Classroom	1 Floor	1957	363,180	2,672	226	604,184	60.1%
3781	Barbara Hawkins Elementary School	01	1	1	05	Classroom	1 Floor	1957	356,856	2,672	226	604,184	59.1%
3781	Barbara Hawkins Elementary School	01	1	1	06	Administration	1 Floor	1960	619,950	2,920	226	660,260	93.9%
3781	Barbara Hawkins Elementary School	01	1	1	07	Classroom	1 Floor	1957	335,380	2,793	226	631,544	53.1%
3781	Barbara Hawkins Elementary School	01	1	1	08	Cafeteria	1 Floor	1957	766,763	5,270	226	1,191,635	64.3%
3781	Barbara Hawkins Elementary School	01	1	1	09	Classroom	1 Floor	1969	263,180	2,074	226	468,966	56.1%
3781	Barbara Hawkins Elementary School	01	1	1	13	Media Center	1 Floor	1981	507,128	5,327	226	1,204,523	42.1%
3301	Miami Park Elementary School	01	2	3	01	Cafeteria	1 Floor	1952	1,519,100	7,097	226	1,604,750	94.7%
3301	Miami Park Elementary School	01	2	3	02	Administration	1 Floor	1952	435,489	3,185	226	720,181	60.5%
3301	Miami Park Elementary School	01	2	3	03	Media Center	1 Floor	1952	1,622,996	5,829	226	1,318,034	123.1%
3301	Miami Park Elementary School	01	2	3	04	Classroom	1 Floor	1952	1,235,066	4,811	226	1,087,847	113.5%
3301	Miami Park Elementary School	01	2	3	05	Classroom	1 Floor	1954	1,451,013	4,811	226	1,087,847	133.4%
3301	Miami Park Elementary School	01	2	3	06	Classroom	1 Floor	1952	1,078,381	4,811	226	1,087,847	99.1%
3301	Miami Park Elementary School	01	2	3	07	Classroom	1 Floor	1952	1,807,594	5,738	226	1,297,457	139.3%
3301	Miami Park Elementary School	01	2	3	09	Classroom	1 Floor	1969	238,554	2,074	226	468,966	50.9%
3301	Miami Park Elementary School	01	2	3	10	PE Shelter	1 Floor	1952	2,299	1,105	226	249,859	0.9%
3301	Miami Park Elementary School	01	2	3	12	Classroom	1 Floor	1967	794,831	6,227	226	1,408,028	56.4%
3301	Miami Park Elementary School	01	2	3	13	Classroom	1 Floor	1952	73,802	780	226	176,371	41.8%
3301	Miami Park Elementary School	01	2	3	15	Administration	1 Floor	1952	54,462	294	226	66,478	81.9%
3301	Miami Park Elementary School	01	2	3	17	Classroom	1 Floor	1991	128,970	2,178	226	492,482	26.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
3301	Miami Park Elementary School	01	2	3	18	Classroom	1 Floor	1991	132,674	2,280	226	515,546	25.7%
3301	Miami Park Elementary School	01	2	3	19	Classroom	1 Floor	1991	185,192	3,478	226	786,434	23.5%
2761	Martin Luther King Elementary School	01	2	3	01	Main Building	1 Floor	1969	2,040,389	18,824	226	4,256,419	47.9%
4881	Scott Lake Elementary School	01	1	2	01	Cafeteria	1 Floor	1959	881,812	6,456	226	1,459,809	60.4%
4881	Scott Lake Elementary School	01	1	2	02	Classroom	1 Floor	1959	700,206	4,484	226	1,013,907	69.1%
4881	Scott Lake Elementary School	01	1	2	03	Classroom	1 Floor	1959	938,689	4,484	226	1,013,907	92.6%
4881	Scott Lake Elementary School	01	1	2	04	Administration	1 Floor	1959	401,116	2,377	226	537,479	74.6%
4881	Scott Lake Elementary School	01	1	2	05	Classroom	1 Floor	1959	911,049	3,722	226	841,606	108.3%
4881	Scott Lake Elementary School	01	1	2	06	Classroom	1 Floor	1959	719,419	3,722	226	841,606	85.5%
4881	Scott Lake Elementary School	01	1	2	07	Classroom	1 Floor	1967	779,611	6,230	226	1,408,706	55.3%
4881	Scott Lake Elementary School	01	1	2	08	Classroom	1 Floor	1969	167,732	2,074	226	468,966	35.8%
4881	Scott Lake Elementary School	01	1	2	10	PE Shelter	1 Floor	1959	24,543	600	226	135,670	18.1%
4881	Scott Lake Elementary School	01	1	2	11	Media Center	1 Floor	1993	126,222	5,086	226	1,150,029	11.0%
4881	Scott Lake Elementary School	01	1	2	12	Classroom	1 Floor	2006	412,237	11,120	226	2,514,417	16.4%
4301	Parkview Elementary School	01	1	2	01	Classroom	1 Floor	1963	595,181	5,376	226	1,215,603	49.0%
4301	Parkview Elementary School	01	1	2	02	Classroom	1 Floor	1963	248,150	3,285	226	742,793	33.4%
4301	Parkview Elementary School	01	1	2	03	Classroom	1 Floor	1963	285,666	4,024	226	909,893	31.4%
4301	Parkview Elementary School	01	1	2	04	Classroom	1 Floor	1963	1,057,381	5,862	226	1,325,496	79.8%
4301	Parkview Elementary School	01	1	2	05	Cafeteria	1 Floor	1963	782,541	5,409	226	1,223,065	64.0%
4301	Parkview Elementary School	01	1	2	06	Media Center	1 Floor	1963	271,905	2,638	226	596,496	45.6%
4301	Parkview Elementary School	01	1	2	08	PE Shelter	1 Floor	1972	37,239	957	226	216,394	17.2%
4301	Parkview Elementary School	01	1	2	09	Classroom	1 Floor	1969	242,991	2,074	226	468,966	51.8%
4301	Parkview Elementary School	01	1	2	10	Music	1 Floor	2000	135,053	6,019	226	1,360,996	9.9%
0881	Comstock Elementary School	01	2	4	01	Classroom	2 Floors	1969	7,112,324	42,924	226	9,705,829	73.3%
0881	Comstock Elementary School	01	2	4	02	Cafeteria	1 Floor	1925	669,647	8,043	226	1,818,656	36.8%
0881	Comstock Elementary School	01	2	4	03	Administration	1 Floor	1925	227,314	3,177	226	718,372	31.6%
0881	Comstock Elementary School	01	2	4	04	Classroom	1 Floor	1967	209,600	6,230	226	1,408,706	14.9%
0881	Comstock Elementary School	01	2	4	07	Classroom	1 Floor	1992	267,095	6,575	226	1,486,717	18.0%
0881	Comstock Elementary School	01	2	4	08	PE Shelter	1 Floor	1992	306,084	2,691	226	608,480	50.3%
2041	Benjamin Franklin K-8 Center	01	2	3	01	Classroom	1 Floor	1952	734,928	5,025	226	1,136,236	64.7%
2041	Benjamin Franklin K-8 Center	01	2	3	02	Classroom	1 Floor	1952	430,951	3,438	226	777,389	55.4%
2041	Benjamin Franklin K-8 Center	01	2	3	03	Media Center	1 Floor	1952	314,001	5,091	226	1,151,160	27.3%
2041	Benjamin Franklin K-8 Center	01	2	3	04	Classroom	1 Floor	1952	625,345	3,220	226	728,095	85.9%
2041	Benjamin Franklin K-8 Center	01	2	3	05	Classroom	1 Floor	1952	426,722	3,590	226	811,759	52.6%
2041	Benjamin Franklin K-8 Center	01	2	3	06	Classroom	1 Floor	1952	414,380	2,154	226	487,055	85.1%
2041	Benjamin Franklin K-8 Center	01	2	3	07	Classroom	1 Floor	1954	539,775	2,872	226	649,407	83.1%
2041	Benjamin Franklin K-8 Center	01	2	3	08	Cafeteria	1 Floor	1952	1,441,847	8,554	226	1,934,201	74.5%
2041	Benjamin Franklin K-8 Center	01	2	3	11	Administration	1 Floor	1952	99,482	432	226	97,682	101.8%
2041	Benjamin Franklin K-8 Center	01	2	3	12	Administration	1 Floor	1952	94,449	145	226	32,787	288.1%
2041	Benjamin Franklin K-8 Center	01	2	3	16	Classroom	1 Floor	1994	49,439	3,375	226	763,144	6.5%
2041	Benjamin Franklin K-8 Center	01	2	3	17	17 Storage	1 Floor	0	0	196	0	0	0.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
1561	Earlington Heights Elementary School	01	2	3	01	Main Building	1 Floor	1936	1,141,691	10,915	226	2,468,063	46.3%
1561	Earlington Heights Elementary School	01	2	3	02	Cafeteria	1 Floor	1951	896,697	8,815	226	1,993,218	45.0%
1561	Earlington Heights Elementary School	01	2	3	03	Classroom	1 Floor	1952	812,334	5,989	226	1,354,212	60.0%
1561	Earlington Heights Elementary School	01	2	3	04	Classroom	1 Floor	1953	384,832	2,816	226	636,744	60.4%
1561	Earlington Heights Elementary School	01	2	3	05	Classroom	1 Floor	1963	664,173	12,949	226	2,927,984	22.7%
1561	Earlington Heights Elementary School	01	2	3	06	Classroom	1 Floor	1967	597,080	8,335	226	1,884,682	31.7%
0521	Broadmoor Elementary School	01	2	3	01	Administration	2 Floors	1957	1,597,137	10,492	226	2,372,415	67.3%
0521	Broadmoor Elementary School	01	2	3	02	Classroom	2 Floors	1957	2,342,772	16,335	226	3,693,615	63.4%
0521	Broadmoor Elementary School	01	2	3	03	Classroom	2 Floors	1957	833,452	6,076	226	1,373,884	60.7%
0521	Broadmoor Elementary School	01	2	3	04	Classroom	1 Floor	1967	604,351	6,236	226	1,410,063	42.9%
0521	Broadmoor Elementary School	01	2	3	05	Classroom	1 Floor	1969	399,839	3,995	226	903,336	44.3%
0521	Broadmoor Elementary School	01	2	3	08	Media Center	1 Floor	1996	141,122	6,620	226	1,496,892	9.4%
0521	Broadmoor Elementary School	01	2	3	09	PE Shelter	1 Floor	1996	62,044	2,874	226	649,859	9.5%
3701	Norland Elementary School	01	1	2	01	Classroom	1 Floor	1956	1,659,392	9,894	226	2,237,198	74.2%
3701	Norland Elementary School	01	1	2	02	Administration / Classroom	1 Floor	1956	1,201,007	7,329	226	1,657,209	72.5%
3701	Norland Elementary School	01	1	2	03	Cafe / Classroom	1 Floor	1956	2,711,329	13,843	226	3,130,132	86.6%
3701	Norland Elementary School	01	1	2	04	Classroom	1 Floor	1967	432,250	6,130	226	1,386,095	31.2%
3701	Norland Elementary School	01	1	2	05	Media Center	1 Floor	1999	128,232	8,571	226	1,938,045	6.6%
3701	Norland Elementary School	01	1	2	09	Storage	1 Floor	1962	9,513	1,644	226	371,736	2.6%
3181	Melrose Elementary School	01	2	3	01	Classroom	2 Floors	1947	5,829,528	31,816	226	7,194,126	81.0%
3181	Melrose Elementary School	01	2	3	02	Classroom	1 Floor	1947	506,440	2,999	226	678,124	74.7%
3181	Melrose Elementary School	01	2	3	03	Classroom	1 Floor	1967	475,979	6,130	226	1,386,095	34.3%
3181	Melrose Elementary School	01	2	3	05	Classroom	1 Floor	1947	277,145	2,074	226	468,966	59.1%
3181	Melrose Elementary School	01	2	3	10	Classroom	1 Floor	2000	29,077	7,918	226	1,790,391	1.6%
3181	Melrose Elementary School	01	2	3	11	PE Shelter	1 Floor	2000	32,275	2,800	226	633,126	5.1%
1161	Crestview Elementary School	01	1	2	01	Cafeteria	1 Floor	1957	1,124,408	8,308	226	1,878,577	59.9%
1161	Crestview Elementary School	01	1	2	02	Classroom	1 Floor	1957	926,131	4,492	226	1,015,716	91.2%
1161	Crestview Elementary School	01	1	2	03	Classroom	1 Floor	1957	876,747	4,492	226	1,015,716	86.3%
1161	Crestview Elementary School	01	1	2	04	Classroom	1 Floor	1967	895,625	6,130	226	1,386,095	64.6%
1161	Crestview Elementary School	01	1	2	06	PE Shelter	1 Floor	1957	77,613	1,840	226	416,055	18.7%
1161	Crestview Elementary School	01	1	2	08	Classroom	1 Floor	1957	617,346	3,742	226	846,128	73.0%
1161	Crestview Elementary School	01	1	2	09	Classroom	1 Floor	1957	840,200	3,742	226	846,128	99.3%
1161	Crestview Elementary School	01	1	2	11	Classroom	1 Floor	1995	1,227,703	17,986	226	4,066,933	30.2%
1161	Crestview Elementary School	01	1	2	12	Classroom	1 Floor	2004	194,498	12,619	226	2,853,365	6.8%
0681	Carol City Elementary School	01	1	1	01	Cafeteria	1 Floor	1957	548,571	6,533	226	1,477,220	37.1%
0681	Carol City Elementary School	01	1	1	02	Administration	1 Floor	1957	275,585	2,929	226	662,296	41.6%
0681	Carol City Elementary School	01	1	1	03	Classroom	1 Floor	1957	213,958	2,971	226	671,792	31.8%
0681	Carol City Elementary School	01	1	1	04	Classroom	1 Floor	1957	333,082	4,464	226	1,009,384	33.0%
0681	Carol City Elementary School	01	1	1	05	Classroom	1 Floor	1957	170,693	4,464	226	1,009,384	16.9%
0681	Carol City Elementary School	01	1	1	06	Classroom	1 Floor	1957	126,380	4,421	226	999,661	12.6%
0681	Carol City Elementary School	01	1	1	07	Classroom	1 Floor	1957	265,909	4,464	226	1,009,384	26.3%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
0681	Carol City Elementary School	01	1	1	08	Fine Arts	1 Floor	1995	87,945	6,787	226	1,534,653	5.7%
0681	Carol City Elementary School	01	1	1	09	Classroom	1 Floor	1959	146,650	2,262	226	511,476	28.7%
0681	Carol City Elementary School	01	1	1	10	Classroom	1 Floor	1967	560,974	6,241	226	1,411,194	39.8%
0681	Carol City Elementary School	01	1	1	11	Classroom	1 Floor	1969	196,941	3,996	226	903,562	21.8%
0681	Carol City Elementary School	01	1	1	12	Classroom	1 Floor	1995	124,941	8,636	226	1,952,743	6.4%
0681	Carol City Elementary School	01	1	1	13	Media Center	1 Floor	1995	469,222	8,409	226	1,901,414	24.7%
0681	Carol City Elementary School	01	1	1	14	Building - Building - 14	1 Floor	1957	2,117	1,962	226	443,641	0.5%
5081	Skyway Elementary School	01	1	1	01	Main Building	2 Floors	1972	8,366,524	57,661	226	13,038,109	64.2%
5081	Skyway Elementary School	01	1	1	03	PE Shelter	1 Floor	1998	63,557	2,050	226	463,539	13.7%
5081	Skyway Elementary School	01	1	1	04	Cafeteria	1 Floor	2007	0	19,193	226	4,339,856	0.0%
2181	Joella C. Good Elementary School	01	1	1	01	Administration	2 Floors	1990	693,937	9,585	226	2,167,328	32.0%
2181	Joella C. Good Elementary School	01	1	1	02	Media Center	2 Floors	1990	764,646	10,316	226	2,332,619	32.8%
2181	Joella C. Good Elementary School	01	1	1	03	Cafeteria	2 Floors	1990	605,403	9,656	226	2,183,382	27.7%
2181	Joella C. Good Elementary School	01	1	1	04	Classroom	1 Floor	1990	527,208	7,204	226	1,628,944	32.4%
2181	Joella C. Good Elementary School	01	1	1	05	Classroom	1 Floor	1990	398,695	4,788	226	1,082,646	36.8%
2181	Joella C. Good Elementary School	01	1	1	06	Classroom	1 Floor	1990	562,098	7,204	226	1,628,944	34.5%
2181	Joella C. Good Elementary School	01	1	1	07	Classroom	1 Floor	1990	205,331	2,367	226	535,218	38.4%
2181	Joella C. Good Elementary School	01	1	1	08	Classroom	2 Floors	1990	356,987	5,384	226	1,217,412	29.3%
2181	Joella C. Good Elementary School	01	1	1	09	Classroom	2 Floors	1990	620,175	9,576	226	2,165,293	28.6%
2181	Joella C. Good Elementary School	01	1	1	10	Fine Arts	2 Floors	1990	710,101	9,556	226	2,160,770	32.9%
2181	Joella C. Good Elementary School	01	1	1	11	PE Shelter	1 Floor	1990	522,935	7,430	226	1,680,046	31.1%
2181	Joella C. Good Elementary School	01	1	1	12	Classroom	1 Floor	2004	14,457	10,798	226	2,441,607	0.6%
5361	Springview Elementary School	01	5	3	01	Administration	1 Floor	1956	363,715	3,000	226	678,350	53.6%
5361	Springview Elementary School	01	5	3	02	Classroom	1 Floor	1956	546,807	3,000	226	678,350	80.6%
5361	Springview Elementary School	01	5	3	03	Classroom	1 Floor	1956	717,099	3,000	226	678,350	105.7%
5361	Springview Elementary School	01	5	3	04	Classroom	1 Floor	1959	587,420	3,752	226	848,389	69.2%
5361	Springview Elementary School	01	5	3	05	Classroom	1 Floor	1956	405,897	3,000	226	678,350	59.8%
5361	Springview Elementary School	01	5	3	06	Classroom	1 Floor	1959	571,498	3,752	226	848,389	67.4%
5361	Springview Elementary School	01	5	3	07	Cafeteria	1 Floor	1956	815,263	5,686	226	1,285,699	63.4%
5361	Springview Elementary School	01	5	3	09	PE Shelter	1 Floor	1956	8,696	875	226	197,852	4.4%
5361	Springview Elementary School	01	5	3	13	Classroom	1 Floor	1996	396,671	10,489	226	2,371,737	16.7%
7011	American Senior High	01	4	1	01	Main Building	2 Floors	1976	33,164,005	251,535	250	62,859,552	52.8%
7011	American Senior High	01	4	1	03	Classroom	1 Floor	2004	82,355	10,798	250	2,698,461	3.1%
7011	American Senior High	01	4	1	04	Classroom	1 Floor	2000	423,174	7,319	250	1,829,046	23.1%
7011	American Senior High	01	4	1	06	Covered Patio	1 Floor	2001	96,719	5,698	250	1,423,952	6.8%
7011	American Senior High	01	4	1	07	P.E. Storage	1 Floor	1976	0	552	0	0	0.0%
3241	Miami Gardens Elementary School	01	1	1	01	Main Building	1 Floor	1970	5,398,231	39,475	226	8,925,952	60.5%
3241	Miami Gardens Elementary School	01	1	1	03	Classroom	1 Floor	1998	214,454	7,130	226	1,612,211	13.3%
3241	Miami Gardens Elementary School	01	1	1	04	PE Shelter	1 Floor	1998	179,675	3,178	226	718,599	25.0%
2821	Lakeview Elementary School	01	2	3	01	Administration	1 Floor	1956	400,659	3,579	226	809,271	49.5%
2821	Lakeview Elementary School	01	2	3	02	Storage	1 Floor	1956	281,493	775	226	175,240	160.6%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2821	Lakeview Elementary School	01	2	3	03	Cafeteria	1 Floor	1956	970,996	5,865	226	1,326,174	73.2%
2821	Lakeview Elementary School	01	2	3	04	Classroom	2 Floors	1956	3,201,978	26,180	226	5,919,733	54.1%
2821	Lakeview Elementary School	01	2	3	05	Classroom	1 Floor	1969	321,181	2,074	226	468,966	68.5%
2821	Lakeview Elementary School	01	2	3	08	PE Shelter	1 Floor	1956	13,272	2,097	226	474,167	2.8%
2821	Lakeview Elementary School	01	2	3	09	Media Center	1 Floor	1994	113,376	4,756	226	1,075,411	10.5%
2821	Lakeview Elementary School	01	2	3	11	Music	1 Floor	1994	103,771	1,854	226	419,220	24.8%
2821	Lakeview Elementary School	01	2	3	12	Art	1 Floor	1994	98,146	1,586	226	358,621	27.4%
2801	Lake Stevens Elementary School	01	1	1	01	Main Building	1 Floor	1971	5,379,170	54,292	226	12,276,322	43.8%
2801	Lake Stevens Elementary School	01	1	1	03	PE Shelter	1 Floor	1969	175,054	2,063	226	466,479	37.5%
6571	Norland Middle School	01	1	2	01	Cafeteria	1 Floor	1959	1,674,200	6,857	242	1,660,492	100.8%
6571	Norland Middle School	01	1	2	02	Auditorium	1 Floor	1959	825,849	6,026	242	1,459,257	56.6%
6571	Norland Middle School	01	1	2	03	Classroom	1 Floor	1959	2,839,374	26,967	242	6,530,332	43.5%
6571	Norland Middle School	01	1	2	04	Classroom	2 Floors	1959	5,547,697	32,451	242	7,858,337	70.6%
6571	Norland Middle School	01	1	2	05	Physical Education	1 Floor	1960	1,545,636	8,893	242	2,153,530	71.8%
6571	Norland Middle School	01	1	2	06	Classroom	2 Floors	1996	833,438	24,697	242	5,980,628	13.9%
6571	Norland Middle School	01	1	2	09	Classroom	1 Floor	2003	268,072	9,083	242	2,199,540	12.2%
6571	Norland Middle School	01	1	2	10	Classroom	1 Floor	2005	72,515	10,798	242	2,614,845	2.8%
4501	Poinciana Park Elementary School	01	2	3	01	Cafeteria	1 Floor	1955	933,232	8,452	226	1,911,138	48.8%
4501	Poinciana Park Elementary School	01	2	3	02	Administration	2 Floors	1955	404,608	8,387	226	1,896,440	21.3%
4501	Poinciana Park Elementary School	01	2	3	03	Classroom	2 Floors	1955	1,409,490	7,656	226	1,731,149	81.4%
4501	Poinciana Park Elementary School	01	2	3	04	Classroom	2 Floors	1955	1,328,169	7,669	226	1,734,088	76.6%
4501	Poinciana Park Elementary School	01	2	3	05	Fine Arts	2 Floors	1955	1,070,639	7,656	226	1,731,149	61.8%
4501	Poinciana Park Elementary School	01	2	3	07	Classroom	1 Floor	1967	731,347	6,135	226	1,387,225	52.7%
4501	Poinciana Park Elementary School	01	2	3	08	Classroom	1 Floor	1968	710,788	6,227	226	1,408,028	50.5%
4501	Poinciana Park Elementary School	01	2	3	11	Classroom	2 Floors	2002	20,533	8,284	226	1,873,150	1.1%
4501	Poinciana Park Elementary School	01	2	3	12	PE Shelter	1 Floor	2000	0	1,437	226	324,930	0.0%
1681	Lillie C. Evans K-8 Center	01	2	3	01	Classroom	2 Floors	1958	1,636,272	7,656	226	1,731,149	94.5%
1681	Lillie C. Evans K-8 Center	01	2	3	02	Classroom	2 Floors	1958	742,217	9,171	226	2,073,715	35.8%
1681	Lillie C. Evans K-8 Center	01	2	3	03	Classroom	2 Floors	1958	1,144,270	9,171	226	2,073,715	55.2%
1681	Lillie C. Evans K-8 Center	01	2	3	04	Administration	1 Floor	1958	351,855	4,614	226	1,043,302	33.7%
1681	Lillie C. Evans K-8 Center	01	2	3	05	Cafeteria	1 Floor	1958	736,167	8,426	226	1,905,258	38.6%
1681	Lillie C. Evans K-8 Center	01	2	3	06	Classroom	1 Floor	1966	413,759	6,135	226	1,387,225	29.8%
1681	Lillie C. Evans K-8 Center	01	2	3	09	Media Center	1 Floor	1996	51,441	7,423	226	1,678,464	3.1%
1681	Lillie C. Evans K-8 Center	01	2	3	10	PE Shelter	1 Floor	1996	205,633	3,652	226	825,778	24.9%
0461	Brentwood Elementary School	01	1	1	01	Main Building	2 Floors	1999	7,389,906	63,830	226	14,433,022	51.2%
0461	Brentwood Elementary School	01	1	1	03	Media Center	1 Floor	2003	29,244	4,316	226	975,919	3.0%
0461	Brentwood Elementary School	01	1	1	04	Classroom	1 Floor	2003	163,744	20,435	226	4,620,693	3.5%
0461	Brentwood Elementary School	01	1	1	06	PE Shelter	0 Floors	1999	0	3,040	226	687,394	0.0%
2981	Liberty City Elementary School	01	2	3	01	Classroom	2 Floors	1945	1,610,156	46,094	226	10,422,618	15.4%
2981	Liberty City Elementary School	01	2	3	02	Classroom	1 Floor	1966	105,551	6,130	226	1,386,095	7.6%
2981	Liberty City Elementary School	01	2	3	03	Media Center	1 Floor	1992	126,561	7,398	226	1,672,811	7.6%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
2981	Liberty City Elementary School	01	2	3	05	PE Shelter	1 Floor	1997	158,403	3,170	226	716,790	22.1%
1401	Charles R. Drew Elementary School	01	2	3	01	Main Building	2 Floors	1964	4,052,100	29,777	226	6,733,074	60.2%
1401	Charles R. Drew Elementary School	01	2	3	02	Classroom	1 Floor	1965	602,327	6,130	226	1,386,095	43.5%
1401	Charles R. Drew Elementary School	01	2	3	03	Cafeteria	1 Floor	1964	396,412	4,611	226	1,042,624	38.0%
1401	Charles R. Drew Elementary School	01	2	3	04	Classroom	1 Floor	1964	163,608	2,139	226	483,663	33.8%
1401	Charles R. Drew Elementary School	01	2	3	06	Classroom	2 Floors	1994	48,172	7,664	226	1,732,958	2.8%
1401	Charles R. Drew Elementary School	01	2	3	07	PE Shelter	1 Floor	1994	44,111	1,108	226	250,537	17.6%
4001	Norwood Elementary School	01	1	2	01	Main Building	1 Floor	1969	2,942,021	36,503	226	8,253,934	35.6%
4001	Norwood Elementary School	01	1	2	03	Classroom	1 Floor	1991	277,429	3,596	226	813,115	34.1%
4001	Norwood Elementary School	01	1	2	04	Classroom	1 Floor	1991	423,686	7,036	226	1,590,956	26.6%
4001	Norwood Elementary School	01	1	2	05	Classroom	1 Floor	1992	268,260	3,487	226	788,469	34.0%
4001	Norwood Elementary School	01	1	2	06	Cafeteria	1 Floor	1991	429,390	7,794	226	1,762,353	24.4%
3381	Miami Springs Elementary School	01	5	3	01	Music	1 Floor	1996	13,995	3,422	226	773,771	1.8%
3381	Miami Springs Elementary School	01	5	3	02	Classroom	1 Floor	1951	234,300	1,552	226	350,933	66.8%
3381	Miami Springs Elementary School	01	5	3	03	Classroom	1 Floor	1951	523,567	3,420	226	773,319	67.7%
3381	Miami Springs Elementary School	01	5	3	04	Classroom	1 Floor	1937	306,200	2,025	226	457,886	66.9%
3381	Miami Springs Elementary School	01	5	3	05	Classroom	2 Floors	1937	442,402	2,977	226	673,149	65.7%
3381	Miami Springs Elementary School	01	5	3	06	Cafeteria	1 Floor	1948	674,921	7,447	226	1,683,890	40.1%
3381	Miami Springs Elementary School	01	5	3	07	Classroom	1 Floor	1937	534,554	3,475	226	785,755	68.0%
3381	Miami Springs Elementary School	01	5	3	08	Classroom	2 Floors	1956	1,724,919	17,135	226	3,874,508	44.5%
3381	Miami Springs Elementary School	01	5	3	09	Classroom	1 Floor	1937	525,793	3,258	226	736,688	71.4%
3381	Miami Springs Elementary School	01	5	3	10	Classroom	1 Floor	1996	107,517	7,307	226	1,652,234	6.5%
0401	Van E. Blanton Elementary School	01	2	3	01	Main Building	2 Floors	1952	3,885,228	43,345	226	9,801,024	39.6%
0401	Van E. Blanton Elementary School	01	2	3	02	Classroom	1 Floor	1969	282,759	2,074	226	468,966	60.3%
0401	Van E. Blanton Elementary School	01	2	3	03	Classroom	1 Floor	1991	122,075	4,549	226	1,028,604	11.9%
0401	Van E. Blanton Elementary School	01	2	3	06	PE Shelter	1 Floor	1952	35,219	1,479	226	334,426	10.5%
1441	Paul Laurence Dunbar Elementary School	01	2	4	02	Classroom	2 Floors	1933	859,035	10,378	226	2,346,638	36.6%
1441	Paul Laurence Dunbar Elementary School	01	2	4	03	Classroom	2 Floors	1937	628,338	4,852	226	1,097,118	57.3%
1441	Paul Laurence Dunbar Elementary School	01	2	4	04	Classroom	2 Floors	1956	766,696	5,822	226	1,316,451	58.2%
1441	Paul Laurence Dunbar Elementary School	01	2	4	05	Cafeteria	2 Floors	1958	1,614,341	14,822	226	3,351,500	48.2%
1441	Paul Laurence Dunbar Elementary School	01	2	4	07	Media Center	1 Floor	1970	767,776	7,144	226	1,615,377	47.5%
1441	Paul Laurence Dunbar Elementary School	01	2	4	08	Classroom	2 Floors	1970	917,210	17,347	226	3,922,445	23.4%
1441	Paul Laurence Dunbar Elementary School	01	2	4	09	Classroom	1 Floor	1994	15,091	6,209	226	1,403,958	1.1%
1441	Paul Laurence Dunbar Elementary School	01	2	4	13	PE Shelter	1 Floor	1968	0	1,633	226	369,248	0.0%
1441	Paul Laurence Dunbar Elementary School	01	2	4	14	Administration	1 Floor	1999	0	2,384	226	539,062	0.0%
2401	Hibiscus Elementary School	01	1	2	01	Classroom	1 Floor	1956	265,289	2,070	226	468,061	56.7%
2401	Hibiscus Elementary School	01	1	2	02	Classroom	1 Floor	1956	392,184	2,929	226	662,296	59.2%
2401	Hibiscus Elementary School	01	1	2	03	Classroom	1 Floor	1956	852,790	4,401	226	995,139	85.7%
2401	Hibiscus Elementary School	01	1	2	04	Administration	1 Floor	1956	548,041	2,929	226	662,296	82.7%
2401	Hibiscus Elementary School	01	1	2	05	Classroom	1 Floor	1956	570,876	4,401	226	995,139	57.4%
2401	Hibiscus Elementary School	01	1	2	06	Cafeteria	1 Floor	1956	243,978	6,482	226	1,465,688	16.6%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2401	Hibiscus Elementary School	01	1	2	07	Classroom	1 Floor	1969	912,853	4,355	226	984,738	92.7%
2401	Hibiscus Elementary School	01	1	2	08	PE Shelter	1 Floor	1969	95,516	3,461	226	782,590	12.2%
2401	Hibiscus Elementary School	01	1	2	09	Classroom	1 Floor	1995	104,746	7,361	226	1,664,444	6.3%
2401	Hibiscus Elementary School	01	1	2	10	Media Center	1 Floor	1995	81,081	5,807	226	1,313,059	6.2%
2401	Hibiscus Elementary School	01	1	2	11	Classroom	1 Floor	1995	47,139	3,621	226	818,768	5.8%
2401	Hibiscus Elementary School	01	1	2	12	Classroom	1 Floor	2006	173,982	9,265	226	2,094,970	8.3%
4281	Palm Springs North Elementary School	01	4	1	01	Main Building	2 Floors	1969	4,603,139	43,368	226	9,806,224	46.9%
4281	Palm Springs North Elementary School	01	4	1	03	Media Center	1 Floor	1969	269,337	3,996	226	903,562	29.8%
4281	Palm Springs North Elementary School	01	4	1	04	Cafeteria	1 Floor	2007	0	14,030	226	3,172,416	0.0%
4281	Palm Springs North Elementary School	01	4	1	05	Classroom	2 Floors	1995	77,900	11,205	226	2,533,637	3.1%
4281	Palm Springs North Elementary School	01	4	1	06	Fine Arts	1 Floor	1995	261,592	3,784	226	855,625	30.6%
4281	Palm Springs North Elementary School	01	4	1	07	PLC X	1 Floor	1998	694,296	17,832	226	4,032,111	17.2%
4281	Palm Springs North Elementary School	01	4	1	08	PE Shelter	1 Floor	1969	215,108	2,169	226	490,447	43.9%
4341	Parkway Elementary School	01	1	2	01	Media Center	1 Floor	1958	78,202	6,417	226	1,450,990	5.4%
4341	Parkway Elementary School	01	1	2	02	Classroom	1 Floor	1958	48,207	4,037	226	912,833	5.3%
4341	Parkway Elementary School	01	1	2	03	Classroom	1 Floor	1958	61,364	4,037	226	912,833	6.7%
4341	Parkway Elementary School	01	1	2	04	Art	1 Floor	1958	37,863	4,010	226	906,728	4.2%
4341	Parkway Elementary School	01	1	2	05	Classroom	1 Floor	1958	37,503	4,013	226	907,406	4.1%
4341	Parkway Elementary School	01	1	2	06	Classroom	1 Floor	1992	39,860	4,150	226	938,384	4.2%
4341	Parkway Elementary School	01	1	2	07	Classroom	1 Floor	1967	62,630	6,130	226	1,386,095	4.5%
4341	Parkway Elementary School	01	1	2	10	Cafeteria	1 Floor	1958	117,387	5,694	226	1,287,508	9.1%
4341	Parkway Elementary School	01	1	2	14	I4 PE Storage	1 Floor	0	0	2,683	0	0	0.0%
6051	Carol City Middle School	01	1	1	01	Auditorium	2 Floors	1958	936,350	17,814	242	4,313,840	21.7%
6051	Carol City Middle School	01	1	1	02	Classroom	2 Floors	1958	2,554,875	23,671	242	5,732,172	44.6%
6051	Carol City Middle School	01	1	1	03	Locker Rooms	2 Floors	1958	271,833	5,112	242	1,237,922	22.0%
6051	Carol City Middle School	01	1	1	04	Classroom	2 Floors	1958	183,571	5,919	242	1,433,346	12.8%
6051	Carol City Middle School	01	1	1	05	Cafeteria	2 Floors	1958	493,259	17,685	242	4,282,602	11.5%
6051	Carol City Middle School	01	1	1	09	Classroom	1 Floor	1992	55,320	2,881	242	697,663	7.9%
6051	Carol City Middle School	01	1	1	10	Classroom	1 Floor	2004	42,468	10,798	242	2,614,845	1.6%
2281	Greynolds Park Elementary School	01	3	2	01	Main Building	1 Floor	1957	789,323	9,907	226	2,240,137	35.2%
2281	Greynolds Park Elementary School	01	3	2	02	Classroom	1 Floor	1957	606,565	4,492	226	1,015,716	59.7%
2281	Greynolds Park Elementary School	01	3	2	03	Classroom	1 Floor	1957	589,914	3,742	226	846,128	69.7%
2281	Greynolds Park Elementary School	01	3	2	04	Classroom	1 Floor	1957	507,914	3,742	226	846,128	60.0%
2281	Greynolds Park Elementary School	01	3	2	05	Classroom	1 Floor	1957	629,983	4,492	226	1,015,716	62.0%
2281	Greynolds Park Elementary School	01	3	2	07	Classroom	1 Floor	1969	30,575	2,074	226	468,966	6.5%
2281	Greynolds Park Elementary School	01	3	2	09	Gymnasium	1 Floor	1957	29,265	3,105	226	702,092	4.2%
2281	Greynolds Park Elementary School	01	3	2	11	Classroom	1 Floor	1997	274,127	3,662	226	828,039	33.1%
2281	Greynolds Park Elementary School	01	3	2	12	Classroom	1 Floor	1997	669,505	11,318	226	2,559,188	26.2%
2281	Greynolds Park Elementary School	01	3	2	13	Classroom	1 Floor	1997	51,634	3,771	226	852,686	6.1%
2281	Greynolds Park Elementary School	01	3	2	14	Classroom	1 Floor	1997	40,706	2,604	226	588,808	6.9%
2281	Greynolds Park Primary Learning Center C	01	3	2	15	Classroom	1 Floor	1996	125,396	18,056	226	4,082,761	3.1%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2081	Fulford Elementary School	01	3	2	01	Classroom	2 Floors	1926	1,938,676	17,238	226	3,897,798	49.7%
2081	Fulford Elementary School	01	3	2	02	Main Building	2 Floors	1991	1,880,294	35,996	226	8,139,293	23.1%
2081	Fulford Elementary School	01	3	2	03	PE Shelter	1 Floor	1950	2,925	1,043	226	235,840	1.2%
6521	Miami Springs Middle School	01	5	3	01	Administration	1 Floor	1994	85,813	3,504	242	848,529	10.1%
6521	Miami Springs Middle School	01	5	3	03	Media Center	1 Floor	1958	320,280	4,994	242	1,209,348	26.5%
6521	Miami Springs Middle School	01	5	3	04	Classroom	1 Floor	1994	457,104	10,197	242	2,469,307	18.5%
6521	Miami Springs Middle School	01	5	3	05	Classroom	1 Floor	1955	714,097	7,486	242	1,812,811	39.4%
6521	Miami Springs Middle School	01	5	3	06	Classroom	2 Floors	1955	1,710,256	18,137	242	4,392,058	38.9%
6521	Miami Springs Middle School	01	5	3	07	Classroom	1 Floor	1958	602,648	3,172	242	768,132	78.5%
6521	Miami Springs Middle School	01	5	3	08	Science	1 Floor	1955	562,481	7,211	242	1,746,217	32.2%
6521	Miami Springs Middle School	01	5	3	09	Classroom	1 Floor	1955	607,547	6,807	242	1,648,384	36.9%
6521	Miami Springs Middle School	01	5	3	10	Auditorium	1 Floor	1956	1,008,016	21,017	242	5,089,479	19.8%
6521	Miami Springs Middle School	01	5	3	11	Classroom	1 Floor	1955	236,538	6,240	242	1,511,079	15.7%
6521	Miami Springs Middle School	01	5	3	12	Kindergarten Wing	1 Floor	2005	0	10,798	242	2,614,845	0.0%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	01	Cafeteria	1 Floor	1956	504,370	6,478	226	1,464,783	34.4%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	03	Administration	1 Floor	1956	49,801	3,218	226	727,643	6.8%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	04	Classroom	1 Floor	1956	540,222	4,418	226	998,983	54.1%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	05	Classroom	1 Floor	1958	408,255	5,039	226	1,139,402	35.8%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	06	Classroom	1 Floor	1956	280,162	3,567	226	806,558	34.7%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	07	Classroom	1 Floor	1956	249,003	3,682	226	832,561	29.9%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	08	Primary Classroom	1 Floor	1956	507,576	4,418	226	998,983	50.8%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	09	Classroom	1 Floor	1958	152,022	1,457	226	329,452	46.1%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	10	Classroom	1 Floor	1969	100,967	2,067	226	467,383	21.6%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	11	Classroom	1 Floor	1967	346,841	6,130	226	1,386,095	25.0%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	13	PE Shelter	1 Floor	1956	29,572	1,114	226	251,894	11.7%
4801	Gertrude K. Edelman/Sabal Palm Elementary School	01	3	2	14	Media Center	1 Floor	1997	64,117	9,065	226	2,049,747	3.1%
2361	Hialeah Elementary School	01	5	3	01	Main Building	2 Floors	1949	5,065,536	53,718	226	12,146,531	41.7%
2361	Hialeah Elementary School	01	5	3	02	Classroom	1 Floor	1969	226,872	2,074	226	468,966	48.4%
2361	Hialeah Elementary School	01	5	3	04	Media Center	1 Floor	2004	177,671	20,142	226	4,554,441	3.9%
5201	South Hialeah Elementary School	01	5	3	01	Main Building	2 Floors	1922	5,103,130	24,732	226	5,592,316	91.3%
5201	South Hialeah Elementary School	01	5	3	02	Classroom	1 Floor	1996	84,295	5,723	226	1,294,065	6.5%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
5201	South Hialeah Elementary School	01	5	3	03	Cafeteria	3 Floors	2007	862,591	57,307	226	12,958,064	6.7%
5201	South Hialeah Elementary School	01	5	3	04	Classroom	1 Floor	1969	430,878	3,995	226	903,336	47.7%
4071	Olinda Elementary School	01	2	3	01	Main Building	2 Floors	1969	4,149,482	46,474	226	10,508,543	39.5%
4071	Olinda Elementary School	01	2	3	02	Classroom	1 Floor	1969	413,694	4,127	226	933,183	44.3%
4071	Olinda Elementary School	01	2	3	07	Classroom	1 Floor	1996	202,851	13,648	226	3,086,039	6.6%
4071	Olinda Elementary School	01	2	3	08	PE Shelter	1 Floor	1996	0	2,868	226	648,502	0.0%
7241	Ronald W. Reagan/Doral Senior High School	01	5	3	01	Main Building	1 Floor	2003	0	137,416	226	31,072,038	0.0%
7241	Ronald W. Reagan/Doral Senior High School	01	5	3	02	Gymnasium	1 Floor	2003	0	44,603	226	10,085,478	0.0%
7241	Ronald W. Reagan/Doral Senior High School	01	5	3	03	Cafeteria	1 Floor	2003	0	22,913	226	5,181,010	0.0%
7241	Ronald W. Reagan/Doral Senior High School	01	5	3	04	Classroom	1 Floor	2003	0	32,251	226	7,292,486	0.0%
7241	Ronald W. Reagan/Doral Senior High School	01	5	3	05	Covered Patio	1 Floor	2003	0	5,795	226	1,310,346	0.0%
6351	Lake Stevens Middle School	01	1	1	01	Main Building	3 Floors	1973	7,667,488	115,158	242	27,886,672	27.5%
6351	Lake Stevens Middle School	01	1	1	03	Classroom	1 Floor	2000	106,932	9,366	242	2,268,072	4.7%
6031	Brownsville Middle School	01	2	3	01	Media Center	1 Floor	1959	1,052,948	15,283	242	3,700,933	28.5%
6031	Brownsville Middle School	01	2	3	02	Fine Arts	1 Floor	1959	182,079	3,537	242	856,520	21.3%
6031	Brownsville Middle School	01	2	3	03	Classroom	1 Floor	2001	404,922	10,870	242	2,632,280	15.4%
6031	Brownsville Middle School	01	2	3	04	Classroom	2 Floors	1959	745,396	7,869	242	1,905,558	39.1%
6031	Brownsville Middle School	01	2	3	05	Classroom	2 Floors	1959	554,651	7,586	242	1,837,027	30.2%
6031	Brownsville Middle School	01	2	3	06	Classroom	2 Floors	1959	709,986	7,586	242	1,837,027	38.6%
6031	Brownsville Middle School	01	2	3	07	Laboratory	1 Floor	1959	38,456	1,385	242	335,392	11.5%
6031	Brownsville Middle School	01	2	3	08	Girl's Locker	1 Floor	1959	442,852	3,317	242	803,245	55.1%
6031	Brownsville Middle School	01	2	3	09	Boy's Locker	1 Floor	1959	1,920,532	5,355	242	1,296,767	148.1%
6031	Brownsville Middle School	01	2	3	10	Auditorium	1 Floor	1961	388,334	6,792	242	1,644,751	23.6%
6031	Brownsville Middle School	01	2	3	11	Classroom	1 Floor	1972	247,180	4,796	242	1,161,400	21.3%
6031	Brownsville Middle School	01	2	3	12	Cafeteria	1 Floor	2001	71,406	11,033	242	2,671,752	2.7%
6031	Brownsville Middle School	01	2	3	13	Laboratory	2 Floors	2001	98,409	34,504	242	8,355,492	1.2%
6031	Brownsville Middle School	01	2	3	15	Science	1 Floor	1996	69,073	2,781	242	673,447	10.3%
6031	Brownsville Middle School	01	2	3	17	Covered Patio	1 Floor	2001	2,065	2,709	242	656,012	0.3%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	01	Administration	1 Floor	1955	77,607	2,867	226	648,276	12.0%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	02	Cafeteria	1 Floor	1955	308,217	6,353	226	1,436,519	21.5%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	03	Classroom	1 Floor	1955	236,679	4,287	226	969,362	24.4%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	04	Classroom	1 Floor	1955	471,021	3,928	226	888,186	53.0%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	05	Classroom	1 Floor	1955	533,709	4,287	226	969,362	55.1%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	06	Classroom	1 Floor	1955	399,227	3,932	226	889,090	44.9%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	07	Classroom	1 Floor	1958	274,282	5,155	226	1,165,631	23.5%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	08	Classroom	1 Floor	1958	231,692	1,780	226	402,488	57.6%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	09	Media Center	1 Floor	1994	82,358	4,827	226	1,091,465	7.5%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	10	Classroom	1 Floor	1994	17,920	5,453	226	1,233,014	1.5%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	11	Music	1 Floor	1994	10,296	1,854	226	419,220	2.5%
5901	Carrie P. Meek/Westview K-8 Center	01	2	3	12	PE Shelter	1 Floor	1958	5,771	1,413	226	319,503	1.8%
6981	Westview Middle School	01	2	3	01	Main Building	2 Floors	1956	4,326,759	69,808	242	16,904,712	25.6%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
6981	Westview Middle School	01	2	3	02	Boy's Locker	1 Floor	1956	213,109	1,687	242	408,524	52.2%
6981	Westview Middle School	01	2	3	03	Girl's Locker	1 Floor	1956	232,861	1,687	242	408,524	57.0%
6981	Westview Middle School	01	2	3	06	Auditorium	1 Floor	1956	656,350	5,694	242	1,378,860	47.6%
6981	Westview Middle School	01	2	3	07	Classroom	1 Floor	1998	93,155	22,936	242	5,554,184	1.7%
7511	Miami Springs Senior High	01	5	3	01	Main Building	2 Floors	1963	12,688,971	165,229	250	41,291,352	30.7%
7511	Miami Springs Senior High	01	5	3	02	Classroom	3 Floors	1963	0	60,025	250	15,000,475	0.0%
7511	Miami Springs Senior High	01	5	3	07	Classroom	2 Floors	1996	41,111	5,514	250	1,377,970	3.0%
7511	Miami Springs Senior High	01	5	3	12	Building 12	1 Floor	1997	0	832	250	207,920	0.0%
7511	Miami Springs Senior High	01	5	3	13	Building 13	1 Floor	1997	0	525	250	131,199	0.0%
7511	Miami Springs Senior High	01	5	3	14	Building 14	1 Floor	1997	0	84	250	20,992	0.0%
0101	Arcola Lake Elementary School	01	2	3	01	Main Building	2 Floors	1969	1,331,053	48,176	226	10,893,393	12.2%
0101	Arcola Lake Elementary School	01	2	3	02	Cafeteria	1 Floor	1969	499,161	8,815	226	1,993,218	25.0%
0101	Arcola Lake Elementary School	01	2	3	03	Classroom	1 Floor	1970	1,183,272	17,663	226	3,993,897	29.6%
0101	Arcola Lake Elementary School	01	2	3	05	Classroom	1 Floor	1990	409,567	7,043	226	1,592,539	25.7%
0101	Arcola Lake Elementary School	01	2	3	07	Classroom	1 Floor	1995	93,003	11,026	226	2,493,162	3.7%
0101	Arcola Lake Elementary School	01	2	3	08	PE Shelter	1 Floor	1995	16,517	4,208	226	951,499	1.7%
7601	William H. Turner Technical Arts High School	01	2	3	01	Main Building	2 Floors	1991	1,264,316	249,400	250	62,326,008	2.0%
7601	William H. Turner Technical Arts High School	01	2	3	02	Administration	1 Floor	1991	47,919	5,943	250	1,485,178	3.2%
7601	William H. Turner Technical Arts High School	01	2	3	03	Classroom	1 Floor	1991	240,746	9,529	250	2,381,333	10.1%
7601	William H. Turner Technical Arts High School	01	2	3	04	Classroom	1 Floor	1991	6,434	2,003	250	500,557	1.3%
3041	Lorah Park Elementary School	01	2	3	01	Cafeteria	2 Floors	1967	1,035,494	43,461	226	9,827,253	10.5%
3041	Lorah Park Elementary School	01	2	3	02	Classroom	1 Floor	1969	46,166	2,130	226	481,628	9.6%
3041	Lorah Park Elementary School	01	2	3	03	Classroom	1 Floor	1999	38,827	10,130	226	2,290,561	1.7%
3041	Lorah Park Elementary School	01	2	3	04	Classroom	1 Floor	1967	245,610	4,359	226	985,642	24.9%
3041	Lorah Park Elementary School	01	2	3	05	PE Shelter	1 Floor	1999	50,892	2,648	226	598,757	8.5%
6301	John F. Kennedy Middle School	01	3	2	01	Cafeteria	1 Floor	1957	459,331	8,457	242	2,047,948	22.4%
6301	John F. Kennedy Middle School	01	3	2	02	Main Building	1 Floor	1957	1,838,984	27,184	242	6,582,880	27.9%
6301	John F. Kennedy Middle School	01	3	2	03	Classroom	2 Floors	1957	2,207,532	30,877	242	7,477,178	29.5%
6301	John F. Kennedy Middle School	01	3	2	04	Auditorium	1 Floor	1957	346,791	6,310	242	1,528,030	22.7%
6301	John F. Kennedy Middle School	01	3	2	05	Band	1 Floor	1957	373,680	6,192	242	1,499,455	24.9%
6301	John F. Kennedy Middle School	01	3	2	07	BEAT Building	2 Floors	2006	0	33,347	242	8,075,313	0.0%
6301	John F. Kennedy Middle School	01	3	2	08	Classroom	2 Floors	1999	269,672	13,416	242	3,248,820	8.3%
6301	John F. Kennedy Middle School	01	3	2	11	Covered Patio	1 Floor	2006	0	4,734	242	1,146,386	0.0%
4491	Henry E.S. Reeves Elementary School	01	2	3	01	Main Building	1 Floor	1995	546,498	25,645	226	5,798,760	9.4%
4491	Henry E.S. Reeves Elementary School	01	2	3	02	Classroom	1 Floor	1995	450,343	18,046	226	4,080,500	11.0%
4491	Henry E.S. Reeves Elementary School	01	2	3	03	Classroom	1 Floor	1995	384,898	17,897	226	4,046,809	9.5%
4491	Henry E.S. Reeves Elementary School	01	2	3	04	Classroom	1 Floor	1995	1,610,286	21,130	226	4,777,844	33.7%
4491	Henry E.S. Reeves Elementary School	01	2	3	05	PE Shelter	1 Floor	1995	38,596	3,335	226	754,099	5.1%
5991	Charles David Wyche, Jr.	01	1	1	01	Main Building	2 Floors	1995	920,266	32,578	226	7,366,427	12.5%
5991	Charles David Wyche, Jr.	01	1	1	02	Classroom	2 Floors	1995	568,913	25,228	226	5,704,470	10.0%
5991	Charles David Wyche, Jr.	01	1	1	03	Classroom	2 Floors	1995	412,523	32,721	226	7,398,761	5.6%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
5991	Charles David Wyche, Jr.	01	1	1	04	Classroom	1 Floor	2005	12,017	12,619	226	2,853,365	0.4%
4171	Orchard Villa Elementary School	01	2	3	01	Main Building	2 Floors	1990	2,938,235	89,538	226	20,246,028	14.5%
6161	Lawton Chiles Middle School	01	4	1	01	Administration	1 Floor	1998	213,616	6,630	242	1,605,521	13.3%
6161	Lawton Chiles Middle School	01	4	1	02	Main Building	3 Floors	1998	1,810,167	77,278	242	18,713,648	9.7%
6161	Lawton Chiles Middle School	01	4	1	03	Auditorium	1 Floor	1998	624,021	61,690	242	14,938,856	4.2%
6161	Lawton Chiles Middle School	01	4	1	04	Classroom	1 Floor	1998	109,029	12,619	242	3,055,818	3.6%
6161	Lawton Chiles Middle School	01	4	1	05	Covered Patio	1 Floor	1998	68,380	3,085	242	747,064	9.2%
7541	North Miami Beach Senior High	01	3	2	01	Main Building	3 Floors	1971	8,725,243	256,956	250	64,214,280	13.6%
7541	North Miami Beach Senior High	01	3	2	03	Weights	1 Floor	1982	104,228	2,481	250	620,011	16.8%
7541	North Miami Beach Senior High	01	3	2	06	Covered Patio	1 Floor	2001	35,100	4,925	250	1,230,776	2.9%
7541	North Miami Beach Senior High	01	3	2	07	Classroom	1 Floor	2005	212,425	29,890	250	7,469,625	2.8%
6151	Doral Middle School	01	5	3	01	Main Building	3 Floors	1998	450,544	87,928	242	21,292,652	2.1%
6151	Doral Middle School	01	5	3	02	Auditorium	1 Floor	1998	244,577	51,974	242	12,586,029	1.9%
4841	Santa Clara Elementary School	01	2	4	01	Classroom	2 Floors	1995	685,363	43,589	226	9,856,196	7.0%
4841	Santa Clara Elementary School	01	2	4	02	Classroom	2 Floors	1995	19,824	20,814	226	4,706,391	0.4%
4841	Santa Clara Elementary School	01	2	4	03	Music	1 Floor	1995	0	3,508	226	793,217	0.0%
4841	Santa Clara Elementary School	01	2	4	04	Cafeteria	2 Floors	1995	30,089	19,255	226	4,353,875	0.7%
0111	Maya Angelou Elementary School	01	2	4	01	Classroom	2 Floors	1994	23,952	7,331	226	1,657,661	1.4%
0111	Maya Angelou Elementary School	01	2	4	02	Classroom	2 Floors	1994	163,214	16,669	226	3,769,138	4.3%
0111	Maya Angelou Elementary School	01	2	4	03	Media Center	1 Floor	1994	53,441	6,134	226	1,386,999	3.9%
0111	Maya Angelou Elementary School	01	2	4	04	Classroom	2 Floors	1994	78,505	15,035	226	3,399,663	2.3%
0111	Maya Angelou Elementary School	01	2	4	05	Classroom	2 Floors	1994	52,307	8,549	226	1,933,071	2.7%
0111	Maya Angelou Elementary School	01	2	4	06	Cafeteria	1 Floor	1994	0	7,698	226	1,740,646	0.0%
0111	Maya Angelou Elementary School	01	2	4	07	Classroom	2 Floors	1994	46,316	10,523	226	2,379,425	1.9%
0111	Maya Angelou Elementary School	01	2	4	08	Music	1 Floor	1994	5,185	2,342	226	529,565	1.0%
5101	John I. Smith K-8 Center	01	5	3	01	Administration	1 Floor	1995	255,049	25,645	226	5,798,760	4.4%
5101	John I. Smith K-8 Center	01	5	3	02	Classroom	1 Floor	1995	97,031	18,046	226	4,080,500	2.4%
5101	John I. Smith K-8 Center	01	5	3	03	Classroom	1 Floor	1995	110,867	17,897	226	4,046,809	2.7%
5101	John I. Smith K-8 Center	01	5	3	04	Classroom	1 Floor	1995	106,924	21,105	226	4,772,191	2.2%
5101	John I. Smith K-8 Center	01	5	3	05	PE Shelter	1 Floor	1995	251,422	3,335	226	754,099	33.3%
5101	John I. Smith K-8 Center	01	5	3	07	PLC AI	1 Floor	1999	84,491	17,826	226	4,030,755	2.1%
5101	John I. Smith K-8 Center	01	5	3	08	Classroom	1 Floor	2006	0	22,463	226	5,079,257	0.0%
0071	Eugenia B. Thomas K-8 Center	01	5	3	01	Administration	1 Floor	1999	9,893	3,994	235	938,143	1.1%
0071	Eugenia B. Thomas K-8 Center	01	5	3	02	Administration	1 Floor	1999	38,601	637	235	149,624	25.8%
0071	Eugenia B. Thomas K-8 Center	01	5	3	03	Classroom	2 Floors	1999	64,450	17,116	235	4,020,343	1.6%
0071	Eugenia B. Thomas K-8 Center	01	5	3	04	Classroom	2 Floors	1999	40,420	17,957	235	4,217,884	1.0%
0071	Eugenia B. Thomas K-8 Center	01	5	3	05	Classroom	2 Floors	1999	45,597	18,931	235	4,446,665	1.0%
0071	Eugenia B. Thomas K-8 Center	01	5	3	06	Cafeteria	2 Floors	1999	60,768	12,142	235	2,852,010	2.1%
0071	Eugenia B. Thomas K-8 Center	01	5	3	07	PE Shelter	1 Floor	1999	156,184	2,543	235	597,320	26.1%
0071	Eugenia B. Thomas K-8 Center	01	5	3	08	Classroom	1 Floor	2003	22,885	10,798	235	2,536,321	0.9%
0071	Eugenia B. Thomas K-8 Center	01	5	3	09	Classroom	1 Floor	2005	25,662	50,071	235	11,761,077	0.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
2191	Spanish Lake Elementary School	01	4	1	01	Buildng 01	2 Floors	2006	0	29,947	226	6,771,514	0.0%
2191	Spanish Lake Elementary School	01	4	1	02	Buildng 02	2 Floors	2006	0	30,262	226	6,842,741	0.0%
2191	Spanish Lake Elementary School	01	4	1	03	Buildng 03	2 Floors	2006	0	30,264	226	6,843,193	0.0%
2191	Spanish Lake Elementary School	01	4	1	04	Buildng 04	2 Floors	2006	0	30,265	226	6,843,419	0.0%
2191	Spanish Lake Elementary School	01	4	1	05	Buildng 05	1 Floor	2006	0	2,459	226	556,021	0.0%
2191	Spanish Lake Elementary School	01	4	1	07	ECC Main Building	2 Floors	2006	0	27,834	226	6,293,729	0.0%
2191	Spanish Lake Elementary School	01	4	1	08	ECC Classroom	1 Floor	2006	0	5,937	226	1,342,454	0.0%
2191	Spanish Lake Elementary School	01	4	1	09	ECC Cafeteria	1 Floor	2006	0	6,113	226	1,382,251	0.0%
6611	Country Club Middle School	01	4	1	01	Classroom	1 Floor	2005	0	19,103	226	4,319,506	0.0%
6611	Country Club Middle School	01	4	1	02	Classroom	1 Floor	2005	0	24,299	226	5,494,407	0.0%
6611	Country Club Middle School	01	4	1	03	Main Building	1 Floor	2005	24,000	101,976	226	23,058,466	0.1%
6611	Country Club Middle School	01	4	1	04	Covered Patio	1 Floor	2005	0	2,520	226	569,814	0.0%
6611	Country Club Middle School	01	4	1	05	Covered Walkway	1 Floor	2005	0	2,660	226	601,470	0.0%
6023	Andover Middle School	01	1	2	01	Main Building	2 Floors	2006	0	18,409	242	4,457,925	0.0%
6023	Andover Middle School	01	1	2	02	Classroom	3 Floors	2006	0	33,841	242	8,194,940	0.0%
6023	Andover Middle School	01	1	2	03	Classroom	3 Floors	2006	0	32,480	242	7,865,360	0.0%
6023	Andover Middle School	01	1	2	04	Band/Art	2 Floors	2006	0	33,272	242	8,057,151	0.0%
6023	Andover Middle School	01	1	2	05	Cafetorium	1 Floor	2006	0	24,142	242	5,846,229	0.0%
6023	Andover Middle School	01	1	2	07	PE Space	1 Floor	2006	0	2,756	242	667,393	0.0%
0122	Dr. Rolando Espinosa K-8 Center	01	5	3	01	Main Building	3 Floors	2007	0	125,362	235	29,446,030	0.0%
0122	Dr. Rolando Espinosa K-8 Center	01	5	3	02	Cafeteria	2 Floors	2007	0	28,035	235	6,585,085	0.0%
0122	Dr. Rolando Espinosa K-8 Center	01	5	3	03	Gymnasium	1 Floor	2007	0	4,055	235	952,471	0.0%
0641	Bunche Park Elementary School	02	1	1	01	Main Building	1 Floor	1951	7,865,487	37,171	226	8,404,980	93.6%
0641	Bunche Park Elementary School	02	1	1	03	Classroom	1 Floor	1961	1,387,565	8,167	226	1,846,694	75.1%
0641	Bunche Park Elementary School	02	1	1	04	Classroom	1 Floor	1961	924,593	6,135	226	1,387,225	66.7%
0641	Bunche Park Elementary School	02	1	1	05	PE Shelter	1 Floor	1951	87,485	2,013	226	455,173	19.2%
3341	Miami Shores Elementary School	02	2	4	01	Main Building	2 Floors	1929	3,108,989	19,907	226	4,501,303	69.1%
3341	Miami Shores Elementary School	02	2	4	02	Classroom	1 Floor	1967	832,908	7,658	226	1,731,601	48.1%
3341	Miami Shores Elementary School	02	2	4	03	Classroom	1 Floor	1969	214,344	2,074	226	468,966	45.7%
3341	Miami Shores Elementary School	02	2	4	05	PE Shelter	1 Floor	1951	0	1,035	226	234,031	0.0%
3341	Miami Shores Elementary School	02	2	4	07	Classroom	2 Floors	1992	487,685	13,575	226	3,069,533	15.9%
3341	Miami Shores Elementary School	02	2	4	08	Auditorium	1 Floor	1932	17,027	453	226	102,431	16.6%
3341	Miami Shores Elementary School	02	2	4	09	Cafeteria	1 Floor	1929	425,535	7,777	226	1,758,509	24.2%
1921	Flamingo Elementary School	02	4	1	01	Cafeteria	1 Floor	1957	2,556,362	7,773	226	1,757,604	145.4%
1921	Flamingo Elementary School	02	4	1	02	Classroom	2 Floors	1957	1,087,151	5,844	226	1,321,425	82.3%
1921	Flamingo Elementary School	02	4	1	03	Classroom	2 Floors	1957	906,383	5,827	226	1,317,581	68.8%
1921	Flamingo Elementary School	02	4	1	04	Classroom	2 Floors	1957	2,091,761	13,652	226	3,086,944	67.8%
1921	Flamingo Elementary School	02	4	1	05	Administration	1 Floor	1997	3,457,189	23,219	226	5,250,201	65.8%
1921	Flamingo Elementary School	02	4	1	06	Classroom	1 Floor	1969	340,638	2,108	226	476,654	71.5%
1921	Flamingo Elementary School	02	4	1	07	Classroom	1 Floor	2004	66,199	12,619	226	2,853,365	2.3%
2161	Golden Glades Elementary School	02	1	1	01	Cafeteria	1 Floor	1955	590,358	6,405	226	1,448,277	40.8%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2161	Golden Glades Elementary School	02	1	1	02	Classroom	1 Floor	1955	482,157	4,401	226	995,139	48.5%
2161	Golden Glades Elementary School	02	1	1	03	Administration	1 Floor	1955	879,135	2,929	226	662,296	132.7%
2161	Golden Glades Elementary School	02	1	1	04	Classroom	1 Floor	1955	126,548	4,401	226	995,139	12.7%
2161	Golden Glades Elementary School	02	1	1	05	Classroom	1 Floor	1955	356,387	2,929	226	662,296	53.8%
2161	Golden Glades Elementary School	02	1	1	06	Classroom	1 Floor	1955	639,447	4,401	226	995,139	64.3%
2161	Golden Glades Elementary School	02	1	1	10	PE Shelter	1 Floor	1955	119,369	1,917	226	433,466	27.5%
2161	Golden Glades Elementary School	02	1	1	12	Classroom	1 Floor	1969	198,014	2,074	226	468,966	42.2%
2161	Golden Glades Elementary School	02	1	1	13	Media Center	1 Floor	1994	113,863	9,031	226	2,042,059	5.6%
3421	M.A. Milam K-8 Center	02	4	1	01	Classroom	1 Floor	1961	664,497	3,848	235	903,849	73.5%
3421	M.A. Milam K-8 Center	02	4	1	02	Classroom	1 Floor	1961	564,675	3,848	235	903,849	62.5%
3421	M.A. Milam K-8 Center	02	4	1	03	Classroom	1 Floor	1961	382,826	4,005	235	940,726	40.7%
3421	M.A. Milam K-8 Center	02	4	1	04	Classroom	1 Floor	1961	465,665	4,005	235	940,726	49.5%
3421	M.A. Milam K-8 Center	02	4	1	05	Administration	1 Floor	1961	1,135,699	9,799	235	2,301,668	49.3%
3421	M.A. Milam K-8 Center	02	4	1	06	Cafeteria	1 Floor	1961	998,629	5,689	235	1,336,278	74.7%
3421	M.A. Milam K-8 Center	02	4	1	07	Classroom	1 Floor	1969	305,398	2,073	235	486,923	62.7%
3421	M.A. Milam K-8 Center	02	4	1	09	PE Shelter	1 Floor	1961	104,054	1,078	235	253,209	41.1%
3421	M.A. Milam K-8 Center	02	4	1	10	Classroom	1 Floor	1982	567,907	6,895	235	1,619,553	35.1%
3421	M.A. Milam K-8 Center	02	4	1	11	Classroom	1 Floor	1992	431,917	4,692	235	1,102,095	39.2%
3421	M.A. Milam K-8 Center	02	4	1	12	Classroom	1 Floor	1992	355,770	3,044	235	714,999	49.8%
3421	M.A. Milam K-8 Center	02	4	1	13	Classroom	1 Floor	1992	445,081	4,484	235	1,053,238	42.3%
3421	M.A. Milam K-8 Center	02	4	1	14	Classroom	2 Floors	1998	4,664,540	40,631	235	9,543,734	48.9%
5971	Nathan B. Young Elementary School	02	1	1	01	Main Building	2 Floors	1961	5,575,694	26,701	226	6,037,539	92.4%
5971	Nathan B. Young Elementary School	02	1	1	02	Classroom	1 Floor	1995	574,969	17,843	226	4,034,598	14.3%
0481	James H. Bright ES (Old J.W. Johnson Campus)	02	5	1	01	Classroom	1 Floor	1961	1,230,138	10,485	226	2,370,833	51.9%
0481	James H. Bright/J.W. Johnson Elementary ES - PLC	02	5	1	01	Classroom	1 Floor	1961	776,791	8,606	226	1,945,959	39.9%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	01	Administration	1 Floor	1959	375,261	3,664	226	828,491	45.3%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	02	Cafeteria	1 Floor	1959	404,274	6,205	226	1,403,054	28.8%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	03	Classroom	1 Floor	1959	263,940	4,033	226	911,928	28.9%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	04	Classroom	1 Floor	1959	372,997	4,007	226	906,049	41.2%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	05	Classroom	1 Floor	1959	353,907	4,002	226	904,919	39.1%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	06	Classroom	2 Floors	1968	4,961,939	31,104	226	7,033,131	70.6%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	11	PE Shelter	1 Floor	1959	33,739	1,361	226	307,745	11.0%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	12	Media Center	1 Floor	1993	135,929	4,692	226	1,060,939	12.8%
0481	James H. Bright/J.W. Johnson Elementary	02	5	1	13	Administration	1 Floor	1999	73,807	2,395	226	541,549	13.6%
2241	Gratigny Elementary School	02	2	2	01	Classroom	1 Floor	1955	1,029,622	4,496	226	1,016,620	101.3%
2241	Gratigny Elementary School	02	2	2	02	Classroom	1 Floor	1955	761,440	4,401	226	995,139	76.5%
2241	Gratigny Elementary School	02	2	2	03	Classroom	1 Floor	1955	984,388	4,401	226	995,139	98.9%
2241	Gratigny Elementary School	02	2	2	04	Classroom	1 Floor	1959	811,026	3,737	226	844,998	96.0%
2241	Gratigny Elementary School	02	2	2	05	Classroom	1 Floor	1959	554,891	2,929	226	662,296	83.8%
2241	Gratigny Elementary School	02	2	2	06	Classroom	1 Floor	1955	647,603	2,929	226	662,296	97.8%
2241	Gratigny Elementary School	02	2	2	07	Administration	1 Floor	1955	366,284	2,929	226	662,296	55.3%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2241	Gratigny Elementary School	02	2	2	08	Cafeteria	1 Floor	1955	612,457	6,521	226	1,474,506	41.5%
2241	Gratigny Elementary School	02	2	2	10	PE Shelter	1 Floor	1961	23,310	1,200	226	271,340	8.6%
2241	Gratigny Elementary School	02	2	2	11	Media Center	1 Floor	1993	187,249	6,418	226	1,451,216	12.9%
2241	Gratigny Elementary School	02	2	2	12	Classroom	1 Floor	1993	501,518	10,071	226	2,277,220	22.0%
2241	Gratigny Elementary School	02	2	2	13	Classroom	1 Floor	1993	101,399	3,341	226	755,456	13.4%
3141	Meadowlane Elementary School	02	4	1	01	Cafeteria	1 Floor	1957	1,147,634	8,344	226	1,886,717	60.8%
3141	Meadowlane Elementary School	02	4	1	02	Classroom	1 Floor	1957	613,944	4,492	226	1,015,716	60.4%
3141	Meadowlane Elementary School	02	4	1	03	Classroom	1 Floor	1957	722,169	3,742	226	846,128	85.3%
3141	Meadowlane Elementary School	02	4	1	04	Classroom	1 Floor	1957	542,492	4,492	226	1,015,716	53.4%
3141	Meadowlane Elementary School	02	4	1	05	Classroom	1 Floor	1957	386,023	3,742	226	846,128	45.6%
3141	Meadowlane Elementary School	02	4	1	06	Classroom	1 Floor	1964	627,409	3,040	226	687,394	91.3%
3141	Meadowlane Elementary School	02	4	1	07	Classroom	1 Floor	1964	283,666	3,240	226	732,618	38.7%
3141	Meadowlane Elementary School	02	4	1	08	Media Center	1 Floor	1964	642,449	2,840	226	642,171	100.0%
3141	Meadowlane Elementary School	02	4	1	09	Primary Classroom	1 Floor	1969	297,356	2,068	226	467,609	63.6%
3141	Meadowlane Elementary School	02	4	1	12	PE Shelter	1 Floor	1957	72,073	1,568	226	354,551	20.3%
3141	Meadowlane Elementary School	02	4	1	15	Classroom	1 Floor	2004	839,950	10,798	226	2,441,607	34.4%
3141	Meadowlane Elementary School	02	4	1	18	Classroom	1 Floor	1991	260,582	8,459	226	1,912,720	13.6%
3141	Meadowlane Elementary School	02	4	1	19	Classroom	1 Floor	1964	931,888	9,776	226	2,210,516	42.2%
3941	North Miami Elementary School	02	1	2	01	Administration	1 Floor	1954	209,801	1,826	226	412,889	50.8%
3941	North Miami Elementary School	02	1	2	02	Classroom	1 Floor	1991	277,690	4,507	226	1,019,108	27.2%
3941	North Miami Elementary School	02	1	2	03	Classroom	1 Floor	1991	269,237	4,289	226	969,814	27.8%
3941	North Miami Elementary School	02	1	2	04	Classroom	1 Floor	1991	194,442	4,198	226	949,237	20.5%
3941	North Miami Elementary School	02	1	2	05	Classroom	1 Floor	1991	301,701	10,015	226	2,264,558	13.3%
3941	North Miami Elementary School	02	1	2	06	Classroom	1 Floor	1954	1,864,273	10,362	226	2,343,020	79.6%
3941	North Miami Elementary School	02	1	2	07	Classroom	1 Floor	1954	2,045,610	9,982	226	2,257,096	90.6%
3941	North Miami Elementary School	02	1	2	08	Media Center	1 Floor	1991	206,077	6,410	226	1,449,407	14.2%
3941	North Miami Elementary School	02	1	2	09	Cafeteria	1 Floor	1954	1,045,300	7,703	226	1,741,776	60.0%
3941	North Miami Elementary School	02	1	2	11	PE Shelter	1 Floor	1978	11,682	1,408	226	318,372	3.7%
0761	Fienberg/Fisher K-8 Center	02	3	2	01	Cafeteria	1 Floor	1925	586,496	8,034	235	1,887,090	31.1%
0761	Fienberg/Fisher K-8 Center	02	3	2	02	Classroom	2 Floors	1925	2,728,770	12,967	235	3,045,793	89.6%
0761	Fienberg/Fisher K-8 Center	02	3	2	03	Administration	1 Floor	1925	36,615	2,842	235	667,552	5.5%
0761	Fienberg/Fisher K-8 Center	02	3	2	04	Auditorium	1 Floor	1925	1,252,620	3,824	235	898,212	139.5%
0761	Fienberg/Fisher K-8 Center	02	3	2	05	Media Center	1 Floor	1925	197,594	5,526	235	1,297,991	15.2%
0761	Fienberg/Fisher K-8 Center	02	3	2	06	Classroom	2 Floors	1946	730,932	3,449	235	810,129	90.2%
0761	Fienberg/Fisher K-8 Center	02	3	2	07	Classroom	2 Floors	1925	614,331	9,765	235	2,293,681	26.8%
0761	Fienberg/Fisher K-8 Center	02	3	2	08	Classroom	3 Floors	1934	550,881	9,560	235	2,245,529	24.5%
0761	Fienberg/Fisher K-8 Center	02	3	2	09	Classroom	3 Floors	1934	846,968	12,518	235	2,940,328	28.8%
0761	Fienberg/Fisher K-8 Center	02	3	2	10	Classroom	3 Floors	1934	399,275	4,871	235	1,144,140	34.9%
0761	Fienberg/Fisher K-8 Center	02	3	2	11	Classroom	3 Floors	1934	429,891	4,279	235	1,005,086	42.8%
0761	Fienberg/Fisher K-8 Center	02	3	2	13	Classroom	1 Floor	1934	187,029	2,196	235	515,814	36.3%
0761	Fienberg/Fisher K-8 Center	02	3	2	16	Gymnasium	1 Floor	1948	925,592	10,876	235	2,554,642	36.2%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
0761	Fienberg/Fisher K-8 Center	02	3	2	50	Relocatable	1 Floor	2007	0	3,456	235	811,773	0.0%
0761	Fienberg/Fisher Elementary School - 2nd Site	02	3	2	15	Administration	1 Floor	1934	266,526	4,654	235	1,093,169	24.4%
0761	Fienberg/Fisher Elementary School - 2nd Site	02	3	2	17	Classroom	2 Floors	1934	37,875	1,807	235	424,443	8.9%
4261	Palm Springs Elementary School	02	4	1	01	Cafeteria	1 Floor	1954	777,618	7,411	226	1,675,750	46.4%
4261	Palm Springs Elementary School	02	4	1	02	Classroom	1 Floor	1955	820,816	3,567	226	806,558	101.8%
4261	Palm Springs Elementary School	02	4	1	03	Administration	1 Floor	1954	1,136,159	6,899	226	1,559,978	72.8%
4261	Palm Springs Elementary School	02	4	1	04	Classroom	1 Floor	1954	1,474,565	8,836	226	1,997,966	73.8%
4261	Palm Springs Elementary School	02	4	1	05	Classroom	1 Floor	1955	1,163,883	6,496	226	1,468,853	79.2%
4261	Palm Springs Elementary School	02	4	1	06	Classroom	1 Floor	1997	98,032	3,869	226	874,845	11.2%
4261	Palm Springs Elementary School	02	4	1	07	Media Center	1 Floor	1997	21,268	5,532	226	1,250,877	1.7%
4261	Palm Springs Elementary School	02	4	1	08	Classroom	1 Floor	2007	1,320,863	14,824	226	3,351,952	39.4%
4261	Palm Springs Elementary School	02	4	1	09	PE Shelter	1 Floor	2007	0	2,390	226	540,419	0.0%
4261	Palm Springs Elementary School	02	4	1	10	Classroom	1 Floor	1969	178,662	2,123	226	480,046	37.2%
5711	Mae M. Walters Elementary School	02	4	1	01	Main Building	2 Floors	1955	5,345,621	39,162	226	8,855,178	60.4%
5711	Mae M. Walters Elementary School	02	4	1	02	Classroom	1 Floor	1966	169,909	1,014	226	229,282	74.1%
5711	Mae M. Walters Elementary School	02	4	1	03	Classroom	1 Floor	1967	844,192	6,130	226	1,386,095	60.9%
5711	Mae M. Walters Elementary School	02	4	1	04	Classroom	1 Floor	1969	535,714	3,999	226	904,240	59.2%
5711	Mae M. Walters Elementary School	02	4	1	05	Fine Arts	1 Floor	2001	54,175	5,584	226	1,262,635	4.3%
5711	Mae M. Walters Elementary School	02	4	1	06	Media Center	1 Floor	2001	451,319	4,359	226	985,642	45.8%
5711	Mae M. Walters Elementary School	02	4	1	08	PE Shelter	1 Floor	1971	51,503	1,572	226	355,455	14.5%
4021	Oak Grove Elementary School	02	1	2	01	Administration	1 Floor	1958	573,778	5,699	226	1,288,639	44.5%
4021	Oak Grove Elementary School	02	1	2	02	Classroom	1 Floor	1958	468,396	4,037	226	912,833	51.3%
4021	Oak Grove Elementary School	02	1	2	03	Classroom	1 Floor	1958	516,164	4,037	226	912,833	56.5%
4021	Oak Grove Elementary School	02	1	2	04	Cafeteria	1 Floor	1958	1,979,155	10,454	226	2,363,823	83.7%
4021	Oak Grove Elementary School	02	1	2	05	Classroom	1 Floor	1958	376,133	4,037	226	912,833	41.2%
4021	Oak Grove Elementary School	02	1	2	06	Media Center	1 Floor	1991	231,494	5,906	226	1,335,445	17.3%
4021	Oak Grove Elementary School	02	1	2	07	Classroom	1 Floor	1991	343,289	6,321	226	1,429,283	24.0%
4021	Oak Grove Elementary School	02	1	2	08	Classroom	1 Floor	1991	240,801	4,210	226	951,951	25.3%
4021	Oak Grove Elementary School	02	1	2	09	Classroom	1 Floor	1991	352,474	6,321	226	1,429,283	24.7%
4021	Oak Grove Elementary School	02	1	2	10	PE Shelter	1 Floor	1958	79,507	1,550	226	350,481	22.7%
4021	Oak Grove Elementary School	02	1	2	13	Administration	1 Floor	1958	158,350	861	226	194,686	81.3%
0361	Biscayne Gardens Elementary School	02	1	2	01	Main Building	2 Floors	1955	5,488,441	47,948	226	10,841,838	50.6%
0361	Biscayne Gardens Elementary School	02	1	2	02	Classroom	1 Floor	1959	866,272	7,542	226	1,705,371	50.8%
0361	Biscayne Gardens Elementary School	02	1	2	03	Service	1 Floor	1969	242,598	2,074	226	468,966	51.7%
0361	Biscayne Gardens Elementary School	02	1	2	07	PE Shelter	1 Floor	1955	49,643	1,427	226	322,668	15.4%
0361	Biscayne Gardens Elementary School	02	1	2	09	Classroom	1 Floor	1959	153,414	926	226	209,384	73.3%
0361	Biscayne Gardens Elementary School	02	1	2	11	Classroom	1 Floor	1994	386,342	6,923	226	1,565,405	24.7%
1521	Amelia Earhart Elementary School	02	4	1	01	Main Building	2 Floors	1964	3,323,346	39,890	226	9,019,791	36.8%
1521	Amelia Earhart Elementary School	02	4	1	03	Classroom	1 Floor	1971	189,098	2,074	226	468,966	40.3%
1521	Amelia Earhart Elementary School	02	4	1	04	Classroom	1 Floor	1972	584,521	5,959	226	1,347,429	43.4%
1521	Amelia Earhart Elementary School - Park	02	4	1	05	Little Red Schoolhouse	1 Floor	2000	20,611	2,250	226	508,762	4.1%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
6231	Hialeah Middle School	02	4	1	01	Main Building	2 Floors	1963	9,484,809	98,956	242	23,963,194	39.6%
6231	Hialeah Middle School	02	4	1	03	Classroom	1 Floor	1972	466,566	4,782	242	1,158,010	40.3%
6231	Hialeah Middle School	02	4	1	05	Media Center	2 Floors	1996	237,731	16,871	242	4,085,483	5.8%
7081	Design & Architecture Senior High	02	2	3	01	Classroom	1 Floor	1991	2,069,461	26,652	250	6,660,436	31.1%
7081	Design & Architecture Senior High	02	2	3	02	Classroom	1 Floor	1991	2,376,058	23,543	250	5,883,485	40.4%
3661	Natural Bridge Elementary School	02	1	2	01	Cafeteria	1 Floor	1957	842,813	6,856	226	1,550,255	54.4%
3661	Natural Bridge Elementary School	02	1	2	02	Administration	1 Floor	1957	283,087	3,070	226	694,178	40.8%
3661	Natural Bridge Elementary School	02	1	2	03	Classroom	1 Floor	1957	353,273	3,048	226	689,203	51.3%
3661	Natural Bridge Elementary School	02	1	2	04	Classroom	1 Floor	1957	358,329	3,048	226	689,203	52.0%
3661	Natural Bridge Elementary School	02	1	2	05	Classroom	1 Floor	1957	322,097	3,048	226	689,203	46.7%
3661	Natural Bridge Elementary School	02	1	2	06	Classroom	1 Floor	1957	352,457	3,048	226	689,203	51.1%
3661	Natural Bridge Elementary School	02	1	2	08	Media Center	1 Floor	1957	111,500	4,004	226	905,371	12.3%
3661	Natural Bridge Elementary School	02	1	2	09	Classroom	1 Floor	1993	397,250	10,658	226	2,409,951	16.5%
3661	Natural Bridge Elementary School	02	1	2	10	PE Shelter	1 Floor	1993	13,830	2,849	226	644,206	2.1%
3661	Natural Bridge Elementary School	02	1	2	12	Classroom	1 Floor	2004	99,756	10,798	226	2,441,607	4.1%
4541	Rainbow Park Elementary School	02	1	1	01	Classroom	1 Floor	1956	386,355	4,083	226	923,234	41.8%
4541	Rainbow Park Elementary School	02	1	1	02	Classroom	1 Floor	1956	141,179	4,147	226	937,706	15.1%
4541	Rainbow Park Elementary School	02	1	1	03	Classroom	1 Floor	1956	354,037	2,755	226	622,951	56.8%
4541	Rainbow Park Elementary School	02	1	1	04	Classroom	1 Floor	1956	320,122	3,947	226	892,482	35.9%
4541	Rainbow Park Elementary School	02	1	1	06	Cafeteria	1 Floor	1956	1,358,286	6,287	226	1,421,595	95.5%
4541	Rainbow Park Elementary School	02	1	1	07	Administration	1 Floor	1956	333,885	2,810	226	635,388	52.5%
4541	Rainbow Park Elementary School	02	1	1	08	Classroom	1 Floor	1964	481,321	4,142	226	936,575	51.4%
4541	Rainbow Park Elementary School	02	1	1	09	Media Center	1 Floor	1964	1,039,805	9,439	226	2,134,315	48.7%
4541	Rainbow Park Elementary School	02	1	1	12	Resource	1 Floor	1995	38,934	2,709	226	612,550	6.4%
4541	Rainbow Park Elementary School	02	1	1	13	Fine Arts	1 Floor	1995	67,965	2,566	226	580,215	11.7%
4541	Rainbow Park Elementary School	02	1	1	14	Music	1 Floor	1995	88,541	3,721	226	841,380	10.5%
4541	Rainbow Park Elementary School	02	1	1	15	PE Shelter	1 Floor	1995	35,184	2,591	226	585,868	6.0%
6281	Thomas Jefferson Middle School	02	1	2	01	Classroom	1 Floor	1958	1,798,672	24,598	242	5,956,654	30.2%
6281	Thomas Jefferson Middle School	02	1	2	02	Classroom	2 Floors	1958	3,108,538	31,758	242	7,690,521	40.4%
6281	Thomas Jefferson Middle School	02	1	2	03	Band	1 Floor	1958	1,144,355	5,645	242	1,366,994	83.7%
6281	Thomas Jefferson Middle School	02	1	2	04	Auditorium	1 Floor	1958	692,601	6,252	242	1,513,985	45.7%
6281	Thomas Jefferson Middle School	02	1	2	05	Cafeteria	1 Floor	1958	690,714	7,464	242	1,807,483	38.2%
6281	Thomas Jefferson Middle School	02	1	2	09	Classroom	1 Floor	1972	618,149	4,786	242	1,158,978	53.3%
6281	Thomas Jefferson Middle School	02	1	2	11	Media Center	2 Floors	2000	231,428	17,493	242	4,236,107	5.5%
2581	Madie Ives Community Elementary School	02	3	2	01	Cafeteria	1 Floor	1957	392,941	8,594	226	1,943,246	20.2%
2581	Madie Ives Community Elementary School	02	3	2	02	Classroom	1 Floor	1957	906,565	4,492	226	1,015,716	89.3%
2581	Madie Ives Community Elementary School	02	3	2	03	Classroom	1 Floor	1957	1,211,769	4,492	226	1,015,716	119.3%
2581	Madie Ives Community Elementary School	02	3	2	04	Classroom	1 Floor	1957	1,001,104	3,712	226	839,345	119.3%
2581	Madie Ives Community Elementary School	02	3	2	05	Classroom	1 Floor	1957	707,979	3,742	226	846,128	83.7%
2581	Madie Ives Community Elementary School	02	3	2	06	Classroom	1 Floor	1969	173,784	2,074	226	468,966	37.1%
2581	Madie Ives Community Elementary School	02	3	2	07	Classroom	1 Floor	1996	118,850	12,465	226	2,818,543	4.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2581	Madie Ives Community Elementary School	02	3	2	09	Administration	1 Floor	1996	31,519	1,337	226	302,318	10.4%
2581	Madie Ives Community Elementary School	02	3	2	11	PE Shelter	1 Floor	1996	12,303	2,849	226	644,206	1.9%
2581	Madie Ives Community Elementary School	02	3	2	12	PLC M	1 Floor	2000	275,772	16,165	226	3,655,175	7.5%
0321	Biscayne Elementary School	02	3	2	01	Classroom	2 Floors	1941	620,473	5,229	226	1,182,364	52.5%
0321	Biscayne Elementary School	02	3	2	02	Administration	2 Floors	1947	565,559	4,916	226	1,111,589	50.9%
0321	Biscayne Elementary School	02	3	2	03	Cafeteria	1 Floor	1949	498,242	8,093	226	1,829,962	27.2%
0321	Biscayne Elementary School	02	3	2	04	Classroom	2 Floors	1950	2,919,989	34,451	226	7,789,943	37.5%
0321	Biscayne Elementary School	02	3	2	05	Classroom	2 Floors	1953	833,598	6,524	226	1,475,185	56.5%
0321	Biscayne Elementary School	02	3	2	06	Media Center	1 Floor	1958	60,909	4,532	226	1,024,760	5.9%
3901	North Hialeah Elementary School	02	4	1	01	Classroom	1 Floor	1951	706,132	5,873	226	1,327,983	53.2%
3901	North Hialeah Elementary School	02	4	1	02	Administration	1 Floor	1951	148,755	1,550	226	350,481	42.4%
3901	North Hialeah Elementary School	02	4	1	04	Cafeteria	1 Floor	1951	4,056,178	34,173	226	7,727,083	52.5%
3901	North Hialeah Elementary School	02	4	1	06	Cafeteria	1 Floor	2007	0	16,714	226	3,779,313	0.0%
3901	North Hialeah Elementary School	02	4	1	07	PE Shelter	1 Floor	2002	52,602	2,822	226	638,101	8.2%
3901	North Hialeah Elementary School	02	4	1	08	Fine Arts	1 Floor	2002	48,918	3,857	226	872,132	5.6%
3901	North Hialeah Elementary School	02	4	1	09	Administration	1 Floor	2002	48,549	1,222	226	276,314	17.6%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	01	Cafeteria	1 Floor	1937	727,182	8,570	226	1,937,819	37.5%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	02	Classroom	1 Floor	1938	147,900	1,795	226	405,879	36.4%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	03	Administration	2 Floors	1938	356,075	2,490	226	563,030	63.2%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	04	Classroom	2 Floors	1947	2,304,597	11,809	226	2,670,211	86.3%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	05	Classroom	2 Floors	1947	335,063	4,939	226	1,116,790	30.0%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	06	Fine Arts	2 Floors	1958	130,373	3,014	226	681,515	19.1%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	07	Media Center	1 Floor	1967	180,352	6,207	226	1,403,506	12.9%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	11	Classroom	1 Floor	1995	46,577	7,516	226	1,699,492	2.7%
4121	Dr. Robert B. Ingram Elementary School	02	1	1	12	PE Shelter	1 Floor	1995	14,818	2,824	226	638,553	2.3%
1601	Edison Park Elementary School	02	2	4	01	Main Building	2 Floors	1950	2,678,176	45,139	226	10,206,677	26.2%
1601	Edison Park Elementary School	02	2	4	02	Classroom	1 Floor	1969	246,451	2,070	226	468,061	52.7%
1601	Edison Park Elementary School	02	2	4	05	Classroom	1 Floor	1969	454,334	6,220	226	1,406,445	32.3%
5051	Ernest R Graham K-8 Center	02	4	1	01	Administration	1 Floor	1994	588,087	5,358	226	1,211,533	48.5%
5051	Ernest R Graham K-8 Center	02	4	1	02	Classroom	1 Floor	1994	489,897	9,061	226	2,048,843	23.9%
5051	Ernest R Graham K-8 Center	02	4	1	03	Music	2 Floors	1994	198,364	3,531	226	798,418	24.8%
5051	Ernest R Graham K-8 Center	02	4	1	04	Classroom	2 Floors	1994	1,744,709	25,154	226	5,687,737	30.7%
5051	Ernest R Graham K-8 Center	02	4	1	05	Classroom	2 Floors	1994	4,404,897	39,314	226	8,889,548	49.6%
5051	Ernest R Graham K-8 Center	02	4	1	06	Media Center	2 Floors	1994	1,095,019	26,468	226	5,984,854	18.3%
5051	Ernest R Graham K-8 Center	02	4	1	07	Cafeteria	1 Floor	1994	590,445	14,311	226	3,235,955	18.2%
5051	Ernest R Graham K-8 Center	02	4	1	08	Annex	2 Floors	2006	0	33,514	226	7,578,072	0.0%
5051	Ernest R Graham K-8 Center	02	4	1	09	Cafeteria	1 Floor	2006	0	8,277	226	1,871,567	0.0%
5051	Ernest R Graham K-8 Center	02	4	1	10	PE Shelter	2 Floors	1994	87,589	5,564	226	1,258,113	7.0%
1481	John G. Dupuis Elementary School	02	4	1	01	Cafeteria	1 Floor	1958	342,655	7,096	226	1,604,523	21.4%
1481	John G. Dupuis Elementary School	02	4	1	02	Administration	1 Floor	1958	96,567	3,436	226	776,937	12.4%
1481	John G. Dupuis Elementary School	02	4	1	03	Classroom	1 Floor	1958	504,396	3,774	226	853,364	59.1%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
1481	John G. Dupuis Elementary School	02	4	1	04	Classroom	1 Floor	1958	430,243	4,546	226	1,027,926	41.9%
1481	John G. Dupuis Elementary School	02	4	1	05	Classroom	1 Floor	1958	401,149	3,774	226	853,364	47.0%
1481	John G. Dupuis Elementary School	02	4	1	06	Classroom	1 Floor	1958	515,494	4,546	226	1,027,926	50.1%
1481	John G. Dupuis Elementary School	02	4	1	07	Classroom	1 Floor	1969	122,391	2,133	226	482,307	25.4%
1481	John G. Dupuis Elementary School	02	4	1	10	PE Shelter	1 Floor	1958	79,980	1,797	226	406,332	19.7%
1481	John G. Dupuis Elementary School	02	4	1	11	Classroom	1 Floor	1982	533,997	6,935	226	1,568,119	34.1%
1481	John G. Dupuis Elementary School	02	4	1	12	Media Center	1 Floor	1995	46,716	5,106	226	1,154,551	4.0%
1481	John G. Dupuis Elementary School	02	4	1	13	Classroom	1 Floor	1995	164,172	6,590	226	1,490,108	11.0%
1481	John G. Dupuis Elementary School	02	4	1	14	Classroom	1 Floor	1995	216,888	8,336	226	1,884,908	11.5%
3981	North Twin Lakes Elementary School	02	4	1	01	Administration	1 Floor	1961	72,809	3,238	226	732,166	9.9%
3981	North Twin Lakes Elementary School	02	4	1	02	Classroom	1 Floor	1961	579,244	3,578	226	809,045	71.6%
3981	North Twin Lakes Elementary School	02	4	1	03	Classroom	1 Floor	1961	884,891	3,363	226	760,430	116.4%
3981	North Twin Lakes Elementary School	02	4	1	04	Classroom	1 Floor	1961	396,886	2,987	226	675,410	58.8%
3981	North Twin Lakes Elementary School	02	4	1	05	Classroom	1 Floor	1961	457,969	3,202	226	724,025	63.3%
3981	North Twin Lakes Elementary School	02	4	1	06	Classroom	1 Floor	1961	446,558	3,207	226	725,156	61.6%
3981	North Twin Lakes Elementary School	02	4	1	07	Cafeteria	1 Floor	1961	244,180	4,863	226	1,099,605	22.2%
3981	North Twin Lakes Elementary School	02	4	1	10	PE Shelter	1 Floor	2004	4,131	2,282	226	515,998	0.8%
3981	North Twin Lakes Elementary School	02	4	1	11	Media Center	1 Floor	2004	109,348	14,854	226	3,358,736	3.3%
2441	Virginia A Boone/Highland Oaks	02	3	2	01	Classroom	1 Floor	1964	382,121	6,176	226	1,396,496	27.4%
2441	Virginia A Boone/Highland Oaks	02	3	2	02	Classroom	1 Floor	1964	470,064	6,227	226	1,408,028	33.4%
2441	Virginia A Boone/Highland Oaks	02	3	2	03	Classroom	1 Floor	1964	605,872	6,265	226	1,416,621	42.8%
2441	Virginia A Boone/Highland Oaks	02	3	2	04	Classroom	1 Floor	1964	450,456	5,027	226	1,136,688	39.6%
2441	Virginia A Boone/Highland Oaks	02	3	2	05	Administration	1 Floor	1964	455,583	5,068	226	1,145,959	39.8%
2441	Virginia A Boone/Highland Oaks	02	3	2	06	Cafeteria	1 Floor	1964	420,825	6,848	226	1,548,446	27.2%
2441	Virginia A Boone/Highland Oaks	02	3	2	13	Media Center	1 Floor	1985	290,876	5,656	226	1,278,916	22.7%
2441	Virginia A Boone/Highland Oaks	02	3	2	14	Fine Arts	1 Floor	1991	130,919	3,689	226	834,144	15.7%
2441	Virginia A Boone/Highland Oaks	02	3	2	15	Classroom	1 Floor	1991	215,317	6,403	226	1,447,825	14.9%
2441	Virginia A Boone/Highland Oaks	02	3	2	16	Classroom	1 Floor	1991	201,661	6,321	226	1,429,283	14.1%
5021	Ben Sheppard Elementary School	02	4	1	01	Main Building	2 Floors	1984	519,020	9,431	226	2,132,506	24.3%
5021	Ben Sheppard Elementary School	02	4	1	02	Classroom	1 Floor	1984	42,884	4,806	226	1,086,716	3.9%
5021	Ben Sheppard Elementary School	02	4	1	03	Classroom	2 Floors	1984	501,553	9,612	226	2,173,433	23.1%
5021	Ben Sheppard Elementary School	02	4	1	04	Classroom	1 Floor	1984	202,980	4,788	226	1,082,646	18.7%
5021	Ben Sheppard Elementary School	02	4	1	05	Classroom	2 Floors	1984	423,318	9,612	226	2,173,433	19.5%
5021	Ben Sheppard Elementary School	02	4	1	06	Cafeteria	1 Floor	1984	703,754	7,122	226	1,610,402	43.7%
5021	Ben Sheppard Elementary School	02	4	1	07	Classroom	2 Floors	1984	525,158	9,612	226	2,173,433	24.2%
5021	Ben Sheppard Elementary School	02	4	1	08	Classroom	1 Floor	1984	299,391	4,806	226	1,086,716	27.6%
5021	Ben Sheppard Elementary School	02	4	1	09	PE Shelter	1 Floor	1984	46,063	11,411	226	2,580,217	1.8%
5021	Ben Sheppard Primary Learning Center V	02	4	1	10	Classroom	1 Floor	1997	165,880	17,621	226	3,984,401	4.2%
2111	Hialeah Gardens Elementary School	02	4	1	02	Administration	1 Floor	1993	104,418	4,336	226	980,442	10.7%
2111	Hialeah Gardens Elementary School	02	4	1	03	Classroom	2 Floors	1993	261,068	19,599	226	4,431,659	5.9%
2111	Hialeah Gardens Elementary School	02	4	1	04	Classroom	2 Floors	1993	299,314	21,953	226	4,963,938	6.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2111	Hialeah Gardens Elementary School	02	4	1	05	Classroom	2 Floors	1993	517,944	19,549	226	4,420,354	11.7%
2111	Hialeah Gardens Elementary School	02	4	1	06	Cafeteria	2 Floors	1993	282,436	11,825	226	2,673,829	10.6%
2111	Hialeah Gardens Elementary School	02	4	1	07	PE Shelter	1 Floor	1993	48,955	3,677	226	831,431	5.9%
2111	Hialeah Gardens Primary Learning Center B	02	4	1	08	PLC	1 Floor	1996	862,987	18,035	226	4,078,013	21.2%
3051	Toussaint L'Ouverture Elementary School	02	2	4	01	Main Building	2 Floors	1986	1,416,552	22,821	226	5,160,207	27.5%
3051	Toussaint L'Ouverture Elementary School	02	2	4	02	Cafeteria	1 Floor	1986	176,999	8,974	226	2,029,170	8.7%
3051	Toussaint L'Ouverture Elementary School	02	2	4	03	Classroom	2 Floors	1986	584,345	15,834	226	3,580,330	16.3%
3051	Toussaint L'Ouverture Elementary School	02	2	4	04	Classroom	1 Floor	1986	439,792	10,177	226	2,301,189	19.1%
3051	Toussaint L'Ouverture Elementary School	02	2	4	05	Media Center	1 Floor	1986	75,119	4,982	226	1,126,513	6.7%
3051	Toussaint L'Ouverture Elementary School	02	2	4	06	PE Shelter	2 Floors	1986	0	1,581	226	357,490	0.0%
5481	Treasure Island Elementary School	02	3	2	01	Administration	1 Floor	1955	396,639	3,602	226	814,472	48.7%
5481	Treasure Island Elementary School	02	3	2	02	Media Center	1 Floor	1955	144,340	6,519	226	1,474,054	9.8%
5481	Treasure Island Elementary School	02	3	2	03	Classroom	1 Floor	1955	817,731	4,397	226	994,235	82.2%
5481	Treasure Island Elementary School	02	3	2	04	Classroom	1 Floor	1955	616,426	3,393	226	767,214	80.3%
5481	Treasure Island Elementary School	02	3	2	05	Classroom	1 Floor	1955	280,179	1,464	226	331,035	84.6%
5481	Treasure Island Elementary School	02	3	2	06	Classroom	1 Floor	1955	533,274	2,936	226	663,878	80.3%
5481	Treasure Island Elementary School	02	3	2	07	Restrooms	1 Floor	1955	89,485	574	226	129,791	68.9%
5481	Treasure Island Elementary School	02	3	2	10	Storage	1 Floor	1965	180,339	1,633	226	369,248	48.8%
5481	Treasure Island Elementary School	02	3	2	11	Classroom	1 Floor	1991	90,931	4,368	226	987,677	9.2%
5481	Treasure Island Elementary School	02	3	2	12	Classroom	1 Floor	1991	169,514	4,056	226	917,129	18.5%
5481	Treasure Island Elementary School	02	3	2	13	Classroom	1 Floor	1991	201,322	6,288	226	1,421,821	14.2%
5481	Treasure Island Elementary School	02	3	2	14	Classroom	1 Floor	1991	198,099	6,288	226	1,421,821	13.9%
5481	Treasure Island Elementary School	02	3	2	15	Cafeteria	1 Floor	1991	213,893	8,704	226	1,968,119	10.9%
5481	Treasure Island Elementary School	02	3	2	17	Classroom	1 Floor	2004	287,860	10,798	226	2,441,607	11.8%
5481	Treasure Island Elementary School	02	3	2	19	Storage	1 Floor	2003	0	800	226	180,893	0.0%
5091	South Pointe Elementary School	02	3	2	01	Administration	2 Floors	1991	3,156,275	54,192	226	12,253,710	25.8%
0091	Bob Graham Education Center	02	4	1	01	Administration	1 Floor	2002	57,607	3,994	235	938,143	6.1%
0091	Bob Graham Education Center	02	4	1	02	Restrooms	1 Floor	2002	1,248	603	235	141,637	0.9%
0091	Bob Graham Education Center	02	4	1	03	Classroom	2 Floors	2002	34,082	17,013	235	3,996,150	0.9%
0091	Bob Graham Education Center	02	4	1	04	Classroom	2 Floors	2002	31,898	17,710	235	4,159,867	0.8%
0091	Bob Graham Education Center	02	4	1	05	Classroom	2 Floors	2002	23,116	18,421	235	4,326,872	0.5%
0091	Bob Graham Education Center	02	4	1	06	Cafeteria	1 Floor	2002	42,231	12,122	235	2,847,312	1.5%
0091	Bob Graham Education Center	02	4	1	07	PE Shelter	1 Floor	2002	19,454	2,679	235	629,265	3.1%
0091	Bob Graham Education Center	02	4	1	08	Main Building	1 Floor	2003	777,387	43,376	235	10,188,502	7.6%
0091	Bob Graham Education Center	02	4	1	10	Modular	1 Floor	2005	0	10,798	235	2,536,321	0.0%
0091	Bob Graham Ed Center Primary Learning Center H	02	4	1	09	Classroom	1 Floor	1995	177,349	17,378	235	4,081,884	4.3%
6681	Palm Springs Middle School	02	4	1	01	Administration	1 Floor	1957	1,779,769	27,157	242	6,576,342	27.1%
6681	Palm Springs Middle School	02	4	1	02	Cafeteria	1 Floor	2000	1,056,285	16,806	242	4,069,743	26.0%
6681	Palm Springs Middle School	02	4	1	03	Classroom	2 Floors	1957	4,023,391	31,447	242	7,615,209	52.8%
6681	Palm Springs Middle School	02	4	1	04	Auditorium	2 Floors	1957	96,687	6,497	242	1,573,314	6.1%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
6681	Palm Springs Middle School	02	4	1	05	Band	1 Floor	1957	62,844	7,472	242	1,809,420	3.5%
6681	Palm Springs Middle School	02	4	1	06	Classroom	2 Floors	2000	434,856	23,708	242	5,741,132	7.6%
6681	Palm Springs Middle School	02	4	1	12	Classroom	1 Floor	1997	51,036	5,001	242	1,211,043	4.2%
6681	Palm Springs Middle School	02	4	1	14	Athletics	1 Floor	2000	178,547	2,704	242	654,801	27.3%
3501	Morningside Elementary School	02	2	4	01	Main Building	2 Floors	1931	3,638,760	61,388	226	13,880,845	26.2%
3501	Morningside Elementary School	02	2	4	02	Classroom	1 Floor	1969	38,472	2,311	226	522,555	7.4%
3501	Morningside Elementary School	02	2	4	03	Storage	1 Floor	1957	14,860	1,820	226	411,532	3.6%
3501	Morningside Elementary School	02	2	4	06	Cafeteria	1 Floor	1969	260,528	7,710	226	1,743,359	14.9%
3501	Morningside Elementary School - PE Area	02	2	4	05	Pavillion / Shed	1 Floor	1957	0	1,066	226	241,040	0.0%
2531	Thena C. Crowder Elementary School	02	2	4	01	Main Building	1 Floor	1967	2,177,416	34,509	226	7,803,058	27.9%
2531	Thena C. Crowder Elementary School	02	2	4	02	Classroom	1 Floor	2000	0	1,483	226	335,331	0.0%
2531	Thena C. Crowder Elementary School	02	2	4	03	Art	1 Floor	2000	0	1,572	226	355,455	0.0%
2531	Thena C. Crowder Elementary School	02	2	4	06	PE Shelter	1 Floor	1999	0	1,108	226	250,537	0.0%
5601	Twin Lakes Elementary School	02	4	1	01	Classroom	1 Floor	1958	244,671	2,686	226	607,349	40.3%
5601	Twin Lakes Elementary School	02	4	1	02	Classroom	1 Floor	1956	706,386	4,468	226	1,010,289	69.9%
5601	Twin Lakes Elementary School	02	4	1	03	Classroom	1 Floor	1956	273,633	2,971	226	671,792	40.7%
5601	Twin Lakes Elementary School	02	4	1	04	Classroom	1 Floor	1956	700,888	4,468	226	1,010,289	69.4%
5601	Twin Lakes Elementary School	02	4	1	05	Classroom	1 Floor	1956	244,613	2,971	226	671,792	36.4%
5601	Twin Lakes Elementary School	02	4	1	06	Classroom	1 Floor	1956	108,019	4,468	226	1,010,289	10.7%
5601	Twin Lakes Elementary School	02	4	1	07	Cafeteria	1 Floor	1956	194,110	6,493	226	1,468,175	13.2%
5601	Twin Lakes Elementary School	02	4	1	08	Classroom	1 Floor	1956	459,968	4,405	226	996,044	46.2%
5601	Twin Lakes Elementary School	02	4	1	10	Storage	1 Floor	1956	60,016	1,721	226	389,147	15.4%
5601	Twin Lakes Elementary School	02	4	1	11	Fine Arts	1 Floor	1996	5,743	3,579	226	809,271	0.7%
5601	Twin Lakes Elementary School	02	4	1	12	Media Center	2 Floors	1996	493,639	13,050	226	2,950,822	16.7%
5601	Twin Lakes Elementary School	02	4	1	13	Classroom	1 Floor	1996	6,490	3,776	226	853,816	0.8%
6411	Horace Mann Middle School	02	2	4	01	Main Building	3 Floors	1948	2,252,479	48,270	242	11,689,068	19.3%
6411	Horace Mann Middle School	02	2	4	02	Auditorium	1 Floor	1956	825,200	8,143	242	1,971,910	41.8%
6411	Horace Mann Middle School	02	2	4	03	Cafeteria	1 Floor	1948	986,497	7,343	242	1,778,182	55.5%
6411	Horace Mann Middle School	02	2	4	04	Media Center	1 Floor	1971	425,022	4,816	242	1,166,243	36.4%
6411	Horace Mann Middle School	02	2	4	05	Locker Rooms	1 Floor	1964	114,067	3,302	242	799,613	14.3%
6411	Horace Mann Middle School	02	2	4	06	Classroom	1 Floor	1993	360,079	8,080	242	1,956,654	18.4%
6411	Horace Mann Middle School	02	2	4	08	Classroom	1 Floor	1988	2,233,028	19,232	242	4,657,223	47.9%
6411	Horace Mann Middle School	02	2	4	11	Covered Patio	1 Floor	1990	0	1,913	242	463,252	0.0%
6411	Horace Mann Middle School	02	2	4	13	Classroom	1 Floor	2001	234,221	30,598	242	7,409,615	3.2%
6501	Miami Lakes Middle School	02	4	1	01	Main Building	3 Floors	1974	6,977,117	130,280	242	31,548,618	22.1%
4241	Palm Lakes Elementary School	02	4	1	01	Main Building	1 Floor	1971	3,298,284	47,858	226	10,821,488	30.5%
4241	Palm Lakes Elementary School	02	4	1	03	Classroom	1 Floor	1982	151,724	5,223	226	1,181,007	12.8%
4241	Palm Lakes Elementary School	02	4	1	04	Classroom	1 Floor	1991	375,567	8,385	226	1,895,988	19.8%
4241	Palm Lakes Elementary School	02	4	1	05	Classroom	1 Floor	2006	0	29,882	226	6,756,816	0.0%
0561	W.J. Bryan Elementary School	02	1	2	01	Main Building	2 Floors	1928	1,103,441	32,646	226	7,381,803	14.9%
0561	W.J. Bryan Elementary School	02	1	2	02	Cafeteria	1 Floor	1938	383,078	7,281	226	1,646,355	23.3%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
0561	W.J. Bryan Elementary School	02	1	2	03	Classroom	2 Floors	1994	295,806	17,513	226	3,959,980	7.5%
0561	W.J. Bryan Primary Learning Center K	02	1	2	06	Classroom	1 Floor	1997	102,830	17,620	226	3,984,174	2.6%
7111	Hialeah Senior High	02	4	1	01	Main Building	4 Floors	2000	3,764,385	149,471	250	37,353,368	10.1%
7111	Hialeah Senior High	02	4	1	03	Vocational	2 Floors	1961	869,488	13,480	250	3,368,703	25.8%
7111	Hialeah Senior High	02	4	1	04	Auditorium	2 Floors	1956	164,032	25,316	250	6,326,565	2.6%
7111	Hialeah Senior High	02	4	1	09	Driver Ed. Shelter	1 Floor	1992	18,235	813	250	203,172	9.0%
7111	Hialeah Senior High	02	4	1	2	Main Building	2 Floors	1953	7,427,365	51,678	250	12,914,528	57.5%
7111	Hialeah Senior High	02	4	1	2-02	Cafeteria	2 Floors	1953	2,010,897	35,921	250	8,976,794	22.4%
7111	Hialeah Senior High	02	4	1	2-03	Classroom	2 Floors	1953	375,167	9,410	250	2,351,595	16.0%
7111	Hialeah Senior High	02	4	1	2-04	Classroom	2 Floors	1953	529,602	14,494	250	3,622,106	14.6%
7111	Hialeah Senior High	02	4	1	2-06	Classroom	2 Floors	1958	423,218	8,033	250	2,007,477	21.1%
7111	Hialeah Senior High	02	4	1	2-08	Classroom	2 Floors	1996	277,562	9,516	250	2,378,085	11.7%
7111	Hialeah Senior High	02	4	1	2-09	Classroom	2 Floors	1953	158,848	2,240	250	559,785	28.4%
7111	Hialeah Senior High	02	4	1	2-10	Classroom	2 Floors	1953	110,259	4,272	250	1,067,589	10.3%
4961	Shadowlawn Elementary School	02	2	4	01	Classroom	1 Floor	1969	5,311	2,070	226	468,061	1.1%
4961	Shadowlawn Elementary School	02	2	4	02	Classroom	1 Floor	1949	39,383	1,425	226	322,216	12.2%
4961	Shadowlawn Elementary School	02	2	4	03	Classroom	1 Floor	1949	40,927	1,643	226	371,510	11.0%
4961	Shadowlawn Elementary School	02	2	4	04	Classroom	2 Floors	1925	1,323,180	22,248	226	5,030,642	26.3%
4961	Shadowlawn Elementary School	02	2	4	05	Cafeteria	1 Floor	1952	87,632	8,739	226	1,976,033	4.4%
4961	Shadowlawn Elementary School	02	2	4	07	Music	1 Floor	2006	0	1,954	226	441,832	0.0%
3281	Miami Lakes K-8 Center	02	4	1	01	Main Building	1 Floor	1969	4,382,130	38,404	235	9,020,639	48.6%
3281	Miami Lakes K-8 Center	02	4	1	02	Classroom	1 Floor	1991	553,748	7,086	235	1,664,416	33.3%
3281	Miami Lakes K-8 Center	02	4	1	03	Cafeteria	1 Floor	1991	718,170	15,122	235	3,551,976	20.2%
3281	Miami Lakes K-8 Center	02	4	1	04	Classroom	3 Floors	2007	147,734	44,869	235	10,539,190	1.4%
3281	Miami Lakes K-8 Center	02	4	1	05	PLC L	1 Floor	1999	259,030	17,832	235	4,188,523	6.2%
3281	Miami Lakes K-8 Center	02	4	1	06	PE Shelter	1 Floor	2007	0	2,466	235	579,234	0.0%
3741	North Beach Elementary School	02	3	2	01	Main Building	2 Floors	1936	1,034,993	8,754	226	1,979,425	52.3%
3741	North Beach Elementary School	02	3	2	02	Cafeteria	2 Floors	1936	256,407	11,864	226	2,682,647	9.6%
3741	North Beach Elementary School	02	3	2	03	Classroom	2 Floors	1936	1,109,319	15,706	226	3,551,387	31.2%
3741	North Beach Elementary School	02	3	2	04	Auditorium	2 Floors	1936	232,447	9,424	226	2,130,923	10.9%
3741	North Beach Elementary School	02	3	2	05	Media Center	2 Floors	2001	53,776	4,688	226	1,060,035	5.1%
3741	North Beach Elementary School	02	3	2	06	Classroom	2 Floors	1993	497,224	25,984	226	5,875,414	8.5%
6171	Henry H. Filer Middle School	02	4	1	01	Main Building	2 Floors	1956	3,812,942	81,155	242	19,652,502	19.4%
6171	Henry H. Filer Middle School	02	4	1	02	Girl's Locker	1 Floor	1956	106,804	2,105	242	509,747	21.0%
6171	Henry H. Filer Middle School	02	4	1	03	Boy's Locker	1 Floor	1956	84,329	2,409	242	583,364	14.5%
6171	Henry H. Filer Middle School	02	4	1	07	Classroom	1 Floor	2000	91,505	9,312	242	2,254,995	4.1%
6171	Henry H. Filer Middle School	02	4	1	08	Classroom	1 Floor	2004	39,291	10,798	242	2,614,845	1.5%
6241	Highland Oaks Middle School	02	3	2	01	Main Building	2 Floors	1974	4,525,106	116,652	242	28,248,460	16.0%
6241	Highland Oaks Middle School	02	3	2	03	Classroom	1 Floor	1996	321,625	14,186	242	3,435,283	9.4%
3431	Phyllis Ruth Miller Elementary School	02	2	4	01	Administration	2 Floors	1992	64,633	7,331	226	1,657,661	3.9%
3431	Phyllis Ruth Miller Elementary School	02	2	4	02	Classroom	2 Floors	1992	744,370	16,669	226	3,769,138	19.7%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
3431	Phyllis Ruth Miller Elementary School	02	2	4	03	Media Center	1 Floor	1992	50,154	7,896	226	1,785,417	2.8%
3431	Phyllis Ruth Miller Elementary School	02	2	4	04	Classroom	2 Floors	1992	174,527	15,010	226	3,394,010	5.1%
3431	Phyllis Ruth Miller Elementary School	02	2	4	05	Classroom	2 Floors	1992	121,018	8,549	226	1,933,071	6.3%
3431	Phyllis Ruth Miller Elementary School	02	2	4	06	Cafeteria	1 Floor	1992	147,121	7,696	226	1,740,193	8.5%
3431	Phyllis Ruth Miller Elementary School	02	2	4	07	Classroom	2 Floors	1992	209,931	10,523	226	2,379,425	8.8%
3431	Phyllis Ruth Miller Elementary School	02	2	4	08	Music	1 Floor	1992	68,410	2,342	226	529,565	12.9%
4061	Ojus Elementary School	02	3	2	01	Classroom	2 Floors	1927	1,200,151	21,287	226	4,813,344	24.9%
4061	Ojus Elementary School	02	3	2	02	Cafeteria	1 Floor	1956	338,163	5,331	226	1,205,428	28.1%
4061	Ojus Elementary School	02	3	2	03	Classroom	1 Floor	2006	517,345	46,344	226	10,479,147	4.9%
4061	Ojus Elementary School	02	3	2	05	Classroom	2 Floors	1992	388,723	14,168	226	3,203,620	12.1%
4061	Ojus Elementary School	02	3	2	06	PE Shelter	1 Floor	1992	19,004	3,341	226	755,456	2.5%
4061	Ojus Elementary School	02	3	2	07	Fine Arts	1 Floor	1992	136,569	3,673	226	830,526	16.4%
5141	Hubert O. Sibley K-8 Center	02	2	2	01	Main Building	2 Floors	2000	626,729	84,671	226	19,145,518	3.3%
5141	Hubert O. Sibley K-8 Center	02	2	2	02	Classroom	1 Floor	2004	171,813	12,619	226	2,853,365	6.0%
2911	Linda Lentin K-8 Center	02	1	2	01	Main Building	1 Floor	1997	473,233	23,302	235	5,473,360	8.6%
2911	Linda Lentin K-8 Center	02	1	2	02	Media Center	1 Floor	1997	318,209	13,384	235	3,143,741	10.1%
2911	Linda Lentin K-8 Center	02	1	2	03	Classroom	2 Floors	1997	985,949	41,797	235	9,817,614	10.0%
2911	Linda Lentin K-8 Center	02	1	2	04	Cafeteria	1 Floor	1997	393,474	12,471	235	2,929,288	13.4%
2911	Linda Lentin K-8 Center	02	1	2	05	PE Shelter	1 Floor	1997	9,864	3,136	235	736,609	1.3%
2911	Linda Lentin K-8 Center	02	1	2	06	Cafeteria	1 Floor	2004	24,127	5,225	235	1,227,290	2.0%
2911	Linda Lentin K-8 Center	02	1	2	07	Classroom	3 Floors	2004	1,417,717	34,651	235	8,139,104	17.4%
2911	Linda Lentin K-8 Center	02	1	2	08	PE Shelter	1 Floor	2004	3,447	1,386	235	325,555	1.1%
7391	Miami Lakes Technological SHS (7391)	02	4	1	05	Classroom	2 Floors	1998	1,236,152	73,646	250	18,404,414	6.7%
7391	Miami Lakes Technological SHS (7391)	02	4	1	06	Classroom	2 Floors	1998	2,784,056	99,364	250	24,831,440	11.2%
6421	Jose Marti Middle School	02	4	1	01	Main Building	3 Floors	1985	1,633,985	105,715	242	25,599,954	6.4%
6421	Jose Marti Middle School	02	4	1	04	Cafeteria	1 Floor	1985	466,428	18,874	242	4,570,530	10.2%
6421	Jose Marti Middle School	02	4	1	05	Auditorium	1 Floor	1985	24,088	10,635	242	2,575,373	0.9%
6421	Jose Marti Middle School	02	4	1	06	Laboratory	1 Floor	1985	12,493	8,191	242	1,983,533	0.6%
7751	Barbara Goleman Senior High	02	4	1	01	Main Building	3 Floors	1994	1,567,970	95,356	250	23,829,826	6.6%
7751	Barbara Goleman Senior High	02	4	1	02	Classroom	3 Floors	1994	386,982	37,259	250	9,311,165	4.2%
7751	Barbara Goleman Senior High	02	4	1	03	Auditorium	3 Floors	1994	179,381	17,581	250	4,393,559	4.1%
7751	Barbara Goleman Senior High	02	4	1	04	Fine Arts	2 Floors	1994	573,748	34,325	250	8,577,948	6.7%
7751	Barbara Goleman Senior High	02	4	1	05	Laboratory	2 Floors	1994	1,167,455	30,306	250	7,573,585	15.4%
7751	Barbara Goleman Senior High	02	4	1	07	Cafeteria	2 Floors	1994	339,582	29,056	250	7,261,205	4.7%
7751	Barbara Goleman Senior High	02	4	1	08	Classroom	2 Floors	1994	1,252,799	31,556	250	7,885,964	15.9%
7751	Barbara Goleman Senior High	02	4	1	09	Locker Rooms	2 Floors	1994	301,225	40,368	250	10,088,116	3.0%
7751	Barbara Goleman Senior High	02	4	1	10	Gymnasium	2 Floors	1994	401,124	22,522	250	5,628,333	7.1%
7751	Barbara Goleman Senior High	02	4	1	12	Addition	1 Floor	1995	40,581	10,798	250	2,698,461	1.5%
7131	Hialeah-Miami Lakes Senior High	02	4	1	01	Main Building	4 Floors	1970	3,155,643	194,595	250	48,630,028	6.5%
7131	Hialeah-Miami Lakes Senior High	02	4	1	02	Gymnasium	1 Floor	1970	925,963	33,368	250	8,338,790	11.1%
7131	Hialeah-Miami Lakes Senior High	02	4	1	03	Vocational Laboratory	1 Floor	1970	1,267,664	12,586	250	3,145,289	40.3%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
7131	Hialeah-Miami Lakes Senior High	02	4	1	04	Fine Arts	1 Floor	1970	301,515	12,080	250	3,018,838	10.0%
7131	Hialeah-Miami Lakes Senior High	02	4	1	05	Covered Patio	1 Floor	1970	298,095	10,424	250	2,604,997	11.4%
7131	Hialeah-Miami Lakes Senior High	02	4	1	09	Classroom	2 Floors	1994	456,132	58,623	250	14,650,110	3.1%
7131	Hialeah-Miami Lakes Senior High	02	4	1	10	Covered Walkway	1 Floor	1992	67,602	952	250	237,908	28.4%
7131	Hialeah-Miami Lakes Senior High	02	4	1	11	Classroom	1 Floor	2003	56,717	10,798	250	2,698,461	2.1%
7131	Hialeah-Miami Lakes Senior High	02	4	1	12	Classroom	1 Floor	2005	5,912	10,798	250	2,698,461	0.2%
7201	Miami Beach Senior High	02	3	2	01	Administration	2 Floors	1958	280,541	20,042	250	5,008,572	5.6%
7201	Miami Beach Senior High	02	3	2	04	Administration	1 Floor	1996	16,205	15,473	250	3,866,762	0.4%
7201	Miami Beach Senior High	02	3	2	05	Classroom	2 Floors	2009	0	26,698	0	0	0.0%
7201	Miami Beach Senior High	02	3	2	07	Classroom	2 Floors	1989	0	18,869	250	4,715,435	0.0%
7201	Miami Beach Senior High	02	3	2	09	Mechanical	1 Floor	2007	0	2,272	0	0	0.0%
7141	Dr Michael M. Krop Senior High	02	3	2	01	Administration	1 Floor	1996	306,282	15,769	250	3,940,733	7.8%
7141	Dr Michael M. Krop Senior High	02	3	2	02	Classroom	2 Floors	1996	2,055,930	170,188	250	42,530,628	4.8%
7141	Dr Michael M. Krop Senior High	02	3	2	03	Auditorium	1 Floor	1996	1,686,422	111,252	250	27,802,296	6.1%
0241	Ruth K Broad/Bay Harbor K-8 Center	02	3	2	01	Administration	1 Floor	1993	113,901	3,496	226	790,504	14.4%
0241	Ruth K Broad/Bay Harbor K-8 Center	02	3	2	02	Media Center	1 Floor	1993	72,787	9,782	226	2,211,873	3.3%
0241	Ruth K Broad/Bay Harbor K-8 Center	02	3	2	03	Cafeteria	1 Floor	1993	879,697	12,937	226	2,925,270	30.1%
0241	Ruth K Broad/Bay Harbor K-8 Center	02	3	2	04	Classroom	1 Floor	1993	105,479	9,540	226	2,157,152	4.9%
0241	Ruth K Broad/Bay Harbor K-8 Center	02	3	2	05	Classroom	2 Floors	1993	138,911	14,488	226	3,275,977	4.2%
0241	Ruth K Broad/Bay Harbor K-8 Center	02	3	2	06	Classroom	2 Floors	1993	63,579	4,966	226	1,122,895	5.7%
0241	Ruth K Broad/Bay Harbor K-8 Center	02	3	2	07	Classroom	2 Floors	1993	161,492	19,036	226	4,304,356	3.8%
0241	Ruth K Broad/Bay Harbor K-8 Center	02	3	2	08	Classroom	2 Floors	2007	132,735	37,355	235	8,774,241	1.5%
0092	Norman S. Edelcup/Sunny Isles Beach K-8	02	3	2	01	Main Building	4 Floors	2007	8,752	236,520	235	55,555,708	0.0%
6541	Nautilus Middle School	02	3	2	01	Main Building	3 Floors	1995	1,814,137	166,187	242	40,243,860	4.5%
6541	Nautilus Middle School	02	3	2	04	Covered Patio	1 Floor	1995	0	3,357	242	812,931	0.0%
5131	N. Dade Center For Modern Lang	02	1	1	04	Classroom	2 Floors	1957	0	9,322	226	2,107,859	0.0%
5131	N. Dade Center For Modern Lang	02	1	1	05	Classroom	2 Floors	1957	0	9,870	226	2,231,771	0.0%
5131	N. Dade Center For Modern Lang	02	1	1	08	Media Center	1 Floor	1957	0	4,677	226	1,057,547	0.0%
0341	Arch Creek Elementary School	02	1	2	01	Building 1	3 Floors	2006	8,752	53,813	226	12,168,012	0.1%
0341	Arch Creek Elementary School	02	1	2	02	Building 02	2 Floors	2006	0	2,990	226	676,089	0.0%
5005	David Lawrence Jr. K-8 Center	02	3	2	01	Main Building	1 Floor	2003	0	102,631	226	23,206,572	0.0%
5005	David Lawrence Jr. K-8 Center	02	3	2	02	Cafeteria	1 Floor	2003	0	31,549	226	7,133,753	0.0%
5005	David Lawrence Jr. K-8 Center	02	3	2	03	PE Shelter	1 Floor	2003	0	3,377	226	763,596	0.0%
0231	Aventura Waterways K-8 Center	02	3	2	01	Main Building	3 Floors	2006	8,751	91,772	235	21,556,142	0.0%
0231	Aventura Waterways K-8 Center	02	3	2	02	Classroom	3 Floors	2006	0	66,990	235	15,735,147	0.0%
0231	Aventura Waterways K-8 Center	02	3	2	03	P.E. Shelter	1 Floor	2006	0	4,055	235	952,471	0.0%
2371	West Hialeah Gardens Elementary School	02	4	1	01	Main Bldg	2 Floors	2007	0	28,235	226	6,384,402	0.0%
2371	West Hialeah Gardens Elementary School	02	4	1	02	200 Wing	2 Floors	2007	0	28,616	226	6,470,553	0.0%
2371	West Hialeah Gardens Elementary School	02	4	1	03	300 Wing	2 Floors	2007	0	28,616	226	6,470,553	0.0%
2371	West Hialeah Gardens Elementary School	02	4	1	04	400 Wing	2 Floors	2007	0	28,616	226	6,470,553	0.0%
2371	West Hialeah Gardens Elementary School	02	4	1	05	PE Shelter	1 Floor	2007	0	2,459	226	556,021	0.0%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
6591	North Dade Middle School	02	1	1	01	Main Building	2 Floors	1951	0	119,022	250	29,744,050	0.0%
6591	North Dade Middle School	02	1	1	02	Classroom	1 Floor	1958	0	21,961	250	5,488,137	0.0%
6591	North Dade Middle School	02	1	1	03	Auditorium	2 Floors	1956	0	20,876	250	5,216,992	0.0%
6591	North Dade Middle School	02	1	1	04	Classroom	1 Floor	1953	0	17,884	250	4,469,280	0.0%
6591	North Dade Middle School	02	1	1	05	Cafeteria	1 Floor	1953	0	16,837	250	4,207,630	0.0%
6591	North Dade Middle School	02	1	1	06	Classroom	1 Floor	1953	0	4,791	250	1,197,289	0.0%
6591	North Dade Middle School	02	1	1	08	Mechanical	1 Floor	1951	0	721	250	180,181	0.0%
6591	North Dade Middle School	02	1	1	09	Locker Rooms	1 Floor	1951	0	10,436	250	2,607,996	0.0%
6591	North Dade Middle School	02	1	1	12	Gymnasium	1 Floor	1951	0	9,803	250	2,449,807	0.0%
6751	Hialeah Gardens Middle School	02	4	1	01	Main Building	2 Floors	2006	0	32,740	242	7,928,322	0.0%
6751	Hialeah Gardens Middle School	02	4	1	02	Classroom	2 Floors	2006	0	15,504	242	3,754,450	0.0%
6751	Hialeah Gardens Middle School	02	4	1	03	Classroom	2 Floors	2006	0	32,776	242	7,937,040	0.0%
6751	Hialeah Gardens Middle School	02	4	1	04	Classroom	3 Floors	2006	0	32,212	242	7,800,461	0.0%
6751	Hialeah Gardens Middle School	02	4	1	05	Classroom	3 Floors	2006	0	33,501	242	8,112,606	0.0%
6751	Hialeah Gardens Middle School	02	4	1	06	Cafetorium	1 Floor	2006	0	28,990	242	7,020,221	0.0%
6751	Hialeah Gardens Middle School	02	4	1	08	P.E. Space	1 Floor	2006	0	2,756	242	667,393	0.0%
7049	Westland Hialeah Senior High School	02	4	3	01	Main Building	4 Floors	2005	2,200	130,241	250	32,547,720	0.0%
7049	Westland Hialeah Senior High School	02	4	3	02	P.E. Shelter	2 Floors	2005	0	69,300	250	17,318,332	0.0%
7049	Westland Hialeah Senior High School	02	4	3	03	Auditorium	1 Floor	2005	0	4,905	250	1,225,778	0.0%
7049	Westland Hialeah Senior High School	02	4	3	04	Classroom	1 Floor	2005	0	14,503	250	3,624,355	0.0%
7191	Hialeah Gardens Senior High School	02	4	1	01	Media Center	1 Floor	2006	0	15,958	250	3,987,965	0.0%
7191	Hialeah Gardens Senior High School	02	4	1	02	Admin	2 Floors	2006	0	38,393	250	9,594,556	0.0%
7191	Hialeah Gardens Senior High School	02	4	1	03	Classroom	5 Floors	2006	0	101,804	250	25,441,206	0.0%
7191	Hialeah Gardens Senior High School	02	4	1	04	Classroom	1 Floor	2006	0	3,680	250	919,646	0.0%
7191	Hialeah Gardens Senior High School	02	4	1	05	Auditorium	2 Floors	2006	0	30,850	250	7,709,532	0.0%
7191	Hialeah Gardens Senior High School	02	4	1	06	Art	1 Floor	2006	0	7,829	250	1,956,497	0.0%
7191	Hialeah Gardens Senior High School	02	4	1	07	Dining	2 Floors	2006	0	103,881	250	25,960,256	0.0%
7048	Alonzo and Tracy Mourning Senior High Biscayne Bay	02	3	2	01	BUILDING NUMBER 1	4 Floors	2008	0	151,485	0	0	0.0%
5401	Sunset Elementary School	04	6	4	01	Classroom	2 Floors	1927	2,516,596	20,633	226	4,665,464	53.9%
5401	Sunset Elementary School	04	6	4	02	Classroom	1 Floor	1924	949,600	5,983	226	1,352,856	70.2%
5401	Sunset Elementary School	04	6	4	03	Cafeteria	1 Floor	1927	1,050,408	7,181	226	1,623,743	64.7%
5401	Sunset Elementary School	04	6	4	04	Classroom	1 Floor	1955	1,490,836	5,399	226	1,220,804	122.1%
5401	Sunset Elementary School	04	6	4	05	Classroom	1 Floor	1955	784,531	3,971	226	897,909	87.4%
5401	Sunset Elementary School	04	6	4	06	Classroom	1 Floor	1924	279,910	2,598	226	587,451	47.6%
5401	Sunset Elementary School	04	6	4	07	PE Shelter	1 Floor	1955	194,059	1,340	226	302,996	64.0%
5401	Sunset Elementary School	04	6	4	08	Classroom	2 Floors	2008	0	23,000	0	0	0.0%
5401	Sunset Elementary School	04	6	4	12	Classroom	1 Floor	1993	62,088	5,273	226	1,192,313	5.2%
5401	Sunset Elementary School	04	6	4	13	Administration	1 Floor	1996	50,874	917	226	207,349	24.5%
7461	Miami Senior High	04	6	4	01	Classroom	4 Floors	1927	0	124,641	250	31,148,258	0.0%
7461	Miami Senior High	04	6	4	02	Classroom	2 Floors	1927	0	21,918	250	5,477,392	0.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
7461	Miami Senior High	04	6	4	03	Classroom	2 Floors	1927	0	27,558	250	6,886,849	0.0%
7461	Miami Senior High	04	6	4	04	Gymnasium	2 Floors	1927	0	24,035	250	6,006,438	0.0%
7461	Miami Senior High	04	6	4	05	Locker Rooms	1 Floor	1948	0	5,109	250	1,276,759	0.0%
7461	Miami Senior High	04	6	4	06	Music	1 Floor	1962	0	1,780	250	444,829	0.0%
7461	Miami Senior High	04	6	4	07	Laboratory	2 Floors	1965	0	32,632	250	8,154,861	0.0%
7461	Miami Senior High	04	6	4	12	Classroom	1 Floor	1991	0	16,907	250	4,225,124	0.0%
7461	Miami Senior High	04	6	4	14	Covered Patio	1 Floor	2003	0	5,000	250	1,249,519	0.0%
5561	Frances S. Tucker Elementary School	04	6	4	01	Main Building	2 Floors	1960	2,059,320	10,161	226	2,297,571	89.6%
5561	Frances S. Tucker Elementary School	04	6	4	02	Cafeteria	1 Floor	1960	680,870	4,453	226	1,006,897	67.6%
5561	Frances S. Tucker Elementary School	04	6	4	03	Classroom	2 Floors	1960	1,572,328	8,555	226	1,934,428	81.3%
5561	Frances S. Tucker Elementary School	04	6	4	04	Classroom	1 Floor	1966	757,183	6,130	226	1,386,095	54.6%
5561	Frances S. Tucker Elementary School	04	6	4	05	Classroom	1 Floor	1959	287,475	1,632	226	369,022	77.9%
5561	Frances S. Tucker Elementary School	04	6	4	12	Media Center	1 Floor	1993	356,748	6,560	226	1,483,325	24.1%
0841	Coconut Grove Elementary School	04	6	4	01	Administration	2 Floors	1932	686,722	4,182	226	945,620	72.6%
0841	Coconut Grove Elementary School	04	6	4	02	Classroom	2 Floors	1921	431,399	7,158	226	1,618,543	26.7%
0841	Coconut Grove Elementary School	04	6	4	03	Classroom	1 Floor	1912	139,208	1,966	226	444,545	31.3%
0841	Coconut Grove Elementary School	04	6	4	04	Auditorium	2 Floors	1912	573,804	6,967	226	1,575,354	36.4%
0841	Coconut Grove Elementary School	04	6	4	05	Classroom	1 Floor	1912	290,176	1,811	226	409,497	70.9%
0841	Coconut Grove Elementary School	04	6	4	06	Classroom	1 Floor	1912	318,033	2,255	226	509,893	62.4%
0841	Coconut Grove Elementary School	04	6	4	07	Cafeteria	1 Floor	1949	749,504	6,780	226	1,533,071	48.9%
0841	Coconut Grove Elementary School	04	6	4	10	PE Shelter	1 Floor	1994	10,411	1,835	226	414,924	2.5%
5831	Henry S. West Laboratory School	04	6	4	01	Classroom	1 Floor	1955	630,014	3,837	226	867,609	72.6%
5831	Henry S. West Laboratory School	04	6	4	02	Classroom	1 Floor	1955	653,100	3,550	226	802,714	81.4%
5831	Henry S. West Laboratory School	04	6	4	03	Administration	1 Floor	1955	581,787	3,550	226	802,714	72.5%
5831	Henry S. West Laboratory School	04	6	4	04	Cafeteria	1 Floor	1955	662,386	5,245	226	1,185,982	55.9%
5831	Henry S. West Laboratory School	04	6	4	05	Classroom	1 Floor	1956	609,705	3,550	226	802,714	76.0%
5831	Henry S. West Laboratory School	04	6	4	06	Classroom	1 Floor	1956	54,235	3,550	226	802,714	6.8%
5831	Henry S. West Laboratory School	04	6	4	11	Media Center	1 Floor	1992	290,986	5,010	226	1,132,844	25.7%
5831	Henry S. West Laboratory School	04	6	4	12	PE Shelter	1 Floor	1992	4,464	4,278	226	967,327	0.5%
4721	Rockway Elementary School	04	8	3	01	Cafeteria	1 Floor	1961	601,882	4,153	226	939,062	64.1%
4721	Rockway Elementary School	04	8	3	03	Classroom	2 Floors	1961	1,725,488	10,287	226	2,326,062	74.2%
4721	Rockway Elementary School	04	8	3	04	Classroom	2 Floors	1961	1,367,392	10,718	226	2,423,518	56.4%
4721	Rockway Elementary School	04	8	3	05	Classroom	1 Floor	1968	841,400	6,108	226	1,381,120	60.9%
4721	Rockway Elementary School	04	8	3	06	Classroom	1 Floor	1969	266,451	2,074	226	468,966	56.8%
4721	Rockway Elementary School	04	8	3	08	PE Shelter	1 Floor	1961	0	1,564	226	353,646	0.0%
4721	Rockway Elementary School	04	8	3	11	Media Center	2 Floors	1998	57,181	7,871	226	1,779,764	3.2%
0721	George Washington Carver Elementary School	04	6	4	01	Classroom	1 Floor	1956	450,121	2,172	226	491,125	91.7%
0721	George Washington Carver Elementary School	04	6	4	02	Classroom	1 Floor	1956	76,797	2,554	226	577,502	13.3%
0721	George Washington Carver Elementary School	04	6	4	04	Classroom	1 Floor	1956	121,956	3,033	226	685,812	17.8%
0721	George Washington Carver Elementary School	04	6	4	05	Classroom	1 Floor	1956	233,783	2,939	226	664,557	35.2%
0721	George Washington Carver Elementary School	04	6	4	06	Classroom	1 Floor	1926	112,983	3,246	226	733,974	15.4%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
0721	George Washington Carver Elementary School	04	6	4	08	Classroom	1 Floor	1926	105,524	2,556	226	577,954	18.3%
0721	George Washington Carver Elementary School	04	6	4	09	Administration	1 Floor	1956	60,879	4,619	226	1,044,433	5.8%
0721	George Washington Carver Elementary School	04	6	4	12	Classroom	1 Floor	1994	420	1,047	226	236,744	0.2%
0201	Banyan Elementary School	04	8	3	01	Classroom	1 Floor	1957	583,939	4,461	226	1,008,706	57.9%
0201	Banyan Elementary School	04	8	3	02	Classroom	1 Floor	1957	372,816	3,691	226	834,596	44.7%
0201	Banyan Elementary School	04	8	3	03	Classroom	1 Floor	1957	531,279	4,461	226	1,008,706	52.7%
0201	Banyan Elementary School	04	8	3	04	Classroom	1 Floor	1957	548,752	3,718	226	840,702	65.3%
0201	Banyan Elementary School	04	8	3	05	Classroom	1 Floor	1961	561,145	5,368	226	1,213,794	46.2%
0201	Banyan Elementary School	04	8	3	06	Cafeteria	1 Floor	1957	1,174,075	8,466	226	1,914,303	61.3%
0201	Banyan Elementary School	04	8	3	07	Classroom	1 Floor	1970	96,474	2,044	226	462,182	20.9%
0201	Banyan Elementary School	04	8	3	11	Media Center	1 Floor	1992	83,907	4,574	226	1,034,257	8.1%
1761	David Fairchild Elementary School	04	6	5	01	Media Center	1 Floor	1954	1,445,009	3,940	226	890,899	162.2%
1761	David Fairchild Elementary School	04	6	5	02	Classroom	1 Floor	1954	880,772	6,792	226	1,535,784	57.4%
1761	David Fairchild Elementary School	04	6	5	03	Classroom	1 Floor	1954	959,643	5,734	226	1,296,553	74.0%
1761	David Fairchild Elementary School	04	6	5	04	Classroom	1 Floor	1954	888,718	4,989	226	1,128,096	78.8%
1761	David Fairchild Elementary School	04	6	5	06	Cafeteria	1 Floor	1954	241,604	9,202	226	2,080,725	11.6%
1761	David Fairchild Elementary School	04	6	5	07	PE Shelter	1 Floor	1954	13,438	1,739	226	393,217	3.4%
1761	David Fairchild Elementary School	04	6	5	10	Classroom	1 Floor	1993	293,011	6,924	226	1,565,631	18.7%
1761	David Fairchild Elementary School	04	6	5	13	Classroom	1 Floor	2004	200,491	12,619	226	2,853,365	7.0%
5521	Tropical Elementary School	04	6	5	01	Cafeteria	1 Floor	1956	2,034,465	10,941	226	2,473,942	82.2%
5521	Tropical Elementary School	04	6	5	02	Administration	1 Floor	1956	654,613	7,329	226	1,657,209	39.5%
5521	Tropical Elementary School	04	6	5	03	Classroom	1 Floor	1956	751,054	7,327	226	1,656,756	45.3%
5521	Tropical Elementary School	04	6	5	04	Classroom	1 Floor	1958	960,540	7,998	226	1,808,481	53.1%
5521	Tropical Elementary School	04	6	5	05	Fine Arts	1 Floor	1998	7,804	8,881	226	2,008,142	0.4%
5521	Tropical Elementary School	04	6	5	06	Classroom	1 Floor	1969	47,634	3,992	226	902,657	5.3%
5521	Tropical Elementary School	04	6	5	07	Media Center	1 Floor	1998	0	4,444	226	1,004,862	0.0%
5521	Tropical Elementary School	04	6	5	08	Classroom	1 Floor	1967	255,648	6,154	226	1,391,522	18.4%
5521	Tropical Elementary School	04	6	5	09	Classroom	1 Floor	1958	510,735	2,561	226	579,085	88.2%
5521	Tropical Elementary School	04	6	5	10	Classroom	1 Floor	1958	507,509	3,131	226	707,971	71.7%
4921	Seminole Elementary School	04	8	3	01	Cafeteria	1 Floor	1960	523,711	4,453	226	1,006,897	52.0%
4921	Seminole Elementary School	04	8	3	02	Main Building	2 Floors	1960	1,681,823	10,617	226	2,400,680	70.1%
4921	Seminole Elementary School	04	8	3	03	Classroom	2 Floors	1960	1,623,168	10,987	226	2,484,343	65.3%
4921	Seminole Elementary School	04	8	3	04	Classroom	1 Floor	1969	179,582	2,073	226	468,740	38.3%
4921	Seminole Elementary School	04	8	3	05	Administration	1 Floor	1960	117,973	932	226	210,741	56.0%
4921	Seminole Elementary School	04	8	3	07	Classroom	1 Floor	2004	18,159	10,798	226	2,441,607	0.7%
4921	Seminole Elementary School	04	8	3	10	Classroom	1 Floor	1996	128,671	7,534	226	1,703,562	7.6%
4921	Seminole Elementary School	04	8	3	11	Media Center	1 Floor	1996	88,705	7,532	226	1,703,110	5.2%
4921	Seminole Elementary School	04	8	3	13	PE Shelter	1 Floor	1996	13,986	2,800	226	633,126	2.2%
0801	Citrus Grove Elementary School	04	6	4	01	Classroom	1 Floor	1958	295,821	3,058	226	691,465	42.8%
0801	Citrus Grove Elementary School	04	6	4	02	Classroom	1 Floor	1958	300,011	3,058	226	691,465	43.4%
0801	Citrus Grove Elementary School	04	6	4	03	Classroom	1 Floor	1958	491,699	3,058	226	691,465	71.1%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
0801	Citrus Grove Elementary School	04	6	4	04	Classroom	1 Floor	1958	217,410	3,025	226	684,003	31.8%
0801	Citrus Grove Elementary School	04	6	4	05	Classroom	1 Floor	1958	454,523	3,058	226	691,465	65.7%
0801	Citrus Grove Elementary School	04	6	4	06	Classroom	1 Floor	1958	430,636	3,058	226	691,465	62.3%
0801	Citrus Grove Elementary School	04	6	4	07	Cafeteria	1 Floor	1958	1,194,545	6,537	226	1,478,124	80.8%
0801	Citrus Grove Elementary School	04	6	4	08	Media Center	1 Floor	1965	32,982	2,767	226	625,665	5.3%
0801	Citrus Grove Elementary School	04	6	4	09	Classroom	1 Floor	1965	505,113	3,236	226	731,713	69.0%
0801	Citrus Grove Elementary School	04	6	4	10	Classroom	1 Floor	1965	36,610	1,075	226	243,075	15.1%
0801	Citrus Grove Elementary School	04	6	4	11	Storage	1 Floor	1958	6,351	1,425	226	322,216	2.0%
0801	Citrus Grove Elementary School	04	6	4	12	Classroom	1 Floor	1968	202,501	6,159	226	1,392,652	14.5%
0801	Citrus Grove Elementary School	04	6	4	14	PE Shelter	1 Floor	1993	2,117	2,862	226	647,146	0.3%
0801	Citrus Grove Elementary School	04	6	4	16	Classroom	1 Floor	1993	84,546	4,301	226	972,527	8.7%
0801	Citrus Grove Elementary School	04	6	4	17	Laboratory	1 Floor	1993	13,910	2,109	226	476,880	2.9%
0801	Citrus Grove Elementary School	04	6	4	18	Building - 03	1 Floor	1961	99,010	12,211	226	2,761,110	3.6%
5041	Silver Bluff Elementary School	04	6	4	01	Main Building	2 Floors	1926	3,313,982	37,048	226	8,377,168	39.6%
5041	Silver Bluff Elementary School	04	6	4	02	Media Center	2 Floors	1992	378,196	7,889	226	1,783,834	21.2%
0441	Blue Lakes Elementary School	04	6	5	01	Cafeteria	1 Floor	1958	62,990	5,669	226	1,281,855	4.9%
0441	Blue Lakes Elementary School	04	6	5	02	Classroom	1 Floor	1958	780,966	6,171	226	1,395,366	56.0%
0441	Blue Lakes Elementary School	04	6	5	03	Classroom	1 Floor	1958	164,204	3,600	226	814,020	20.2%
0441	Blue Lakes Elementary School	04	6	5	04	Classroom	1 Floor	1958	347,194	2,895	226	654,608	53.0%
0441	Blue Lakes Elementary School	04	6	5	05	Classroom	1 Floor	1958	465,553	3,259	226	736,914	63.2%
0441	Blue Lakes Elementary School	04	6	5	06	Classroom	1 Floor	1958	271,752	2,895	226	654,608	41.5%
0441	Blue Lakes Elementary School	04	6	5	07	Classroom	1 Floor	1961	409,648	3,084	226	697,344	58.7%
0441	Blue Lakes Elementary School	04	6	5	08	Classroom	1 Floor	1961	188,715	2,272	226	513,737	36.7%
0441	Blue Lakes Elementary School	04	6	5	09	Classroom	1 Floor	1965	307,227	9,086	226	2,054,495	15.0%
0441	Blue Lakes Elementary School	04	6	5	10	Classroom	1 Floor	1969	17,359	3,995	226	903,336	1.9%
0441	Blue Lakes Elementary School	04	6	5	12	PE Shelter	1 Floor	1958	0	3,069	226	693,952	0.0%
0441	Blue Lakes Elementary School	04	6	5	14	Art	1 Floor	1996	0	1,732	226	391,634	0.0%
2331	Charles R. Hadley Primary Learning Center A	04	5	3	01	Classroom	1 Floor	1996	339,990	18,035	226	4,078,013	8.3%
2331	Charles R. Hadley Elementary School	04	5	3	01	Administration	2 Floors	1984	551,192	9,495	226	2,146,977	25.7%
2331	Charles R. Hadley Elementary School	04	5	3	02	Classroom	1 Floor	1984	569,333	4,788	226	1,082,646	52.6%
2331	Charles R. Hadley Elementary School	04	5	3	03	Classroom	2 Floors	1984	984,971	9,576	226	2,165,293	45.5%
2331	Charles R. Hadley Elementary School	04	5	3	04	Classroom	1 Floor	1984	566,106	4,768	226	1,078,124	52.5%
2331	Charles R. Hadley Elementary School	04	5	3	05	Classroom	2 Floors	1984	1,117,708	9,576	226	2,165,293	51.6%
2331	Charles R. Hadley Elementary School	04	5	3	06	Cafeteria	1 Floor	1984	990,351	7,111	226	1,607,915	61.6%
2331	Charles R. Hadley Elementary School	04	5	3	07	Classroom	2 Floors	1984	662,725	9,576	226	2,165,293	30.6%
2331	Charles R. Hadley Elementary School	04	5	3	08	Classroom	1 Floor	1984	558,374	4,788	226	1,082,646	51.6%
1801	Fairlawn Elementary School	04	8	4	01	Administration	1 Floor	1999	11,867	2,128	226	481,176	2.5%
1801	Fairlawn Elementary School	04	8	4	02	Classroom	1 Floor	1951	183,487	2,208	226	499,265	36.8%
1801	Fairlawn Elementary School	04	8	4	03	Media Center	1 Floor	1951	25,041	3,203	226	724,251	3.5%
1801	Fairlawn Elementary School	04	8	4	04	Administration	1 Floor	1951	41,653	291	226	65,800	63.3%
1801	Fairlawn Elementary School	04	8	4	05	Classroom	1 Floor	1951	145,017	3,438	226	777,389	18.7%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
1801	Fairlawn Elementary School	04	8	4	06	Classroom	2 Floors	1956	786,390	5,743	226	1,298,588	60.6%
1801	Fairlawn Elementary School	04	8	4	07	Cafeteria	1 Floor	1951	695,886	7,387	226	1,670,323	41.7%
1801	Fairlawn Elementary School	04	8	4	09	Classroom	1 Floor	1951	224,728	2,063	226	466,479	48.2%
1801	Fairlawn Elementary School	04	8	4	10	Service	1 Floor	1951	23,313	334	226	75,523	30.9%
1801	Fairlawn Elementary School	04	8	4	11	Classroom	1 Floor	1951	420,271	3,220	226	728,095	57.7%
1801	Fairlawn Elementary School	04	8	4	12	Classroom	1 Floor	1951	189,603	3,583	226	810,176	23.4%
1801	Fairlawn Elementary School	04	8	4	15	Classroom	1 Floor	1969	131,361	2,066	226	467,157	28.1%
1641	Emerson Elementary School	04	8	5	01	Cafeteria	1 Floor	1955	471,953	5,955	226	1,346,524	35.0%
1641	Emerson Elementary School	04	8	5	02	Classroom	1 Floor	1955	589,789	4,618	226	1,044,206	56.5%
1641	Emerson Elementary School	04	8	5	03	Classroom	1 Floor	1956	585,249	5,326	226	1,204,297	48.6%
1641	Emerson Elementary School	04	8	5	04	Classroom	1 Floor	1955	630,840	4,618	226	1,044,206	60.4%
1641	Emerson Elementary School	04	8	5	05	Classroom	1 Floor	1956	662,655	5,326	226	1,204,297	55.0%
1641	Emerson Elementary School	04	8	5	06	Classroom	1 Floor	1955	624,623	4,618	226	1,044,206	59.8%
1641	Emerson Elementary School	04	8	5	08	PE Shelter	1 Floor	1955	6,004	2,360	226	533,635	1.1%
1641	Emerson Elementary School	04	8	5	09	Classroom	1 Floor	1999	23,340	3,557	226	804,297	2.9%
1641	Emerson Elementary School	04	8	5	10	Music	1 Floor	1999	281	2,888	226	653,025	0.0%
1641	Emerson Elementary School	04	8	5	11	Media Center	1 Floor	1999	110,154	4,355	226	984,738	11.2%
4091	Olympia Heights Elementary School	04	8	5	01	Main Building	2 Floors	1954	2,654,936	39,798	226	8,998,988	29.5%
4091	Olympia Heights Elementary School	04	8	5	02	Classroom	1 Floor	1969	99,598	2,131	226	481,854	20.7%
4091	Olympia Heights Elementary School	04	8	5	05	Media Center	1 Floor	1993	13,020	6,212	226	1,404,636	0.9%
4091	Olympia Heights Elementary School	04	8	5	06	PE Shelter	1 Floor	1993	0	2,913	226	658,678	0.0%
1841	Flagami Elementary School	04	8	5	01	Main Building	2 Floors	1954	3,942,051	42,978	226	9,718,039	40.6%
1841	Flagami Elementary School	04	8	5	04	PE Shelter	1 Floor	1958	0	1,617	226	365,631	0.0%
3061	Ludlam Elementary School	04	6	5	01	Cafeteria	1 Floor	1958	386,025	5,765	226	1,303,562	29.6%
3061	Ludlam Elementary School	04	6	5	02	Classroom	1 Floor	1958	389,398	6,696	226	1,514,077	25.7%
3061	Ludlam Elementary School	04	6	5	03	Classroom	1 Floor	1958	260,921	5,940	226	1,343,133	19.4%
3061	Ludlam Elementary School	04	6	5	04	Classroom	1 Floor	1958	922,498	6,779	226	1,532,844	60.2%
3061	Ludlam Elementary School	04	6	5	05	Classroom	1 Floor	1970	77,888	2,098	226	474,393	16.4%
3061	Ludlam Elementary School	04	6	5	08	PE Shelter	1 Floor	1958	8,917	1,601	226	362,013	2.5%
3061	Ludlam Elementary School	04	6	5	10	Media Center	1 Floor	2000	0	5,837	226	1,319,843	0.0%
1281	Cypress Elementary School	04	8	5	01	Cafeteria	1 Floor	1958	354,357	5,684	226	1,285,247	27.6%
1281	Cypress Elementary School	04	8	5	02	Classroom	1 Floor	1958	892,542	6,289	226	1,422,047	62.8%
1281	Cypress Elementary School	04	8	5	03	Classroom	1 Floor	1958	492,585	3,273	226	740,080	66.6%
1281	Cypress Elementary School	04	8	5	04	Classroom	1 Floor	1958	155,352	4,345	226	982,477	15.8%
1281	Cypress Elementary School	04	8	5	05	Classroom	1 Floor	1958	317,154	3,314	226	749,350	42.3%
1281	Cypress Elementary School	04	8	5	06	Classroom	1 Floor	1958	599,479	3,314	226	749,350	80.0%
1281	Cypress Elementary School	04	8	5	07	Classroom	1 Floor	1967	66,851	2,074	226	468,966	14.3%
1281	Cypress Elementary School	04	8	5	08	Classroom	1 Floor	1967	302,422	6,130	226	1,386,095	21.8%
1281	Cypress Elementary School	04	8	5	09	PE Shelter	1 Floor	1958	0	1,486	226	336,009	0.0%
1281	Cypress Elementary School	04	8	5	13	Classroom	1 Floor	1997	30,645	3,699	226	836,405	3.7%
1281	Cypress Elementary School	04	8	5	14	Media Center	1 Floor	1997	3,699	4,299	226	972,075	0.4%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
6801	Riviera Middle School	04	6	5	01	Classroom	2 Floors	1958	1,155,160	11,927	242	2,888,244	40.0%
6801	Riviera Middle School	04	6	5	02	Classroom	2 Floors	1958	942,585	12,290	242	2,976,148	31.7%
6801	Riviera Middle School	04	6	5	03	Fine Arts	1 Floor	1958	713,562	9,619	242	2,329,338	30.6%
6801	Riviera Middle School	04	6	5	04	Cafeteria	1 Floor	1958	562,521	6,854	242	1,659,765	33.9%
6801	Riviera Middle School	04	6	5	05	Science Labs	1 Floor	1958	573,014	8,032	242	1,945,030	29.5%
6801	Riviera Middle School	04	6	5	06	Media Center	1 Floor	1958	252,509	10,936	242	2,648,263	9.5%
6801	Riviera Middle School	04	6	5	07	Classroom	1 Floor	1958	620,701	8,114	242	1,964,887	31.6%
6801	Riviera Middle School	04	6	5	08	Locker Rooms	1 Floor	1958	341,613	4,360	242	1,055,818	32.4%
6801	Riviera Middle School	04	6	5	10	Administration	1 Floor	1958	95,846	4,710	242	1,140,574	8.4%
6801	Riviera Middle School	04	6	5	11	Auditorium	1 Floor	1958	765,206	8,301	242	2,010,171	38.1%
6801	Riviera Middle School	04	6	5	12	Band	1 Floor	1958	222,169	2,422	242	586,512	37.9%
6801	Riviera Middle School	04	6	5	13	Classroom	1 Floor	1972	399,026	4,783	242	1,158,252	34.5%
6801	Riviera Middle School	04	6	5	17	Covered Walkway	1 Floor	2000	18,582	3,757	242	909,796	2.0%
5641	Village Green Elementary School	04	8	5	01	Administration	1 Floor	1963	102,127	3,854	226	871,453	11.7%
5641	Village Green Elementary School	04	8	5	02	Cafeteria	1 Floor	1963	822,831	5,530	226	1,250,425	65.8%
5641	Village Green Elementary School	04	8	5	03	Classroom	1 Floor	1963	317,964	5,547	226	1,254,269	25.4%
5641	Village Green Elementary School	04	8	5	04	Classroom	1 Floor	1963	142,970	2,992	226	676,541	21.1%
5641	Village Green Elementary School	04	8	5	05	Classroom	1 Floor	1963	278,610	3,274	226	740,306	37.6%
5641	Village Green Elementary School	04	8	5	06	Classroom	1 Floor	1963	533,074	5,620	226	1,270,775	41.9%
5641	Village Green Elementary School	04	8	5	07	PE Shelter	1 Floor	1970	0	2,214	226	500,622	0.0%
5641	Village Green Elementary School	04	8	5	08	Classroom	1 Floor	1969	217,018	2,070	226	468,061	46.4%
5641	Village Green Elementary School	04	8	5	10	Media Center	1 Floor	1998	183,999	11,843	226	2,677,899	6.9%
1081	Coral Terrace Elementary School	04	8	5	01	Cafeteria	2 Floors	1956	525,797	7,378	226	1,668,288	31.5%
1081	Coral Terrace Elementary School	04	8	5	02	Classroom	2 Floors	1956	775,882	6,552	226	1,481,516	52.4%
1081	Coral Terrace Elementary School	04	8	5	03	Administration	2 Floors	1956	883,454	5,832	226	1,318,712	67.0%
1081	Coral Terrace Elementary School	04	8	5	04	Classroom	2 Floors	1956	710,575	5,832	226	1,318,712	53.9%
1081	Coral Terrace Elementary School	04	8	5	05	Classroom	1 Floor	1969	154,149	1,493	226	337,592	45.7%
1081	Coral Terrace Elementary School	04	8	5	06	PE Shelter	1 Floor	1956	0	1,217	226	275,184	0.0%
1081	Coral Terrace Elementary School	04	8	5	07	Classroom	1 Floor	2005	306,191	11,452	226	2,589,487	11.8%
1081	Coral Terrace Elementary School	04	8	5	10	Media Center	1 Floor	1999	0	8,446	226	1,909,781	0.0%
4761	Royal Palm Elementary School	04	8	5	01	Cafeteria	1 Floor	1957	504,261	6,857	226	1,550,482	32.5%
4761	Royal Palm Elementary School	04	8	5	02	Administration	1 Floor	1957	49,095	3,002	226	678,802	7.2%
4761	Royal Palm Elementary School	04	8	5	03	Classroom	1 Floor	1957	307,566	2,925	226	661,391	46.5%
4761	Royal Palm Elementary School	04	8	5	04	Classroom	1 Floor	1957	449,936	4,397	226	994,235	45.3%
4761	Royal Palm Elementary School	04	8	5	05	Classroom	1 Floor	1957	281,484	4,397	226	994,235	28.3%
4761	Royal Palm Elementary School	04	8	5	06	Classroom	1 Floor	1957	242,177	4,401	226	995,139	24.3%
4761	Royal Palm Elementary School	04	8	5	07	Classroom	1 Floor	1963	434,741	4,832	226	1,092,595	39.8%
4761	Royal Palm Elementary School	04	8	5	08	Classroom	1 Floor	1969	92,657	2,070	226	468,061	19.8%
4761	Royal Palm Elementary School	04	8	5	10	PE Shelter	1 Floor	1963	4,991	1,112	226	251,442	2.0%
4761	Royal Palm Elementary School	04	8	5	14	Music	1 Floor	1996	53,879	5,214	226	1,178,972	4.6%
4761	Royal Palm Elementary School	04	8	5	15	Media Center	1 Floor	1996	58,994	4,736	226	1,070,888	5.5%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
6331	Kinloch Park Middle School	04	5	4	01	Administration	1 Floor	1952	1,004,273	4,711	242	1,140,816	88.0%
6331	Kinloch Park Middle School	04	5	4	02	Media Center	1 Floor	1952	295,501	11,780	242	2,852,646	10.4%
6331	Kinloch Park Middle School	04	5	4	03	Classroom	1 Floor	1952	298,951	14,166	242	3,430,440	8.7%
6331	Kinloch Park Middle School	04	5	4	04	Cafeteria	1 Floor	1952	1,609,921	8,705	242	2,108,004	76.4%
6331	Kinloch Park Middle School	04	5	4	05	Classroom	1 Floor	1952	267,173	10,532	242	2,550,430	10.5%
6331	Kinloch Park Middle School	04	5	4	06	Auditorium	1 Floor	1954	548,105	11,519	242	2,789,442	19.6%
6331	Kinloch Park Middle School	04	5	4	07	Classroom	1 Floor	1952	534,006	18,268	242	4,423,781	12.1%
6331	Kinloch Park Middle School	04	5	4	08	Main Building	3 Floors	1999	1,028,811	31,075	242	7,525,125	13.7%
6331	Kinloch Park Middle School	04	5	4	10	Classroom	1 Floor	1975	359,242	7,220	242	1,748,396	20.5%
6331	Kinloch Park Middle School	04	5	4	12	Covered Patio	1 Floor	2004	0	1,987	242	481,172	0.0%
6881	South Miami Middle School	04	6	5	01	Main Building	2 Floors	1955	1,990,642	24,603	242	5,957,865	33.4%
6881	South Miami Middle School	04	6	5	02	Cafeteria	1 Floor	1955	323,864	12,944	242	3,134,520	10.3%
6881	South Miami Middle School	04	6	5	03	Media Center	1 Floor	1955	135,866	2,791	242	675,869	20.1%
6881	South Miami Middle School	04	6	5	04	Classroom	2 Floors	1955	1,058,239	15,692	242	3,799,976	27.8%
6881	South Miami Middle School	04	6	5	05	Auditorium	1 Floor	1955	250,785	8,238	242	1,994,915	12.6%
6881	South Miami Middle School	04	6	5	07	Classroom	2 Floors	2000	2,081	7,195	242	1,742,342	0.1%
6841	Shenandoah Middle School	04	6	4	01	Main Building	4 Floors	1940	9,139,385	110,766	242	26,823,106	34.1%
6841	Shenandoah Middle School	04	6	4	02	Cafeteria	3 Floors	1999	349,938	45,087	242	10,918,272	3.2%
1721	Everglades K-8 Center	04	8	3	01	Classroom	1 Floor	1957	723,296	4,652	235	1,092,699	66.2%
1721	Everglades K-8 Center	04	8	3	02	Classroom	1 Floor	1957	694,961	4,652	235	1,092,699	63.6%
1721	Everglades K-8 Center	04	8	3	03	Classroom	1 Floor	1957	596,522	4,652	235	1,092,699	54.6%
1721	Everglades K-8 Center	04	8	3	04	Classroom	1 Floor	1961	642,882	5,031	235	1,181,722	54.4%
1721	Everglades K-8 Center	04	8	3	05	Classroom	1 Floor	1967	342,899	6,140	235	1,442,212	23.8%
1721	Everglades K-8 Center	04	8	3	06	Classroom	1 Floor	1957	342,573	2,488	235	584,401	58.6%
1721	Everglades K-8 Center	04	8	3	07	Administration	1 Floor	1957	476,667	4,653	235	1,092,934	43.6%
1721	Everglades K-8 Center	04	8	3	08	Cafeteria	1 Floor	1957	512,733	6,144	235	1,443,152	35.5%
1721	Everglades K-8 Center	04	8	3	09	Classroom	1 Floor	1970	183,599	2,058	235	483,400	38.0%
1721	Everglades K-8 Center	04	8	3	12	PE Shelter	1 Floor	1958	34,300	1,728	235	405,886	8.5%
1721	Everglades K-8 Center	04	8	3	14	Media Center	1 Floor	1996	77,516	5,795	235	1,361,176	5.7%
1721	Everglades K-8 Center	04	8	3	15	Classroom	1 Floor	1996	26,557	3,726	235	875,193	3.0%
1721	Everglades K-8 Center	04	8	3	16	Classroom	1 Floor	1996	12,106	4,857	235	1,140,851	1.1%
1721	Everglades K-8 Center	04	8	3	17	Main Building	2 Floors	1998	343,981	40,533	235	9,520,715	3.6%
7741	Southwest Miami Senior High	04	6	5	01	Classroom	2 Floors	1956	4,163,456	74,542	250	18,628,328	22.4%
7741	Southwest Miami Senior High	04	6	5	02	Laboratory	1 Floor	1956	3,660,217	38,073	250	9,514,587	38.5%
7741	Southwest Miami Senior High	04	6	5	03	Classroom	2 Floors	1957	2,578,327	53,328	250	13,326,869	19.3%
7741	Southwest Miami Senior High	04	6	5	04	Laboratory	1 Floor	1958	70,273	26,373	250	6,590,713	1.1%
7741	Southwest Miami Senior High	04	6	5	06	Gymnasium	1 Floor	1956	2,851,271	39,384	250	9,842,211	29.0%
6071	George Washington Carver Middle School	04	6	4	01	Cafeteria	1 Floor	1952	270,659	11,684	242	2,829,399	9.6%
6071	George Washington Carver Middle School	04	6	4	02	Media Center	1 Floor	1952	277,450	10,661	242	2,581,669	10.7%
6071	George Washington Carver Middle School	04	6	4	03	Classroom	1 Floor	1952	303,500	9,954	242	2,410,462	12.6%
6071	George Washington Carver Middle School	04	6	4	04	Gymnasium	1 Floor	1952	892,914	11,520	242	2,789,684	32.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
6071	George Washington Carver Middle School	04	6	4	05	Auditorium	1 Floor	1957	165,884	8,135	242	1,969,972	8.4%
6071	George Washington Carver Middle School	04	6	4	06	Laboratory	1 Floor	1957	105,153	2,554	242	618,477	17.0%
6071	George Washington Carver Middle School	04	6	4	11	Science	1 Floor	1952	235,637	5,913	242	1,431,893	16.5%
6071	George Washington Carver Middle School	04	6	4	12	Main Building	3 Floors	1999	2,225,562	31,027	242	7,513,502	29.6%
2781	Kinloch Park Elementary School	04	5	4	01	Main Building	2 Floors	1939	1,063,594	12,942	226	2,926,401	36.3%
2781	Kinloch Park Elementary School	04	5	4	02	Cafeteria	1 Floor	1937	751,699	6,624	226	1,497,796	50.2%
2781	Kinloch Park Elementary School	04	5	4	03	Media Center	2 Floors	1966	72,694	4,581	226	1,035,840	7.0%
2781	Kinloch Park Elementary School	04	5	4	04	Classroom	1 Floor	1968	128,049	5,865	226	1,326,174	9.7%
2781	Kinloch Park Elementary School	04	5	4	06	Music	2 Floors	2004	7,320	10,961	226	2,478,464	0.3%
2781	Kinloch Park Elementary School - Across Street	04	5	4	09	Classroom	1 Floor	1969	312,276	2,067	226	467,383	66.8%
2781	Kinloch Park Elementary School - Across Street	04	5	4	10	Covered Walkway	1 Floor	1999	0	2,650	226	599,209	0.0%
2781	Kinloch Park Elementary School - Across Street	04	5	4	11	Classroom	1 Floor	2005	0	29,617	226	6,696,895	0.0%
6121	Ruben Dario Middle School	04	5	3	01	Main Building	3 Floors	1985	5,683,576	105,729	242	25,603,344	22.2%
6121	Ruben Dario Middle School	04	5	3	02	Cafeteria	1 Floor	1985	1,179,017	18,874	242	4,570,530	25.8%
6121	Ruben Dario Middle School	04	5	3	03	Auditorium	1 Floor	1985	778,476	10,475	242	2,536,627	30.7%
6121	Ruben Dario Middle School	04	5	3	04	Laboratory	1 Floor	1985	444,922	8,191	242	1,983,533	22.4%
6121	Ruben Dario Middle School	04	5	3	06	Covered Walkway	1 Floor	1985	0	3,167	242	766,921	0.0%
1881	Henry M. Flagler Elementary School	04	5	4	01	Cafeteria	1 Floor	1956	833,167	5,839	226	1,320,295	63.1%
1881	Henry M. Flagler Elementary School	04	5	4	02	Classroom	2 Floors	1956	1,358,425	11,144	226	2,519,843	53.9%
1881	Henry M. Flagler Elementary School	04	5	4	03	Administration	1 Floor	1956	272,643	2,565	226	579,989	47.0%
1881	Henry M. Flagler Elementary School	04	5	4	04	Classroom	2 Floors	1957	1,302,975	6,361	226	1,438,328	90.6%
1881	Henry M. Flagler Elementary School	04	5	4	05	Classroom	2 Floors	2006	538,512	33,379	226	7,547,546	7.1%
1881	Henry M. Flagler Elementary School	04	5	4	07	PE Shelter	1 Floor	2006	0	2,506	226	566,648	0.0%
1881	Henry M. Flagler Elementary School	04	5	4	08	Music	1 Floor	1996	0	3,544	226	801,357	0.0%
1881	Henry M. Flagler Elementary School	04	5	4	09	Media Center - became part of Bldg 8	2 Floors	1996	14,618	9,199	226	2,080,047	0.7%
5431	Sweetwater Elementary School	04	8	3	01	Main Building	2 Floors	1984	624,558	9,473	226	2,142,003	29.2%
5431	Sweetwater Elementary School	04	8	3	02	Classroom	1 Floor	1984	357,284	4,806	226	1,086,716	32.9%
5431	Sweetwater Elementary School	04	8	3	03	Classroom	2 Floors	1984	597,072	9,612	226	2,173,433	27.5%
5431	Sweetwater Elementary School	04	8	3	04	Cafeteria	1 Floor	1984	342,918	4,839	226	1,094,178	31.3%
5431	Sweetwater Elementary School	04	8	3	05	Classroom	2 Floors	1984	607,816	9,612	226	2,173,433	28.0%
5431	Sweetwater Elementary School	04	8	3	06	Classroom	1 Floor	1984	316,678	4,787	226	1,082,420	29.3%
5431	Sweetwater Elementary School	04	8	3	07	Classroom	2 Floors	1984	602,955	9,612	226	2,173,433	27.7%
5431	Sweetwater Elementary School	04	8	3	08	Classroom	1 Floor	1984	292,234	4,806	226	1,086,716	26.9%
5431	Sweetwater Elementary School	04	8	3	10	Classroom	1 Floor	2004	245,740	12,619	226	2,853,365	8.6%
6821	Rockway Middle School	04	8	3	01	Administration	1 Floor	1959	440,599	3,042	242	736,651	59.8%
6821	Rockway Middle School	04	8	3	02	Classroom	2 Floors	1959	1,296,646	10,739	242	2,600,557	49.9%
6821	Rockway Middle School	04	8	3	03	Classroom	2 Floors	1959	1,141,526	11,015	242	2,667,394	42.8%
6821	Rockway Middle School	04	8	3	04	Classroom	1 Floor	1959	545,921	7,656	242	1,853,978	29.4%
6821	Rockway Middle School	04	8	3	05	Classroom	1 Floor	1959	1,210,505	8,099	242	1,961,255	61.7%
6821	Rockway Middle School	04	8	3	06	Cafeteria	1 Floor	1959	175,364	7,851	242	1,901,199	9.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
6821	Rockway Middle School	04	8	3	07	Media Center	1 Floor	1959	190,671	3,752	242	908,585	21.0%
6821	Rockway Middle School	04	8	3	08	Locker Rooms	1 Floor	1959	121,294	4,307	242	1,042,984	11.6%
6821	Rockway Middle School	04	8	3	09	Band	1 Floor	1959	255,570	2,591	242	627,437	40.7%
6821	Rockway Middle School	04	8	3	10	Classroom	1 Floor	1966	383,681	9,268	242	2,244,340	17.1%
6821	Rockway Middle School	04	8	3	11	Classroom	1 Floor	2006	338,620	44,825	242	10,854,826	3.1%
6821	Rockway Middle School	04	8	3	12	Classroom	2 Floors	1995	277,483	9,359	242	2,266,376	12.2%
6821	Rockway Middle School	04	8	3	14	PE Shelter	1 Floor	2006	0	5,088	242	1,232,111	0.0%
5001	Shenandoah Elementary School	04	6	4	01	Main Building	2 Floors	1975	3,983,089	55,793	226	12,615,723	31.6%
5001	Shenandoah Elementary School	04	6	4	03	Classroom	3 Floors	2006	0	36,765	226	8,313,177	0.0%
5001	Shenandoah Elementary School	04	6	4	04	PE Shelter	1 Floor	2006	4,119	2,278	226	515,094	0.8%
5241	South Miami K-8 Center	04	6	5	01	Media Center	1 Floor	2001	60,946	6,875	235	1,614,855	3.8%
5241	South Miami K-8 Center	04	6	5	02	Classroom	1 Floor	1952	318,263	7,885	235	1,852,092	17.2%
5241	South Miami K-8 Center	04	6	5	03	Cafeteria	1 Floor	1952	1,061,195	13,909	235	3,267,057	32.5%
5241	South Miami K-8 Center	04	6	5	04	Fine Arts	1 Floor	1952	479,298	7,899	235	1,855,380	25.8%
5241	South Miami K-8 Center	04	6	5	05	Cafeteria	3 Floors	2007	2,119,694	44,620	235	10,480,703	20.2%
5241	South Miami K-8 Center	04	6	5	06	Fine Arts	1 Floor	2007	0	5,087	235	1,194,875	0.0%
5241	South Miami K-8 Center	04	6	5	07	PE Shelter	1 Floor	2007	0	5,076	235	1,192,292	0.0%
4691	Jane S. Roberts K-8 Center	04	8	5	01	Classroom	2 Floors	1990	270,946	6,353	235	1,492,244	18.2%
4691	Jane S. Roberts K-8 Center	04	8	5	02	Classroom	2 Floors	1990	170,196	4,225	235	992,402	17.1%
4691	Jane S. Roberts K-8 Center	04	8	5	03	Classroom	2 Floors	1990	403,906	6,547	235	1,537,812	26.3%
4691	Jane S. Roberts K-8 Center	04	8	5	04	Primary Classroom	2 Floors	1990	366,351	14,979	235	3,518,387	10.4%
4691	Jane S. Roberts K-8 Center	04	8	5	05	Classroom	2 Floors	1990	382,569	6,091	235	1,430,703	26.7%
4691	Jane S. Roberts K-8 Center	04	8	5	06	Classroom	1 Floor	1990	132,817	4,774	235	1,121,355	11.8%
4691	Jane S. Roberts K-8 Center	04	8	5	07	Classroom	1 Floor	1990	54,885	2,063	235	484,574	11.3%
4691	Jane S. Roberts K-8 Center	04	8	5	08	Administration	1 Floor	1990	524,057	3,172	235	745,065	70.3%
4691	Jane S. Roberts K-8 Center	04	8	5	09	Media Center	1 Floor	1990	353,692	6,003	235	1,410,033	25.1%
4691	Jane S. Roberts K-8 Center	04	8	5	13	PE Shelter	1 Floor	1990	0	1,591	235	373,707	0.0%
4691	Jane S. Roberts K-8 Center	04	8	5	14	Cafeteria	1 Floor	1990	1,198,059	15,312	235	3,596,605	33.3%
4691	Jane S. Roberts K-8 Center	04	8	5	16	Main Building	2 Floors	1999	2,144,369	45,494	235	10,685,995	20.1%
4691	Jane S. Roberts K-8 Center - ECC 3	04	8	5	17	Building 17	2 Floors	2006	0	24,863	134	3,340,095	0.0%
4691	Jane S. Roberts K-8 Center - ECC 3	04	8	5	18	Building 18	1 Floor	2006	0	6,098	134	819,205	0.0%
1121	Coral Way K-8 Center	04	6	4	01	Main Building	2 Floors	1936	2,067,547	23,289	235	5,470,307	37.8%
1121	Coral Way K-8 Center	04	6	4	02	Cafeteria	1 Floor	1947	202,712	7,215	235	1,694,717	12.0%
1121	Coral Way K-8 Center	04	6	4	05	Cafeteria	2 Floors	1967	261,686	44,751	235	10,511,473	2.5%
1121	Coral Way K-8 Center	04	6	4	06	Classroom	1 Floor	1994	142,390	4,377	235	1,028,105	13.8%
1121	Coral Way K-8 Center	04	6	4	300	Classroom	2 Floors	2008	0	36,820	0	0	0.0%
1121	Coral Way K-8 Center	04	6	4	400	Classroom	2 Floors	2008	0	14,727	0	0	0.0%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	01	Administration	1 Floor	1990	10,210	2,795	226	631,996	1.6%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	02	Classroom	1 Floor	1990	15,155	2,288	226	517,355	2.9%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	03	Classroom	2 Floors	1990	722,349	14,220	226	3,215,378	22.5%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	04	Classroom	1 Floor	1990	18,542	2,538	226	573,884	3.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
1371	Marjory Stoneman Douglas Elementary School	04	5	5	05	Cafeteria	1 Floor	1990	489,096	9,452	226	2,137,254	22.9%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	06	PE Shelter	1 Floor	1990	5,263	6,464	226	1,461,618	0.4%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	07	Classroom	1 Floor	1990	21,851	3,026	226	684,229	3.2%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	08	Classroom	1 Floor	1990	13,597	3,296	226	745,280	1.8%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	09	Classroom	2 Floors	1990	734,635	15,558	226	3,517,922	20.9%
1371	Marjory Stoneman Douglas Elementary School	04	5	5	10	Media Center	2 Floors	1990	1,502,435	22,109	226	4,999,212	30.1%
1371	Marjory Stoneman Douglas Primary Learning Center F	04	5	5	01	Classroom	1 Floor	1996	331,225	18,244	226	4,125,271	8.0%
1371	Marjory Stoneman Douglas ES - ECC 2	04	5	5	11	Classroom	2 Floors	2007	0	25,923	226	5,861,621	0.0%
1371	Marjory Stoneman Douglas ES - ECC 2	04	5	5	12	Classroom	1 Floor	2007	0	5,015	226	1,133,975	0.0%
1371	Marjory Stoneman Douglas ES - ECC 2	04	5	5	13	PE Shelter	1 Floor	2007	0	6,114	226	1,382,477	0.0%
5321	Southside Elementary School	04	3	4	01	Classroom	2 Floors	1925	223,456	6,085	226	1,375,920	16.2%
5321	Southside Elementary School	04	3	4	02	Classroom	2 Floors	1925	104,817	5,168	226	1,168,571	9.0%
5321	Southside Elementary School	04	3	4	03	Cafeteria	1 Floor	1925	183,853	6,980	226	1,578,294	11.6%
5321	Southside Elementary School	04	3	4	04	Classroom	3 Floors	2008	0	86,618	0	0	0.0%
0961	Coral Gables Preparatory Academy	04	6	4	01	Administration	2 Floors	1924	83,766	2,524	226	570,718	14.7%
0961	Coral Gables Preparatory Academy	04	6	4	02	Classroom	2 Floors	1924	665,141	12,186	226	2,755,457	24.1%
0961	Coral Gables Preparatory Academy	04	6	4	03	Classroom	2 Floors	1926	330,611	4,461	226	1,008,706	32.8%
0961	Coral Gables Preparatory Academy	04	6	4	04	Auditorium	2 Floors	1926	358,595	9,847	226	2,226,570	16.1%
0961	Coral Gables Preparatory Academy	04	6	4	05	Cafeteria	1 Floor	1926	221,688	5,567	226	1,258,791	17.6%
0961	Coral Gables Preparatory Academy	04	6	4	06	Classroom	2 Floors	1926	111,633	5,319	226	1,202,714	9.3%
0961	Coral Gables Preparatory Academy	04	6	4	07	Media Center	1 Floor	1993	49,029	6,369	226	1,440,137	3.4%
0961	Coral Gables Preparatory Academy	04	6	4	09	PE Shelter	1 Floor	1945	0	1,922	226	434,596	0.0%
6741	Ponce De Leon Middle School	04	6	4	01	Main Building	2 Floors	1928	184,357	24,572	242	5,950,358	3.1%
6741	Ponce De Leon Middle School	04	6	4	02	Classroom	2 Floors	1928	143,207	11,995	242	2,904,710	4.9%
6741	Ponce De Leon Middle School	04	6	4	03	Classroom	3 Floors	1999	676,965	38,194	242	9,249,063	7.3%
6741	Ponce De Leon Middle School	04	6	4	04	Music	1 Floor	1953	38,654	1,172	242	283,812	13.6%
6741	Ponce De Leon Middle School	04	6	4	04	Classroom	1 Floor	1953	1,290,149	14,957	242	3,621,989	35.6%
6741	Ponce De Leon Middle School	04	6	4	04	Band	1 Floor	1955	503,036	2,238	242	541,954	92.8%
6741	Ponce De Leon Middle School	04	6	4	05	Classroom	1 Floor	1957	577,790	2,619	242	634,217	91.1%
6741	Ponce De Leon Middle School	04	6	4	06	Classroom	1 Floor	1955	712,781	4,217	242	1,021,189	69.8%
6741	Ponce De Leon Middle School	04	6	4	07	Cafeteria	1 Floor	1953	626,915	7,681	242	1,860,032	33.7%
6741	Ponce De Leon Middle School	04	6	4	08	Media Center	1 Floor	1955	603,691	4,052	242	981,233	61.5%
6741	Ponce De Leon Middle School	04	6	4	09	Gymnasium	1 Floor	1928	178,757	12,412	242	3,005,691	5.9%
6741	Ponce De Leon Middle School	04	6	4	10	Auditorium	1 Floor	1955	612,305	8,086	242	1,958,107	31.3%
6741	Ponce De Leon Middle School	04	6	4	18	Covered Walkway	1 Floor	1999	2,117	2,720	242	658,675	0.3%
0121	Auburndale Elementary School	04	6	4	01	Main Building	2 Floors	1949	1,988,497	46,064	226	10,415,835	19.1%
0121	Auburndale Elementary School	04	6	4	02	Classroom	1 Floor	1969	357,396	2,030	226	459,017	77.9%
0121	Auburndale Elementary School	04	6	4	03	Classroom	1 Floor	2004	0	20,388	226	4,610,065	0.0%
0121	Auburndale Elementary School	04	6	4	04	Classroom	1 Floor	1971	992,471	17,709	226	4,004,299	24.8%
0121	Auburndale Elementary School	04	6	4	06	Media Center	1 Floor	1992	56,810	5,694	226	1,287,508	4.4%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
0121	Auburndale Elementary School	04	6	4	08	PE Shelter	1 Floor	1992	16,935	3,491	226	789,373	2.1%
7801	George T. Baker Aviation	04	5	3	01	Classroom	2 Floors	1946	1,300,145	38,822	250	9,701,765	13.4%
7801	George T. Baker Aviation	04	5	3	02	Main Building	2 Floors	1958	645,021	11,130	250	2,781,429	23.2%
7801	George T. Baker Aviation	04	5	3	03	Laboratory	1 Floor	1974	272,626	806	250	201,422	135.4%
1001	Coral Park Elementary School	04	8	3	01	Administration	1 Floor	1960	61,134	3,374	226	762,917	8.0%
1001	Coral Park Elementary School	04	8	3	02	Classroom	1 Floor	1960	108,573	4,086	226	923,912	11.8%
1001	Coral Park Elementary School	04	8	3	03	Classroom	1 Floor	1960	105,232	4,086	226	923,912	11.4%
1001	Coral Park Elementary School	04	8	3	04	Classroom	1 Floor	1960	609,377	4,209	226	951,725	64.0%
1001	Coral Park Elementary School	04	8	3	05	Classroom	1 Floor	1960	360,844	4,165	226	941,776	38.3%
1001	Coral Park Elementary School	04	8	3	06	Classroom	1 Floor	1968	124,733	6,235	226	1,409,837	8.8%
1001	Coral Park Elementary School	04	8	3	07	Classroom	1 Floor	1969	96,940	4,013	226	907,406	10.7%
1001	Coral Park Elementary School	04	8	3	09	PE Shelter	1 Floor	1960	49,544	1,819	226	411,306	12.0%
1001	Coral Park Elementary School	04	8	3	10	Cafeteria	1 Floor	1960	208,379	4,209	226	951,725	21.9%
1001	Coral Park Elementary School	04	8	3	13	Music	1 Floor	1994	16,287	1,855	226	419,446	3.9%
1001	Coral Park Elementary School	04	8	3	14	Media Center	1 Floor	1994	23,489	4,841	226	1,094,630	2.1%
1001	Coral Park Elementary School	04	8	3	15	Classroom	1 Floor	2004	737,384	10,798	226	2,441,607	30.2%
5381	E.W.F. Stirrup Elementary School	04	5	3	01	Classroom	2 Floors	1984	327,151	9,473	226	2,142,003	15.3%
5381	E.W.F. Stirrup Elementary School	04	5	3	02	Classroom	2 Floors	1984	194,058	4,806	226	1,086,716	17.9%
5381	E.W.F. Stirrup Elementary School	04	5	3	03	Fine Arts	2 Floors	1984	346,562	9,612	226	2,173,433	15.9%
5381	E.W.F. Stirrup Elementary School	04	5	3	04	Classroom	1 Floor	1984	196,818	4,806	226	1,086,716	18.1%
5381	E.W.F. Stirrup Elementary School	04	5	3	05	Classroom	2 Floors	1984	365,608	9,612	226	2,173,433	16.8%
5381	E.W.F. Stirrup Elementary School	04	5	3	06	Cafeteria	1 Floor	1984	352,623	7,120	226	1,609,950	21.9%
5381	E.W.F. Stirrup Elementary School	04	5	3	07	Classroom	2 Floors	1984	351,395	9,612	226	2,173,433	16.2%
5381	E.W.F. Stirrup Elementary School	04	5	3	08	Classroom	1 Floor	1984	198,535	4,806	226	1,086,716	18.3%
5381	E.W.F. Stirrup Elementary School	04	5	3	10	Classroom	1 Floor	2008	0	14,509	0	0	0.0%
2661	Kensington Park Elementary School	04	5	4	01	Main Building	1 Floor	1950	958,928	32,694	226	7,392,656	13.0%
2661	Kensington Park Elementary School	04	5	4	02	Classroom	1 Floor	1966	245,448	6,130	226	1,386,095	17.7%
2661	Kensington Park Elementary School	04	5	4	03	Classroom	1 Floor	1968	352,445	6,130	226	1,386,095	25.4%
2661	Kensington Park Elementary School	04	5	4	04	Classroom	1 Floor	1969	189,472	3,995	226	903,336	21.0%
2661	Kensington Park Elementary School	04	5	4	06	PE Shelter	1 Floor	2005	0	1,036	226	234,257	0.0%
2661	Kensington Park Elementary School	04	5	4	07	Classroom	1 Floor	2006	0	33,382	226	7,548,224	0.0%
2661	Kensington Park Elementary School	04	5	4	09	Classroom	1 Floor	1992	40,548	6,479	226	1,465,009	2.8%
2661	Kensington Park Primary Learning Center D	04	5	4	11	PLC	1 Floor	1996	353,679	17,165	226	3,881,291	9.1%
6901	W. R. Thomas Middle School	04	8	5	01	Main Building	3 Floors	1973	5,643,657	129,486	242	31,356,342	18.0%
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	01	Main Building	1 Floor	1991	238,868	5,603	226	1,266,931	18.9%
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	02	Fine Arts	1 Floor	1991	45,173	3,844	226	869,192	5.2%
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	03	Cafeteria	1 Floor	1991	535,111	10,788	226	2,439,346	21.9%
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	04	Classroom	2 Floors	1991	295,554	20,304	226	4,591,072	6.4%
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	05	PE Shelter	1 Floor	1991	88,716	4,588	226	1,037,423	8.6%
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	06	Classroom	2 Floors	1991	37,363	19,465	226	4,401,360	0.8%
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	07	Classroom	1 Floor	1991	119,599	7,542	226	1,705,371	7.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	08	Media Center	2 Floors	1991	277,428	13,097	226	2,961,449	9.4%
0451	Bowman Ashe/Doolin K-8 Academy	04	8	5	09	Classroom	1 Floor	2004	0	12,619	226	2,853,365	0.0%
0451	Bowman Ashe/Doolin K-8 Academy - PLC N	04	8	5	10	Classroom	1 Floor	1997	0	17,657	226	3,992,541	0.0%
6961	West Miami Middle School	04	8	5	01	Administration	1 Floor	1955	0	2,868	242	694,515	0.0%
6961	West Miami Middle School	04	8	5	02	Auditorium	1 Floor	1958	78,075	6,642	242	1,608,427	4.9%
6961	West Miami Middle School	04	8	5	03	Cafeteria	1 Floor	1955	393,239	18,469	242	4,472,455	8.8%
6961	West Miami Middle School	04	8	5	05	Music	1 Floor	1955	485,482	2,355	242	570,287	85.1%
6961	West Miami Middle School	04	8	5	06	Classroom	2 Floors	1955	1,376,450	34,172	242	8,275,095	16.6%
6961	West Miami Middle School	04	8	5	07	Classroom	2 Floors	1960	733,314	23,401	242	5,666,789	12.9%
6961	West Miami Middle School	04	8	5	08	Locker Rooms	1 Floor	1955	157,951	4,224	242	1,022,884	15.4%
6961	West Miami Middle School	04	8	5	09	Classroom	2 Floors	2001	144,924	27,510	242	6,661,824	2.2%
0271	Bent Tree Elementary School	04	8	5	01	Administration	1 Floor	1980	141,022	3,840	226	868,288	16.2%
0271	Bent Tree Elementary School	04	8	5	02	Media Center	1 Floor	1980	61,048	4,870	226	1,101,188	5.5%
0271	Bent Tree Elementary School	04	8	5	03	Cafeteria	1 Floor	1980	286,927	7,143	226	1,615,151	17.8%
0271	Bent Tree Elementary School	04	8	5	04	Classroom	1 Floor	1980	29,047	4,870	226	1,101,188	2.6%
0271	Bent Tree Elementary School	04	8	5	05	Classroom	1 Floor	1980	16,101	4,870	226	1,101,188	1.5%
0271	Bent Tree Elementary School	04	8	5	06	Classroom	1 Floor	1980	14,464	4,870	226	1,101,188	1.3%
0271	Bent Tree Elementary School	04	8	5	07	Classroom	1 Floor	1980	14,464	4,870	226	1,101,188	1.3%
0271	Bent Tree Elementary School	04	8	5	08	Classroom	1 Floor	1980	14,142	4,870	226	1,101,188	1.3%
0271	Bent Tree Elementary School	04	8	5	09	Classroom	1 Floor	1980	14,142	4,870	226	1,101,188	1.3%
0271	Bent Tree Elementary School	04	8	5	10	Fine Arts	1 Floor	1980	21,573	4,870	226	1,101,188	2.0%
0271	Bent Tree Elementary School	04	8	5	11	Classroom	1 Floor	1980	14,142	4,870	226	1,101,188	1.3%
0271	Bent Tree Elementary School	04	8	5	12	Classroom	1 Floor	1980	14,142	4,870	226	1,101,188	1.3%
0271	Bent Tree Elementary School	04	8	5	14	Storage	1 Floor	1980	175,096	1,880	226	425,099	41.2%
4741	Royal Green Elementary School	04	8	5	01	Main Building	2 Floors	1972	1,598,632	59,518	226	13,458,007	11.9%
4741	Royal Green Elementary School	04	8	5	03	PE Shelter	1 Floor	1972	0	2,473	226	559,186	0.0%
4741	Royal Green Elementary School	04	8	5	04	Classroom	1 Floor	1995	3,504	6,451	226	1,458,678	0.2%
4741	Royal Green Elementary School	04	8	5	05	Media Center	1 Floor	1995	52,472	10,060	226	2,274,733	2.3%
2261	Greenglade Elementary School	04	8	5	01	Main Building	1 Floor	1969	1,853,206	36,570	226	8,269,084	22.4%
2261	Greenglade Elementary School	04	8	5	02	PE Shelter	1 Floor	1969	7,893	1,388	226	313,850	2.5%
2261	Greenglade Elementary School	04	8	5	04	Cafeteria	1 Floor	1992	124,944	9,244	226	2,090,222	6.0%
2261	Greenglade Elementary School	04	8	5	05	Classroom	1 Floor	1999	2,687	4,329	226	978,859	0.3%
2261	Greenglade Elementary School	04	8	5	06	Classroom	1 Floor	2002	0	9,082	226	2,053,591	0.0%
7071	Coral Gables Senior High	04	6	4	01	Main Building	2 Floors	1950	874,944	22,004	250	5,498,883	15.9%
7071	Coral Gables Senior High	04	6	4	02	Classroom	2 Floors	1950	789,893	36,866	250	9,212,953	8.6%
7071	Coral Gables Senior High	04	6	4	03	Classroom	1 Floor	1950	199,348	10,697	250	2,673,221	7.5%
7071	Coral Gables Senior High	04	6	4	04	Classroom	1 Floor	1950	412,571	10,946	250	2,735,447	15.1%
7071	Coral Gables Senior High	04	6	4	05	Science	1 Floor	1950	517,749	12,788	250	3,195,770	16.2%
7071	Coral Gables Senior High	04	6	4	06	Media Center	1 Floor	1950	239,244	29,317	250	7,326,430	3.3%
7071	Coral Gables Senior High	04	6	4	07	Vocational Shop	2 Floors	1964	537,791	16,721	250	4,178,641	12.9%
7071	Coral Gables Senior High	04	6	4	08	Laboratory	1 Floor	1962	118,473	2,735	250	683,487	17.3%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
7071	Coral Gables Senior High	04	6	4	09	Cafeteria	1 Floor	1950	522,006	20,071	250	5,015,819	10.4%
7071	Coral Gables Senior High	04	6	4	10	Classroom	2 Floors	1950	713,507	16,883	250	4,219,126	16.9%
7071	Coral Gables Senior High	04	6	4	11	Auditorium	2 Floors	1950	620,710	17,268	250	4,315,339	14.4%
7071	Coral Gables Senior High	04	6	4	12	Gymnasium	1 Floor	1950	551,445	22,073	250	5,516,127	10.0%
7071	Coral Gables Senior High	04	6	4	15	Cafe / Classroom	3 Floors	2003	0	57,172	250	14,287,500	0.0%
7071	Coral Gables Senior High	04	6	4	16	Storage	1 Floor	2000	1,946	539	250	134,698	1.4%
7071	Coral Gables Senior High	04	6	4	17	Covered Patio	1 Floor	2003	0	5,000	250	1,249,519	0.0%
2741	Key Biscayne K-8 Center	04	6	4	01	Classroom	1 Floor	1956	1,479,641	12,384	235	2,908,853	50.9%
2741	Key Biscayne K-8 Center	04	6	4	02	Classroom	2 Floors	1955	442,328	11,079	235	2,602,324	17.0%
2741	Key Biscayne K-8 Center	04	6	4	03	Cafeteria	1 Floor	1956	256,571	5,927	235	1,392,181	18.4%
2741	Key Biscayne K-8 Center	04	6	4	04	Administration	2 Floors	1996	242,184	31,450	235	7,387,228	3.3%
2741	Key Biscayne K-8 Center	04	6	4	05	PE Shelter	1 Floor	1996	102,487	3,050	235	716,408	14.3%
2741	Key Biscayne K-8 Center	04	6	4	06	Main Building	1 Floor	2003	753,997	71,528	235	16,801,068	4.5%
5441	Sylvania Heights Elementary School	04	8	5	01	Main Building	2 Floors	1949	456,525	45,630	226	10,317,700	4.4%
5441	Sylvania Heights Elementary School	04	8	5	02	Classroom	1 Floor	1949	11,701	1,488	226	336,462	3.5%
5441	Sylvania Heights Elementary School	04	8	5	06	Media Center	1 Floor	1996	3,125	4,675	226	1,057,095	0.3%
5441	Sylvania Heights Elementary School	04	8	5	07	Classroom	1 Floor	1996	0	3,802	226	859,695	0.0%
5441	Sylvania Heights Elementary School	04	8	5	08	PE Shelter	1 Floor	1996	0	2,559	226	578,632	0.0%
5441	Sylvania Heights Elementary School	04	8	5	09	Classroom	1 Floor	2004	0	12,619	226	2,853,365	0.0%
6441	Howard D. McMillan Middle School	04	8	5	01	Main Building	3 Floors	1974	3,333,337	116,228	242	28,145,784	11.8%
6441	Howard D. McMillan Middle School	04	8	5	03	Classroom	2 Floors	2003	4,956	34,442	242	8,340,478	0.1%
7721	South Miami Senior High	04	6	5	01	Main Building	3 Floors	1971	7,675,750	231,422	250	57,833,236	13.3%
7721	South Miami Senior High	04	6	5	03	Classroom	3 Floors	2003	8,060	83,401	250	20,842,226	0.0%
2341	Joe Hall Elementary School	04	8	5	01	Administration	2 Floors	1984	136,288	9,478	226	2,143,133	6.4%
2341	Joe Hall Elementary School	04	8	5	02	Classroom	1 Floor	1984	32,863	4,806	226	1,086,716	3.0%
2341	Joe Hall Elementary School	04	8	5	03	Cafeteria	2 Floors	1984	6,510	7,111	226	1,607,915	0.4%
2341	Joe Hall Elementary School	04	8	5	04	Classroom	2 Floors	1984	18,882	9,599	226	2,170,493	0.9%
2341	Joe Hall Elementary School	04	8	5	05	Classroom	2 Floors	1984	19,700	9,595	226	2,169,589	0.9%
2341	Joe Hall Elementary School	04	8	5	06	Classroom	1 Floor	1984	21,877	4,777	226	1,080,159	2.0%
2341	Joe Hall Elementary School	04	8	5	07	Classroom	2 Floors	1984	19,700	9,599	226	2,170,493	0.9%
2341	Joe Hall Elementary School	04	8	5	08	Classroom	1 Floor	1984	18,882	4,806	226	1,086,716	1.7%
2341	Joe Hall Elementary School	04	8	5	09	PE Shelter	1 Floor	1984	3,162	6,312	226	1,427,248	0.2%
4681	Riverside Elementary School	04	6	4	01	Main Building	2 Floors	1990	3,035,788	165,277	226	37,371,872	8.1%
4681	Riverside Elementary School	04	6	4	02	PE Shelter	1 Floor	1990	21,114	2,566	226	580,215	3.6%
7161	Maritime & Science Technology Academy	04	6	4	01	Main Building	2 Floors	1990	1,180,619	93,310	250	23,318,522	5.1%
7161	Maritime & Science Technology Academy	04	6	4	02	Gymnasium	1 Floor	1990	342,750	8,240	250	2,059,207	16.6%
7161	Maritime & Science Technology Academy	04	6	4	03	Vocational Laboratory	1 Floor	1990	0	3,029	250	756,959	0.0%
6091	Citrus Grove Middle School	04	6	4	01	Main Building	2 Floors	1975	2,370,472	117,917	242	28,554,792	8.3%
6091	Citrus Grove Middle School	04	6	4	02	Classroom	3 Floors	2006	0	44,896	242	10,872,020	0.0%
6091	Citrus Grove Middle School	04	6	4	06	PE Shelter	1 Floor	2006	0	1,848	242	447,512	0.0%
2511	Zora Neale Hurston Elementary School	04	8	5	01	Main Building	1 Floor	1995	1,480,915	103,260	226	23,348,800	6.3%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2511	Zora Neale Hurston Elementary School	04	8	5	03	Classroom	1 Floor	2004	0	12,619	226	2,853,365	0.0%
5061	Dr. Carlos J. Finlay Elementary School	04	8	5	01	Administration	1 Floor	2000	156,580	18,620	226	4,210,291	3.7%
5061	Dr. Carlos J. Finlay Elementary School	04	8	5	02	Media Center	1 Floor	2000	224,771	10,337	226	2,337,367	9.6%
5061	Dr. Carlos J. Finlay Elementary School	04	8	5	03	Cafeteria	1 Floor	2000	164,601	17,125	226	3,872,247	4.3%
5061	Dr. Carlos J. Finlay Elementary School	04	8	5	04	Classroom	2 Floors	2000	254,957	33,823	226	7,647,942	3.3%
5061	Dr. Carlos J. Finlay Elementary School	04	8	5	05	PE Shelter	1 Floor	2000	8,631	3,305	226	747,315	1.2%
1811	Dante B. Fascell Elementary School	04	7	5	01	Administration	1 Floor	1995	588,688	25,645	226	5,798,760	10.2%
1811	Dante B. Fascell Elementary School	04	7	5	02	Classroom	1 Floor	1995	194,559	18,046	226	4,080,500	4.8%
1811	Dante B. Fascell Elementary School	04	7	5	03	Classroom	1 Floor	1995	129,037	17,897	226	4,046,809	3.2%
1811	Dante B. Fascell Elementary School	04	7	5	04	Classroom	1 Floor	1995	235,144	21,105	226	4,772,191	4.9%
1811	Dante B. Fascell Elementary School	04	7	5	05	PE Shelter	1 Floor	1995	0	3,437	226	777,163	0.0%
7056	Young Men's Preparatory Academy	04	2	5	01	Classroom	2 Floors	1927	0	25,467	200	5,084,339	0.0%
7056	Young Men's Preparatory Academy	04	2	5	02	Classroom	2 Floors	1927	0	22,969	200	4,585,628	0.0%
0251	Ethel Koger Beckham Elementary School	04	8	5	01	Administration	1 Floor	1992	4,687	4,090	226	924,817	0.5%
0251	Ethel Koger Beckham Elementary School	04	8	5	02	Classroom	2 Floors	1992	6,808	17,135	226	3,874,508	0.2%
0251	Ethel Koger Beckham Elementary School	04	8	5	03	PE Shelter	1 Floor	1992	4,161	4,917	226	1,111,815	0.4%
0251	Ethel Koger Beckham Elementary School	04	8	5	04	Classroom	2 Floors	1992	16,403	17,375	226	3,928,776	0.4%
0251	Ethel Koger Beckham Elementary School	04	8	5	05	Media Center	1 Floor	1992	5,208	9,972	226	2,254,835	0.2%
0251	Ethel Koger Beckham Elementary School	04	8	5	06	Classroom	1 Floor	1992	0	5,784	226	1,307,858	0.0%
0251	Ethel Koger Beckham Elementary School	04	8	5	07	Classroom	1 Floor	1992	4,651	5,568	226	1,259,017	0.4%
0251	Ethel Koger Beckham Elementary School	04	8	5	08	Cafeteria	1 Floor	1992	62,790	11,465	226	2,592,427	2.4%
3111	Wesley Matthews Elementary School	04	8	5	01	Administration	1 Floor	1994	27,403	7,245	226	1,638,215	1.7%
3111	Wesley Matthews Elementary School	04	8	5	02	Cafeteria	1 Floor	1994	83,907	13,035	226	2,947,430	2.8%
3111	Wesley Matthews Elementary School	04	8	5	03	Media Center	1 Floor	1994	95,577	10,298	226	2,328,549	4.1%
3111	Wesley Matthews Elementary School	04	8	5	04	Classroom	1 Floor	1994	38,646	18,621	226	4,210,517	0.9%
3111	Wesley Matthews Elementary School	04	8	5	05	PE Shelter	1 Floor	1994	4,857	3,778	226	854,269	0.6%
3111	Wesley Matthews Elementary School	04	8	5	06	Classroom	1 Floor	1994	218,757	20,834	226	4,710,913	4.6%
7271	Miami Coral Park Senior High	04	8	3	01	Main Building	2 Floors	1962	2,205,970	160,157	250	40,023,840	5.5%
7271	Miami Coral Park Senior High	04	8	3	02	Gymnasium	1 Floor	1962	177,897	12,952	250	3,236,754	5.5%
7271	Miami Coral Park Senior High	04	8	3	03	Locker Rooms	1 Floor	1962	0	12,298	250	3,073,317	0.0%
7271	Miami Coral Park Senior High	04	8	3	04	Classroom	3 Floors	2003	21,124	123,972	250	30,981,074	0.1%
7271	Miami Coral Park Senior High	04	8	3	05	Weights	1 Floor	1962	326,749	5,344	250	1,335,486	24.5%
7271	Miami Coral Park Senior High	04	8	3	06	Media Center	2 Floors	1990	508,141	47,539	250	11,880,176	4.3%
7271	Miami Coral Park Senior High	04	8	3	10	Covered Walkway	1 Floor	1962	0	478	250	119,454	0.0%
7271	Miami Coral Park Senior High	04	8	3	11	Covered Patio	1 Floor	2002	0	5,125	250	1,280,757	0.0%
7051	G. Holmes Braddock Senior High	04	8	5	01	Main Building	2 Floors	1988	625,288	69,580	250	17,388,306	3.6%
7051	G. Holmes Braddock Senior High	04	8	5	02	Classroom	2 Floors	1988	461,507	72,659	250	18,157,760	2.5%
7051	G. Holmes Braddock Senior High	04	8	5	03	Concessions	2 Floors	1988	534,964	71,101	250	17,768,410	3.0%
7051	G. Holmes Braddock Senior High	04	8	5	04	Classroom	2 Floors	1988	881,457	181,496	250	45,356,540	1.9%
7051	G. Holmes Braddock Senior High	04	8	5	05	Classroom	3 Floors	2008	0	59,302	0	0	0.0%
7051	G. Holmes Braddock Senior High	04	8	5	08	Covered Walkway	1 Floor	1995	2,855	347	250	86,717	3.3%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
7051	G. Holmes Braddock Senior High	04	8	5	15	Classroom	3 Floors	2008	0	58,000	0	0	0.0%
6041	Paul W. Bell Middle School	04	5	5	01	Main Building	2 Floors	1992	150,505	125,774	242	30,457,444	0.5%
6041	Paul W. Bell Middle School	04	5	5	02	Covered Patio	1 Floor	1992	3,103	5,667	242	1,372,321	0.2%
7121	John A. Ferguson Senior High	04	8	5	01	Administration	2 Floors	2002	94,754	32,716	250	8,175,853	1.2%
7121	John A. Ferguson Senior High	04	8	5	02	Main Building	3 Floors	2002	639,282	142,969	250	35,728,496	1.8%
7121	John A. Ferguson Senior High	04	8	5	03	Auditorium	3 Floors	2002	64,834	20,553	250	5,136,273	1.3%
7121	John A. Ferguson Senior High	04	8	5	04	Fine Arts	1 Floor	2002	16,542	14,325	250	3,579,872	0.5%
7121	John A. Ferguson Senior High	04	8	5	05	Cafeteria	1 Floor	2002	37,795	35,713	250	8,924,814	0.4%
7121	John A. Ferguson Senior High	04	8	5	06	Gymnasium	2 Floors	2002	58,800	33,019	250	8,251,574	0.7%
7121	John A. Ferguson Senior High	04	8	5	07	Locker Rooms	1 Floor	2002	36,393	17,511	250	4,376,066	0.8%
7121	John A. Ferguson Senior High	04	8	5	08	Covered Patio	1 Floor	2002	1,548	2,828	250	706,728	0.2%
7121	John A. Ferguson Senior High	04	8	5	10	Classroom	1 Floor	2006	662	44,869	250	11,212,933	0.0%
7121	John A. Ferguson Senior High	04	8	5	11	Building 11	1 Floor	2006	0	770	250	192,426	0.0%
7121	John A. Ferguson Senior High	04	8	5	12	Building 12	3 Floors	2008	0	45,219	250	11,300,400	0.0%
6921	Lamar Louise Curry Middle School	04	8	5	01	Main Building	3 Floors	2003	217,060	79,921	242	19,353,676	1.1%
6921	Lamar Louise Curry Middle School	04	8	5	02	Cafeteria	1 Floor	2003	21,695	42,034	242	10,178,957	0.2%
6921	Lamar Louise Curry Middle School	04	8	5	03	Storage	2 Floors	2003	10,462	19,170	242	4,642,209	0.2%
2351	Eneida Massas Hartner Elementary School	04	2	4	01	Main Building	2 Floors	1995	72,499	44,093	226	9,970,159	0.7%
2351	Eneida Massas Hartner Elementary School	04	2	4	02	Classroom	2 Floors	1995	1,339	21,710	226	4,908,991	0.0%
2351	Eneida Massas Hartner Elementary School	04	2	4	03	Fine Arts	1 Floor	1995	0	3,547	226	802,036	0.0%
2351	Eneida Massas Hartner Elementary School	04	2	4	04	Cafeteria	2 Floors	1995	33,281	17,448	226	3,945,282	0.8%
3191	Ada Merritt K-8 Center	04	6	4	01	Classroom	4 Floors	2001	0	32,459	235	7,624,230	0.0%
3191	Ada Merritt K-8 Center	04	6	4	02	Main Building	3 Floors	2001	17,283	60,296	235	14,162,807	0.1%
0211	Dr. Manuel C. Barreiro Elementary School	04	8	5	01	Main Building	2 Floors	2008	0	22,196	226	5,018,884	0.0%
0211	Dr. Manuel C. Barreiro Elementary School	04	8	5	02	Classroom	2 Floors	2008	0	28,642	226	6,476,432	0.0%
0211	Dr. Manuel C. Barreiro Elementary School	04	8	5	03	Classroom	2 Floors	2008	0	28,505	226	6,445,454	0.0%
0211	Dr. Manuel C. Barreiro Elementary School	04	8	5	05	P.E. Area	1 Floor	2008	0	2,286	226	516,903	0.0%
6052	Zelda Glazer Middle School	04	8	5	01	Building 01	2 Floors	2006	0	17,898	242	4,334,182	0.0%
6052	Zelda Glazer Middle School	04	8	5	02	Building 02	2 Floors	2006	0	31,056	242	7,520,524	0.0%
6052	Zelda Glazer Middle School	04	8	5	03	Building 03	3 Floors	2006	0	31,928	242	7,731,688	0.0%
6052	Zelda Glazer Middle School	04	8	5	04	Building 04	3 Floors	2006	0	33,296	242	8,062,963	0.0%
6052	Zelda Glazer Middle School	04	8	5	05	Building 05	2 Floors	2006	0	15,275	242	3,698,996	0.0%
6052	Zelda Glazer Middle School	04	8	5	06	Building 06	1 Floor	2006	0	24,072	242	5,829,278	0.0%
6052	Zelda Glazer Middle School	04	8	5	08	Building 08	1 Floor	2006	0	0	Infinity	1	0.0%
7055	Young Women's Preparatory Academy	04	6	4	01	Main Building	1 Floor	1956	0	35,926	226	8,123,465	0.0%
7571	International Studies Preparatory Academy	04	6	4	01	Main Building	5 Floors	1971	0	64,084	250	16,014,835	0.0%
7029	TERRA Environmental Research Institute	04	7	5	05	Gymnasium	1 Floor	1983	0	11,085	0	0	0.0%
7029	TERRA Environmental Research Institute	04	7	5	06	PE Dressing Rooms	1 Floor	1960	0	7,742	0	0	0.0%
5951	Whispering Pines Elementary School	05	9	6	01	Classroom	1 Floor	1967	622,511	8,676	226	1,961,788	31.7%
5951	Whispering Pines Elementary School	05	9	6	02	Classroom	1 Floor	1967	620,219	8,676	226	1,961,788	31.6%
5951	Whispering Pines Elementary School	05	9	6	03	Classroom	1 Floor	1967	663,708	8,676	226	1,961,788	33.8%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
5951	Whispering Pines Elementary School	05	9	6	04	Classroom	1 Floor	1968	634,614	8,676	226	1,961,788	32.3%
5951	Whispering Pines Elementary School	05	9	6	05	Classroom	1 Floor	1970	266,906	4,019	226	908,763	29.4%
5951	Whispering Pines Elementary School	05	9	6	06	Administration	1 Floor	1967	155,972	2,021	226	456,982	34.1%
5951	Whispering Pines Elementary School	05	9	6	09	Cafeteria	1 Floor	1989	221,673	8,849	226	2,000,906	11.1%
5951	Whispering Pines Elementary School	05	9	6	10	Media Center	1 Floor	1997	25,358	8,946	226	2,022,839	1.3%
5951	Whispering Pines Elementary School	05	9	6	11	Classroom	1 Floor	1997	4,721	3,622	226	818,994	0.6%
5951	Whispering Pines Elementary School	05	9	6	13	PE Shelter	1 Floor	1997	1,528	2,790	226	630,865	0.2%
2001	Florida City Elementary School	05	9	6	01	Administration	1 Floor	1961	247,566	2,653	226	599,887	41.3%
2001	Florida City Elementary School	05	9	6	03	Cafeteria	1 Floor	1961	489,851	4,551	226	1,029,057	47.6%
2001	Florida City Elementary School	05	9	6	04	Classroom	1 Floor	1961	356,122	2,777	226	627,926	56.7%
2001	Florida City Elementary School	05	9	6	05	Classroom	1 Floor	1961	370,604	2,777	226	627,926	59.0%
2001	Florida City Elementary School	05	9	6	06	Classroom	1 Floor	1961	498,859	2,777	226	627,926	79.4%
2001	Florida City Elementary School	05	9	6	07	Classroom	1 Floor	1961	722,800	3,306	226	747,541	96.7%
2001	Florida City Elementary School	05	9	6	10	Classroom	1 Floor	2004	985,197	12,619	226	2,853,365	34.5%
2001	Florida City Elementary School	05	9	6	13	Classroom	1 Floor	1983	575,436	4,397	226	994,235	57.9%
2001	Florida City Elementary School	05	9	6	14	Media Center	1 Floor	1983	153,898	5,061	226	1,144,376	13.4%
2001	Florida City Elementary School	05	9	6	15	Classroom	1 Floor	1983	307,168	3,371	226	762,239	40.3%
2001	Florida City Elementary School	05	9	6	16	Classroom	1 Floor	1983	354,589	4,980	226	1,126,061	31.5%
2001	Florida City Elementary School	05	9	6	17	Classroom	1 Floor	1983	339,119	3,172	226	717,242	47.3%
2001	Florida City Elementary School	05	9	6	18	Classroom	1 Floor	1983	209,028	5,000	226	1,130,583	18.5%
2001	Florida City Elementary School	05	9	6	19	Fine Arts	1 Floor	1996	69,918	3,745	226	846,807	8.3%
2001	Florida City Elementary School	05	9	6	25	Wash Area	1 Floor	1987	0	217	226	49,067	0.0%
2001	Florida City Elementary School	05	9	6	26	PE Shelter	1 Floor	1970	0	1,189	226	268,853	0.0%
4221	Palmetto Elementary School	05	9	5	01	Cafeteria	1 Floor	1957	737,514	8,894	226	2,011,081	36.7%
4221	Palmetto Elementary School	05	9	5	02	Classroom	1 Floor	1957	1,109,773	4,492	226	1,015,716	109.3%
4221	Palmetto Elementary School	05	9	5	03	Classroom	1 Floor	1957	437,534	4,492	226	1,015,716	43.1%
4221	Palmetto Elementary School	05	9	5	04	Classroom	1 Floor	1957	180,564	3,742	226	846,128	21.3%
4221	Palmetto Elementary School	05	9	5	05	Classroom	1 Floor	1957	543,677	3,742	226	846,128	64.3%
4221	Palmetto Elementary School	05	9	5	06	Classroom	1 Floor	1967	392,617	6,130	226	1,386,095	28.3%
4221	Palmetto Elementary School	05	9	5	09	Classroom	1 Floor	1969	220,629	3,995	226	903,336	24.4%
4221	Palmetto Elementary School	05	9	5	10	Media Center	1 Floor	1957	96,048	6,444	226	1,457,095	6.6%
4221	Palmetto Elementary School	05	9	5	11	Building - Building - I I	1 Floor	1957	0	1,571	226	355,229	0.0%
0041	Air Base Elementary School	05	9	6	01	Administration	1 Floor	1958	714,915	5,273	226	1,192,313	60.0%
0041	Air Base Elementary School	05	9	6	02	Cafeteria	1 Floor	1958	426,194	5,850	226	1,322,782	32.2%
0041	Air Base Elementary School	05	9	6	03	Classroom	1 Floor	1958	364,268	4,026	226	910,345	40.0%
0041	Air Base Elementary School	05	9	6	04	Classroom	1 Floor	1958	354,694	4,026	226	910,345	39.0%
0041	Air Base Elementary School	05	9	6	05	Classroom	1 Floor	1958	380,602	4,040	226	913,511	41.7%
0041	Air Base Elementary School	05	9	6	06	Classroom	1 Floor	1958	370,625	4,040	226	913,511	40.6%
0041	Air Base Elementary School	05	9	6	07	Storage	1 Floor	1964	184,914	2,776	226	627,700	29.5%
0041	Air Base Elementary School	05	9	6	08	Classroom	1 Floor	1964	100,099	2,459	226	556,021	18.0%
0041	Air Base Elementary School	05	9	6	09	Classroom	1 Floor	1964	77,986	3,315	226	749,577	10.4%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
0041	Air Base Elementary School	05	9	6	10	Classroom	1 Floor	1969	1,222,773	12,269	226	2,774,225	44.1%
0041	Air Base Elementary School	05	9	6	11	Classroom	1 Floor	1969	110,182	4,010	226	906,728	12.2%
0041	Air Base Elementary School	05	9	6	13	Media Center	1 Floor	2001	43,521	4,359	226	985,642	4.4%
0041	Air Base Elementary School	05	9	6	16	PE Shelter	1 Floor	1969	883	1,350	226	305,257	0.3%
4441	Pine Lake Elementary School	05	9	6	01	Main Building	2 Floors	1976	4,743,698	59,111	226	13,365,978	35.5%
4441	Pine Lake Elementary School	05	9	6	03	Classroom	1 Floor	1992	244,377	6,491	226	1,467,723	16.7%
4441	Pine Lake Elementary School	05	9	6	04	PE Shelter	1 Floor	1992	109,637	3,385	226	765,405	14.3%
6111	Cutler Ridge Middle School	05	9	6	01	Main Building	2 Floors	1958	9,683,393	66,657	242	16,141,665	60.0%
6111	Cutler Ridge Middle School	05	9	6	03	300 Building	1 Floor	1967	292,678	6,100	242	1,477,177	19.8%
6111	Cutler Ridge Middle School	05	9	6	04	400 Building	1 Floor	1972	115,750	4,951	242	1,198,935	9.7%
6111	Cutler Ridge Middle School	05	9	6	05	500 Building	1 Floor	2006	0	12,619	242	3,055,818	0.0%
6111	Cutler Ridge Middle School	05	9	6	06	600 Building	1 Floor	2006	0	12,619	242	3,055,818	0.0%
2901	Leisure City K-8 Center	05	9	6	01	Administration	2 Floors	1998	289,403	3,000	235	704,664	41.1%
2901	Leisure City K-8 Center	05	9	6	02	Classroom	1 Floor	1957	651,622	3,283	235	771,137	84.5%
2901	Leisure City K-8 Center	05	9	6	03	Classroom	1 Floor	1970	594,054	3,948	235	927,338	64.1%
2901	Leisure City K-8 Center	05	9	6	04	Classroom	1 Floor	1957	969,984	3,000	235	704,664	137.7%
2901	Leisure City K-8 Center	05	9	6	05	Classroom	1 Floor	1960	627,146	3,744	235	879,421	71.3%
2901	Leisure City K-8 Center	05	9	6	06	Classroom	1 Floor	1957	558,845	3,000	235	704,664	79.3%
2901	Leisure City K-8 Center	05	9	6	07	Classroom	1 Floor	1960	710,396	3,744	235	879,421	80.8%
2901	Leisure City K-8 Center	05	9	6	08	Classroom	1 Floor	1974	426,615	6,130	235	1,439,864	29.6%
2901	Leisure City K-8 Center	05	9	6	09	Cafeteria	1 Floor	1957	1,034,426	5,968	235	1,401,812	73.8%
2901	Leisure City K-8 Center	05	9	6	11	PE Shelter	1 Floor	1957	0	1,341	235	314,985	0.0%
2901	Leisure City K-8 Center	05	9	6	12	Media Center	1 Floor	1991	151,245	6,535	235	1,534,993	9.9%
2901	Leisure City K-8 Center	05	9	6	13	Main Building	2 Floors	1998	577,853	39,208	235	9,209,489	6.3%
2901	Leisure City K-8 Center	05	9	6	14	Classroom	1 Floor	2004	0	10,798	235	2,536,321	0.0%
0861	Colonial Drive Elementary School	05	9	5	01	Administration	1 Floor	1966	114,191	1,272	226	287,620	39.7%
0861	Colonial Drive Elementary School	05	9	5	02	Classroom	1 Floor	1966	749,856	6,836	226	1,545,733	48.5%
0861	Colonial Drive Elementary School	05	9	5	03	Classroom	1 Floor	1966	50,829	5,758	226	1,301,979	3.9%
0861	Colonial Drive Elementary School	05	9	5	04	Classroom	1 Floor	1966	273,704	5,776	226	1,306,050	21.0%
0861	Colonial Drive Elementary School	05	9	5	05	Classroom	1 Floor	1968	841,715	6,624	226	1,497,796	56.2%
0861	Colonial Drive Elementary School	05	9	5	06	Classroom	1 Floor	1968	2,034	6,838	226	1,546,185	0.1%
0861	Colonial Drive Elementary School	05	9	5	07	Classroom	1 Floor	1968	241,202	7,126	226	1,611,307	15.0%
0861	Colonial Drive Elementary School	05	9	5	08	Cafeteria	1 Floor	1990	329,829	9,076	226	2,052,234	16.1%
0861	Colonial Drive Elementary School	05	9	5	09	Kindergarten	1 Floor	1971	407,170	2,073	226	468,740	86.9%
0861	Colonial Drive Elementary School	05	9	5	11	Restroom	1 Floor	0	0	128	0	0	0.0%
4611	Redondo Elementary School - Across Street	05	9	6	08	Classroom	1 Floor	1969	350,539	2,074	226	468,966	74.7%
4611	Redondo Elementary School	05	9	6	01	Administration	1 Floor	1960	432,455	5,824	226	1,316,903	32.8%
4611	Redondo Elementary School	05	9	6	03	Cafeteria	1 Floor	1960	309,495	5,989	226	1,354,212	22.9%
4611	Redondo Elementary School	05	9	6	04	Classroom	1 Floor	1960	60,660	2,828	226	639,458	9.5%
4611	Redondo Elementary School	05	9	6	05	Classroom	1 Floor	1960	74,027	2,828	226	639,458	11.6%
4611	Redondo Elementary School	05	9	6	06	Classroom	1 Floor	1960	190,842	2,780	226	628,604	30.4%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
4611	Redondo Elementary School	05	9	6	07	Classroom	1 Floor	1960	159,976	2,929	226	662,296	24.2%
4611	Redondo Elementary School	05	9	6	11	PE Shelter	1 Floor	1960	6,281	1,201	226	271,566	2.3%
4611	Redondo Elementary School	05	9	6	12	Classroom	1 Floor	1994	267,983	9,695	226	2,192,200	12.2%
4611	Redondo Elementary School	05	9	6	13	Classroom	1 Floor	1994	136,818	3,780	226	854,721	16.0%
4611	Redondo Elementary School	05	9	6	14	Classroom	1 Floor	1994	122,427	6,276	226	1,419,108	8.6%
4611	Redondo Elementary School	05	9	6	15	Media Center	1 Floor	1994	201,418	6,477	226	1,464,557	13.8%
4611	Redondo Elementary School	05	9	6	17	Classroom	1 Floor	2004	397,087	10,798	226	2,441,607	16.3%
0261	Bel-Aire Elementary School	05	9	6	01	Main Building	1 Floor	1970	3,850,525	39,584	226	8,950,599	43.0%
0261	Bel-Aire Elementary School	05	9	6	02	Media Center	1 Floor	1996	189,079	11,540	226	2,609,386	7.2%
0261	Bel-Aire Elementary School	05	9	6	03	Classroom	1 Floor	2004	0	10,802	226	2,442,512	0.0%
0261	Bel-Aire Elementary School	05	9	6	05	PE Shelter	1 Floor	1996	0	2,911	226	658,225	0.0%
1041	Coral Reef Elementary School	05	9	5	01	Administration	1 Floor	1998	71,731	3,456	226	781,459	9.2%
1041	Coral Reef Elementary School	05	9	5	02	Classroom	1 Floor	1960	518,721	3,123	226	706,162	73.5%
1041	Coral Reef Elementary School	05	9	5	03	Cafeteria	1 Floor	1960	340,248	4,676	226	1,057,321	32.2%
1041	Coral Reef Elementary School	05	9	5	04	Classroom	1 Floor	1960	383,712	3,515	226	794,800	48.3%
1041	Coral Reef Elementary School	05	9	5	05	Classroom	1 Floor	1960	349,517	3,123	226	706,162	49.5%
1041	Coral Reef Elementary School	05	9	5	07	Classroom	2 Floors	2006	182,453	26,227	226	5,930,360	3.1%
1041	Coral Reef Elementary School	05	9	5	08	Classroom	1 Floor	1960	436,089	3,515	226	794,800	54.9%
1041	Coral Reef Elementary School	05	9	5	09	Classroom	1 Floor	1960	227,376	3,123	226	706,162	32.2%
1041	Coral Reef Elementary School	05	9	5	10	Classroom	1 Floor	1967	87,832	3,995	226	903,336	9.7%
1041	Coral Reef Elementary School	05	9	5	11	Classroom	1 Floor	1968	485,265	6,093	226	1,377,728	35.2%
1041	Coral Reef Elementary School	05	9	5	13	Media Center	1 Floor	1998	43,955	4,154	226	939,288	4.7%
1041	Coral Reef Elementary School	05	9	5	14	Fine Arts	1 Floor	1998	0	3,649	226	825,099	0.0%
1041	Coral Reef Elementary School	05	9	5	15	Classroom	1 Floor	1998	0	1,665	226	376,484	0.0%
1041	Coral Reef Elementary School	05	9	5	16	PE Shelter	1 Floor	1998	61,978	2,800	226	633,126	9.8%
6001	Herbert A. Ammons Middle School	05	7	6	01	Non FISH Portable 56-0001	1 Floor	1994	52,541	6,429	242	1,556,847	3.4%
6001	Herbert A. Ammons Middle School	05	7	6	01	Covered Patio	1 Floor	2003	1,033	3,204	242	775,881	0.1%
6001	Herbert A. Ammons Middle School	05	7	6	02	Classrooms	1 Floor	1994	0	4,028	242	975,421	0.0%
6001	Herbert A. Ammons Middle School	05	7	6	03	Non FISH Portable 58-0006	1 Floor	1994	56,528	4,028	242	975,421	5.8%
6001	Herbert A. Ammons Middle School	05	7	6	04	Non FISH Portable 58-0011	1 Floor	1994	60,636	4,028	242	975,421	6.2%
6001	Herbert A. Ammons Middle School	05	7	6	05	Non FISH Portable 56-0009	1 Floor	1994	166,575	6,429	242	1,556,847	10.7%
6001	Herbert A. Ammons Middle School	05	7	6	06	Non FISH Portable 58-0016	1 Floor	1994	56,528	4,028	242	975,421	5.8%
6001	Herbert A. Ammons Middle School	05	7	6	07	Non FISH Portable 58-0021	1 Floor	1994	178,028	4,028	242	975,421	18.3%
6001	Herbert A. Ammons Middle School	05	7	6	08	Non FISH Portable 58-0026	1 Floor	1994	14,385	4,028	242	975,421	1.5%
6001	Herbert A. Ammons Middle School	05	7	6	10	Non FISH Portable 58-0031	1 Floor	1994	14,385	4,028	242	975,421	1.5%
6001	Herbert A. Ammons Middle School	05	7	6	11	Non FISH Portable 58-0036	1 Floor	1994	56,528	4,028	242	975,421	5.8%
6001	Herbert A. Ammons Middle School	05	7	6	12	Non FISH Portable 58-0041	1 Floor	1994	56,528	4,028	242	975,421	5.8%
6001	Herbert A. Ammons Middle School	05	7	6	13	Non FISH Portable 58-0046	1 Floor	1994	56,528	4,028	242	975,421	5.8%
6001	Herbert A. Ammons Middle School	05	7	6	14	Non FISH Portable 58-0051	1 Floor	1994	56,528	4,028	242	975,421	5.8%
6001	Herbert A. Ammons Middle School	05	7	6	15	Non FISH Portable 58-0056	1 Floor	1994	60,647	4,028	242	975,421	6.2%
6001	Herbert A. Ammons Middle School	05	7	6	32	Primary Classroom	1 Floor	1993	0	1,916	242	463,979	0.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
5281	South Miami Heights Elementary School	05	7	6	01	Administration	1 Floor	1959	147,621	3,335	226	754,099	19.6%
5281	South Miami Heights Elementary School	05	7	6	02	Classroom	1 Floor	1959	311,249	2,948	226	666,592	46.7%
5281	South Miami Heights Elementary School	05	7	6	03	Cafeteria	1 Floor	1959	276,153	4,564	226	1,031,996	26.8%
5281	South Miami Heights Elementary School	05	7	6	04	Classroom	1 Floor	1959	306,535	3,318	226	750,255	40.9%
5281	South Miami Heights Elementary School	05	7	6	05	Classroom	1 Floor	1959	336,204	2,948	226	666,592	50.4%
5281	South Miami Heights Elementary School	05	7	6	08	Classroom	1 Floor	1959	286,445	3,318	226	750,255	38.2%
5281	South Miami Heights Elementary School	05	7	6	09	Classroom	1 Floor	1959	223,280	2,948	226	666,592	33.5%
5281	South Miami Heights Elementary School	05	7	6	10	Classroom	1 Floor	1969	210,017	3,995	226	903,336	23.2%
5281	South Miami Heights Elementary School	05	7	6	11	Classroom	1 Floor	1966	217,878	6,168	226	1,394,687	15.6%
5281	South Miami Heights Elementary School	05	7	6	12	Classroom	1 Floor	1968	219,273	6,174	226	1,396,044	15.7%
5281	South Miami Heights Elementary School	05	7	6	14	Fine Arts	1 Floor	1998	0	3,801	226	859,469	0.0%
5281	South Miami Heights Elementary School	05	7	6	15	Media Center	1 Floor	1998	0	5,288	226	1,195,705	0.0%
5281	South Miami Heights Elementary School	05	7	6	16	PE Shelter	1 Floor	1998	0	2,800	226	633,126	0.0%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	01	Media Center	1 Floor	1963	20,170	4,784	226	1,081,742	1.9%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	02	Classroom	1 Floor	1963	270,445	3,070	226	694,178	39.0%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	03	Classroom	1 Floor	1963	497,118	4,835	226	1,093,274	45.5%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	04	Classroom	1 Floor	1963	219,530	3,070	226	694,178	31.6%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	05	Classroom	1 Floor	1963	395,226	5,828	226	1,317,808	30.0%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	06	Cafeteria	1 Floor	1963	349,250	4,751	226	1,074,280	32.5%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	10	Classroom	1 Floor	1992	133,910	7,948	226	1,797,175	7.5%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	11	Administration	1 Floor	1992	28,720	1,649	226	372,866	7.7%
4651	Ethel F Beckford/Richmond Elementary School	05	9	5	12	PE Shelter	1 Floor	1992	0	2,800	226	633,126	0.0%
6251	Homestead Middle School	05	9	6	01	Main Building	1 Floor	1967	1,673,824	28,351	242	6,865,481	24.4%
6251	Homestead Middle School	05	9	6	02	Media Center	1 Floor	1959	231,199	7,228	242	1,750,333	13.2%
6251	Homestead Middle School	05	9	6	03	Classroom	1 Floor	1982	106,521	6,892	242	1,668,967	6.4%
6251	Homestead Middle School	05	9	6	04	Science	1 Floor	1982	65,259	6,644	242	1,608,912	4.1%
6251	Homestead Middle School	05	9	6	05	Classroom	1 Floor	1982	95,090	6,856	242	1,660,250	5.7%
6251	Homestead Middle School	05	9	6	06	Cafeteria	1 Floor	1958	216,948	9,713	242	2,352,101	9.2%
6251	Homestead Middle School	05	9	6	07	Classroom	2 Floors	1959	532,622	5,990	242	1,450,539	36.7%
6251	Homestead Middle School	05	9	6	09	Locker Rooms	1 Floor	1959	172,977	6,554	242	1,587,117	10.9%
6251	Homestead Middle School	05	9	6	10	Fine Arts	1 Floor	1959	24,228	1,846	242	447,028	5.4%
6251	Homestead Middle School	05	9	6	11	Laboratory	1 Floor	1959	0	1,725	242	417,726	0.0%
6251	Homestead Middle School	05	9	6	14	Band	1 Floor	1969	46,163	2,205	242	533,963	8.6%
6251	Homestead Middle School	05	9	6	15	Fine Arts	1 Floor	1967	284,699	11,502	242	2,785,326	10.2%
2541	Howard Drive Elementary School	05	9	5	01	Cafeteria	1 Floor	1961	298,108	4,709	226	1,064,783	28.0%
2541	Howard Drive Elementary School	05	9	5	02	Administration	1 Floor	1961	491,674	6,326	226	1,430,414	34.4%
2541	Howard Drive Elementary School	05	9	5	03	Classroom	1 Floor	1961	880,535	6,409	226	1,449,181	60.8%
2541	Howard Drive Elementary School	05	9	5	04	Classroom	1 Floor	1961	692,200	6,273	226	1,418,429	48.8%
2541	Howard Drive Elementary School	05	9	5	05	Classroom	1 Floor	1967	363,850	6,150	226	1,390,617	26.2%
2541	Howard Drive Elementary School	05	9	5	06	Classroom	1 Floor	1969	241,204	3,995	226	903,336	26.7%
2541	Howard Drive Elementary School	05	9	5	07	Classroom	1 Floor	1998	1,560	2,949	226	666,818	0.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
2541	Howard Drive Elementary School	05	9	5	08	Media Center	1 Floor	1998	0	4,154	226	939,288	0.0%
2541	Howard Drive Elementary School	05	9	5	09	Fine Arts	1 Floor	1998	1,997	3,623	226	819,220	0.2%
2541	Howard Drive Elementary School	05	9	5	10	Classroom	1 Floor	2006	430,175	11,124	226	2,515,321	17.1%
2541	Howard Drive Elementary School	05	9	5	15	PE Shelter	1 Floor	1998	7,056	2,800	226	633,126	1.1%
5121	Snapper Creek Elementary School	05	6	5	01	Administration	1 Floor	1961	0	3,947	226	892,482	0.0%
5121	Snapper Creek Elementary School	05	6	5	02	Cafeteria	1 Floor	1961	6,770	4,239	226	958,508	0.7%
5121	Snapper Creek Elementary School	05	6	5	03	Restrooms	1 Floor	1961	613,622	3,355	226	758,621	80.9%
5121	Snapper Creek Elementary School	05	6	5	04	Classroom	1 Floor	1961	559,351	4,791	226	1,083,325	51.6%
5121	Snapper Creek Elementary School	05	6	5	05	Classroom	1 Floor	1961	446,206	3,343	226	755,908	59.0%
5121	Snapper Creek Elementary School	05	6	5	06	Classroom	1 Floor	1961	652,873	4,822	226	1,090,334	59.9%
5121	Snapper Creek Elementary School	05	6	5	07	Classroom	1 Floor	1969	74,100	2,074	226	468,966	15.8%
5121	Snapper Creek Elementary School	05	6	5	09	Media Center	1 Floor	1995	133,908	14,372	226	3,249,748	4.1%
5121	Snapper Creek Elementary School	05	6	5	10	PE Shelter	1 Floor	1995	1,599	3,907	226	883,438	0.2%
5121	Snapper Creek Elementary School	05	6	5	13	Classroom	1 Floor	2004	4,873	8,969	226	2,028,040	0.2%
4511	Dr. Gilbert L. Porter Elementary School	05	7	6	01	Administration	1 Floor	1990	523,994	5,652	226	1,278,011	41.0%
4511	Dr. Gilbert L. Porter Elementary School	05	7	6	02	Fine Arts	1 Floor	1990	112,071	4,428	226	1,001,244	11.2%
4511	Dr. Gilbert L. Porter Elementary School	05	7	6	03	Cafeteria	1 Floor	1990	603,340	10,892	226	2,462,862	24.5%
4511	Dr. Gilbert L. Porter Elementary School	05	7	6	04	Classroom	2 Floors	1990	607,796	19,384	226	4,383,044	13.9%
4511	Dr. Gilbert L. Porter Elementary School	05	7	6	05	PE Shelter	1 Floor	1990	81,046	4,918	226	1,112,041	7.3%
4511	Dr. Gilbert L. Porter Elementary School	05	7	6	06	Classroom	2 Floors	1990	644,569	19,584	226	4,428,268	14.6%
4511	Dr. Gilbert L. Porter Elementary School	05	7	6	07	Classroom	1 Floor	1990	241,909	7,632	226	1,725,722	14.0%
4511	Dr. Gilbert L. Porter Elementary School	05	7	6	08	Media Center	2 Floors	1990	589,590	14,465	226	3,270,777	18.0%
4511	Dr. Gilbert L. Porter Primary Learning Center Q	05	7	6	09	Classroom	1 Floor	1997	411,559	17,621	226	3,984,401	10.3%
1241	Cutler Ridge Elementary School	05	9	6	01	Main Building	1 Floor	1958	638,796	10,086	226	2,280,612	28.0%
1241	Cutler Ridge Elementary School	05	9	6	02	Classroom	1 Floor	1958	117,973	2,992	226	676,541	17.4%
1241	Cutler Ridge Elementary School	05	9	6	03	Classroom	1 Floor	1971	90,948	2,072	226	468,514	19.4%
1241	Cutler Ridge Elementary School	05	9	6	04	Classroom	1 Floor	1958	401,563	4,492	226	1,015,716	39.5%
1241	Cutler Ridge Elementary School	05	9	6	05	Classroom	1 Floor	1958	359,875	3,713	226	839,571	42.9%
1241	Cutler Ridge Elementary School	05	9	6	06	Classroom	1 Floor	1958	682,371	4,492	226	1,015,716	67.2%
1241	Cutler Ridge Elementary School	05	9	6	07	Classroom	1 Floor	1958	358,611	3,742	226	846,128	42.4%
1241	Cutler Ridge Elementary School	05	9	6	08	Classroom	1 Floor	1967	334,895	6,130	226	1,386,095	24.2%
1241	Cutler Ridge Elementary School	05	9	6	09	Classroom	1 Floor	1969	241,560	6,130	226	1,386,095	17.4%
1241	Cutler Ridge Elementary School	05	9	6	10	Classroom	1 Floor	2006	0	10,798	226	2,441,607	0.0%
1241	Cutler Ridge Elementary School	05	9	6	12	PE Shelter	1 Floor	1992	0	2,976	226	672,923	0.0%
1241	Cutler Ridge Elementary School	05	9	6	13	Media Center	1 Floor	1992	18,600	5,965	226	1,348,786	1.4%
6211	Glades Middle School	05	6	5	01	Main Building	2 Floors	1962	5,207,083	97,559	242	23,624,896	22.0%
6211	Glades Middle School	05	6	5	05	Science	1 Floor	1999	90,251	8,009	242	1,939,460	4.7%
2641	Kendale Elementary School	05	7	5	01	Main Building	1 Floor	1969	2,517,830	40,670	226	9,196,162	27.4%
2641	Kendale Elementary School	05	7	5	02	Cafeteria	1 Floor	1988	198,103	9,543	226	2,157,831	9.2%
2641	Kendale Elementary School	05	7	5	04	Classroom	1 Floor	1991	6,240	3,904	226	882,759	0.7%
2641	Kendale Elementary School	05	7	5	05	Classroom	1 Floor	1992	15,772	3,342	226	755,682	2.1%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
2641	Kendale Elementary School	05	7	5	07	Covered Walkway	1 Floor	1969	3,869	2,235	226	505,371	0.8%
2641	Kendale Elementary School	05	7	5	08	Classroom	1 Floor	2004	0	10,798	226	2,441,607	0.0%
2321	Gulfstream Elementary School	05	9	6	01	Classroom	1 Floor	1959	59,462	3,732	226	843,867	7.0%
2321	Gulfstream Elementary School	05	9	6	02	Cafeteria	1 Floor	1959	221,866	6,355	226	1,436,971	15.4%
2321	Gulfstream Elementary School	05	9	6	03	Classroom	1 Floor	1959	45,094	3,901	226	882,081	5.1%
2321	Gulfstream Elementary School	05	9	6	04	Classroom	1 Floor	1959	231,622	3,901	226	882,081	26.3%
2321	Gulfstream Elementary School	05	9	6	05	Classroom	1 Floor	1959	88,237	3,852	226	871,001	10.1%
2321	Gulfstream Elementary School	05	9	6	06	Classroom	1 Floor	1959	84,179	3,852	226	871,001	9.7%
2321	Gulfstream Elementary School	05	9	6	07	Classroom	1 Floor	1969	16,978	2,074	226	468,966	3.6%
2321	Gulfstream Elementary School	05	9	6	08	Classroom	1 Floor	1971	1,077,918	12,634	226	2,856,757	37.7%
2321	Gulfstream Elementary School	05	9	6	10	Classroom	1 Floor	1994	0	7,574	226	1,712,607	0.0%
2321	Gulfstream Elementary School	05	9	6	11	Media Center	1 Floor	1994	0	6,256	226	1,414,585	0.0%
2321	Gulfstream Elementary School	05	9	6	12	Fine Arts	1 Floor	1994	0	3,790	226	856,982	0.0%
2321	Gulfstream Elementary School	05	9	6	13	PE Shelter	1 Floor	1994	2,065	3,367	226	761,335	0.3%
4421	Pinecrest Elementary School	05	9	5	01	Cafeteria	1 Floor	1955	1,051,477	10,963	226	2,478,916	42.4%
4421	Pinecrest Elementary School	05	9	5	02	Administration	1 Floor	1955	639,038	7,329	226	1,657,209	38.6%
4421	Pinecrest Elementary School	05	9	5	03	Classroom	1 Floor	1955	1,218,068	7,329	226	1,657,209	73.5%
4421	Pinecrest Elementary School	05	9	5	04	Classroom	1 Floor	1955	215,494	14,141	226	3,197,515	6.7%
4421	Pinecrest Elementary School	05	9	5	05	Classroom	1 Floor	1967	572,636	6,130	226	1,386,095	41.3%
4421	Pinecrest Elementary School	05	9	5	06	Classroom	1 Floor	1969	170,644	2,132	226	482,081	35.4%
4421	Pinecrest Elementary School	05	9	5	07	Classroom	2 Floors	2005	295,304	29,865	226	6,752,972	4.4%
4421	Pinecrest Elementary School	05	9	5	08	Classroom	1 Floor	2005	0	10,234	226	2,314,077	0.0%
2651	Kendale Lakes Elementary School	05	7	6	01	Main Building	2 Floors	1974	1,931,585	59,506	226	13,455,294	14.4%
2651	Kendale Lakes Elementary School	05	7	6	03	Classroom	1 Floor	1993	131,030	9,621	226	2,175,468	6.0%
2651	Kendale Lakes Elementary School	05	7	6	04	Classroom	1 Floor	2006	0	12,619	226	2,853,365	0.0%
2651	Kendale Lakes Elementary School	05	7	6	05	PE Shelter	1 Floor	1996	48,432	3,942	226	891,352	5.4%
5791	West Homestead Elementary School	05	9	6	01	Cafeteria	1 Floor	1959	572,088	16,035	226	3,625,780	15.8%
5791	West Homestead Elementary School	05	9	6	02	Classroom	1 Floor	1992	52,463	5,756	226	1,301,527	4.0%
5791	West Homestead Elementary School	05	9	6	03	Classroom	1 Floor	1992	38,259	2,234	226	505,144	7.6%
5791	West Homestead Elementary School	05	9	6	06	Classroom	1 Floor	1959	373,111	18,309	226	4,139,969	9.0%
5791	West Homestead Elementary School	05	9	6	08	Classroom	1 Floor	1975	247,942	17,647	226	3,990,280	6.2%
5791	West Homestead Elementary School	05	9	6	10	Media Center	1 Floor	1989	23,003	6,879	226	1,555,456	1.5%
5791	West Homestead Elementary School	05	9	6	11	Classroom	1 Floor	1989	116,487	7,022	226	1,587,791	7.3%
5791	West Homestead Elementary School	05	9	6	12	Classroom	1 Floor	1989	20,802	7,022	226	1,587,791	1.3%
5791	West Homestead Elementary School	05	9	6	13	PE Shelter	1 Floor	1989	0	2,800	226	633,126	0.0%
0161	Avocado Elementary School	05	9	6	01	Administration	1 Floor	1959	185,610	3,871	226	875,297	21.2%
0161	Avocado Elementary School	05	9	6	02	Cafeteria	1 Floor	1959	253,031	5,623	226	1,271,454	19.9%
0161	Avocado Elementary School	05	9	6	03	Classroom	1 Floor	1959	161,906	3,001	226	678,576	23.9%
0161	Avocado Elementary School	05	9	6	04	Classroom	1 Floor	1959	357,235	2,910	226	657,999	54.3%
0161	Avocado Elementary School	05	9	6	05	Classroom	1 Floor	1959	346,851	2,908	226	657,547	52.7%
0161	Avocado Elementary School	05	9	6	06	Classroom	1 Floor	1959	339,311	2,912	226	658,452	51.5%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
0161	Avocado Elementary School	05	9	6	07	Classroom	1 Floor	1959	303,520	3,068	226	693,726	43.8%
0161	Avocado Elementary School	05	9	6	08	Classroom	1 Floor	1969	72,857	2,100	226	474,845	15.3%
0161	Avocado Elementary School	05	9	6	13	Classroom	1 Floor	2004	533,533	12,619	226	2,853,365	18.7%
0161	Avocado Elementary School	05	9	6	15	PE Shelter	1 Floor	1959	3,387	1,085	226	245,337	1.4%
0161	Avocado Elementary School	05	9	6	16	Fine Arts	1 Floor	1994	26,771	3,788	226	856,530	3.1%
0161	Avocado Elementary School	05	9	6	17	Classroom	1 Floor	1994	26,196	6,276	226	1,419,108	1.8%
0161	Avocado Elementary School	05	9	6	18	Media Center	1 Floor	1994	29,451	5,320	226	1,202,940	2.4%
0161	Avocado Elementary School	05	9	6	19	Classroom	1 Floor	1994	137,568	7,343	226	1,660,374	8.3%
6701	Palmetto Middle School	05	9	5	01	Main Building	2 Floors	1961	3,215,312	36,906	242	8,937,160	36.0%
6701	Palmetto Middle School	05	9	5	02	Classroom	2 Floors	1961	1,024,668	21,702	242	5,255,359	19.5%
6701	Palmetto Middle School	05	9	5	04	Auditorium	1 Floor	1961	1,008,897	18,461	242	4,470,518	22.6%
6701	Palmetto Middle School	05	9	5	05	Cafeteria	1 Floor	1961	652,893	9,295	242	2,250,878	29.0%
6701	Palmetto Middle School	05	9	5	07	Classroom	1 Floor	2006	112,451	10,798	242	2,614,845	4.3%
6701	Palmetto Middle School	05	9	5	08	Classroom	1 Floor	1995	8,420	14,078	242	3,409,130	0.2%
6701	Palmetto Middle School	05	9	5	09	Covered Patio	1 Floor	2000	0	2,325	242	563,022	0.0%
6761	Redland Middle School	05	9	6	01	Main Building	2 Floors	1979	1,705,535	26,260	242	6,359,124	26.8%
6761	Redland Middle School	05	9	6	02	Media Center	1 Floor	1958	111,947	5,036	242	1,219,518	9.2%
6761	Redland Middle School	05	9	6	03	Resource	1 Floor	1958	89,492	2,311	242	559,632	16.0%
6761	Redland Middle School	05	9	6	04	Administration	1 Floor	1977	130,903	3,034	242	734,714	17.8%
6761	Redland Middle School	05	9	6	05	Classroom	1 Floor	1977	77,316	2,364	242	572,466	13.5%
6761	Redland Middle School	05	9	6	06	Classroom	1 Floor	1977	180,895	3,014	242	729,871	24.8%
6761	Redland Middle School	05	9	6	08	Gymnasium	1 Floor	1977	402,551	12,777	242	3,094,080	13.0%
6761	Redland Middle School	05	9	6	09	Art	1 Floor	1977	414,900	6,514	242	1,577,431	26.3%
6761	Redland Middle School	05	9	6	10	Laboratory	1 Floor	1977	79,343	2,959	242	716,552	11.1%
6761	Redland Middle School	05	9	6	11	Laboratory	1 Floor	1977	102,810	4,077	242	987,287	10.4%
6761	Redland Middle School	05	9	6	12	Cafeteria	1 Floor	1977	561,097	10,507	242	2,544,376	22.1%
6761	Redland Middle School	05	9	6	13	Music	1 Floor	1977	111,067	5,111	242	1,237,680	9.0%
6761	Redland Middle School	05	9	6	14	Classroom	2 Floors	1978	638,270	13,675	242	3,311,539	19.3%
6761	Redland Middle School	05	9	6	15	Auditorium	1 Floor	1977	250,540	8,325	242	2,015,983	12.4%
6761	Redland Middle School	05	9	6	18	Mechanical	1 Floor	1992	40,096	3,747	242	907,374	4.4%
6761	Redland Middle School	05	9	6	21	Classroom	1 Floor	2004	54,935	10,798	242	2,614,845	2.1%
0671	Calusa Elementary School	05	7	6	01	Administration	1 Floor	1980	244,445	3,840	226	868,288	28.2%
0671	Calusa Elementary School	05	7	6	02	Media Center	1 Floor	1980	427,556	4,870	226	1,101,188	38.8%
0671	Calusa Elementary School	05	7	6	03	Cafeteria	1 Floor	1980	269,864	4,870	226	1,101,188	24.5%
0671	Calusa Elementary School	05	7	6	04	Classroom	1 Floor	1980	211,322	4,870	226	1,101,188	19.2%
0671	Calusa Elementary School	05	7	6	05	Classroom	1 Floor	1980	211,322	4,870	226	1,101,188	19.2%
0671	Calusa Elementary School	05	7	6	06	Classroom	1 Floor	1980	189,624	4,870	226	1,101,188	17.2%
0671	Calusa Elementary School	05	7	6	07	Classroom	1 Floor	1980	211,322	4,870	226	1,101,188	19.2%
0671	Calusa Elementary School	05	7	6	08	Classroom	1 Floor	1980	214,392	4,870	226	1,101,188	19.5%
0671	Calusa Elementary School	05	7	6	09	Classroom	1 Floor	1980	173,972	4,870	226	1,101,188	15.8%
0671	Calusa Elementary School	05	7	6	10	Fine Arts	1 Floor	1980	134,390	4,870	226	1,101,188	12.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
0671	Calusa Elementary School	05	7	6	11	Classroom	1 Floor	1980	164,870	4,870	226	1,101,188	15.0%
0671	Calusa Elementary School	05	7	6	12	Classroom	1 Floor	1980	169,083	4,870	226	1,101,188	15.4%
0671	Calusa Elementary School	05	7	6	15	Covered Walkway	1 Floor	1980	279	4,870	226	1,101,188	0.0%
0671	Calusa Elementary School	05	7	6	16	Classroom	1 Floor	2004	0	7,195	226	1,626,909	0.0%
3101	Frank C. Martin K-8 Center	05	9	5	01	Classroom	1 Floor	1956	245,472	2,929	235	687,987	35.7%
3101	Frank C. Martin K-8 Center	05	9	5	02	Classroom	1 Floor	1956	209,810	4,401	235	1,033,742	20.3%
3101	Frank C. Martin K-8 Center	05	9	5	03	Administration	1 Floor	1956	95,833	2,929	235	687,987	13.9%
3101	Frank C. Martin K-8 Center	05	9	5	04	Classroom	1 Floor	1956	127,960	4,401	235	1,033,742	12.4%
3101	Frank C. Martin K-8 Center	05	9	5	05	Cafeteria	1 Floor	1956	659,010	6,563	235	1,541,570	42.7%
3101	Frank C. Martin K-8 Center	05	9	5	06	Classroom	1 Floor	1956	282,481	4,401	235	1,033,742	27.3%
3101	Frank C. Martin K-8 Center	05	9	5	07	Classroom	1 Floor	1956	19,243	726	235	170,529	11.3%
3101	Frank C. Martin K-8 Center	05	9	5	08	Classroom	1 Floor	1956	115,797	4,401	235	1,033,742	11.2%
3101	Frank C. Martin K-8 Center	05	9	5	09	Fine Arts	1 Floor	1956	56,212	1,944	235	456,622	12.3%
3101	Frank C. Martin K-8 Center	05	9	5	11	Classroom	1 Floor	1956	287,517	3,992	235	937,673	30.7%
3101	Frank C. Martin K-8 Center	05	9	5	12	Media Center	1 Floor	1994	21,125	5,005	235	1,175,615	1.8%
3101	Frank C. Martin K-8 Center	05	9	5	13	Building - Building - 13	1 Floor	1994	0	2,911	235	683,759	0.0%
3101	Frank C. Martin K-8 Center	05	9	5	14	Classroom	1 Floor	2002	0	9,037	235	2,122,683	0.0%
3101	Frank C. Martin K-8 Center	05	9	5	15	Media Center	1 Floor	2006	0	5,890	235	1,383,490	0.0%
3101	Frank C. Martin K-8 Center	05	9	5	16	Cafeteria	1 Floor	2006	0	17,422	235	4,092,219	0.0%
3101	Frank C. Martin K-8 Center	05	9	5	17	Classroom	2 Floors	2006	3,060,635	34,165	235	8,024,949	38.1%
3101	Frank C. Martin K-8 Center	05	9	5	18	Covered Patio	1 Floor	2006	0	2,756	235	647,351	0.0%
3101	Frank C. Martin K-8 Center	05	9	5	19	Covered Patio	1 Floor	2006	0	2,560	235	601,313	0.0%
6081	Centennial Middle School	05	9	6	01	Main Building	3 Floors	1975	4,555,139	114,987	242	27,845,262	16.4%
6081	Centennial Middle School	05	9	6	03	Classroom	1 Floor	2006	0	44,935	242	10,881,464	0.0%
2701	Kenwood K-8 Center	05	7	5	01	Classroom	1 Floor	1927	187,063	5,464	235	1,283,428	14.6%
2701	Kenwood K-8 Center	05	7	5	02	Classroom	1 Floor	1951	304,885	4,666	235	1,095,987	27.8%
2701	Kenwood K-8 Center	05	7	5	03	Cafeteria	1 Floor	1954	889,572	17,867	235	4,196,744	21.2%
2701	Kenwood K-8 Center	05	7	5	04	Classroom	1 Floor	1970	83,550	10,808	235	2,538,670	3.3%
2701	Kenwood K-8 Center	05	7	5	08	Classroom	1 Floor	1969	56,748	2,074	235	487,158	11.6%
2701	Kenwood K-8 Center	05	7	5	09	Classroom	1 Floor	2004	15,943	12,619	235	2,964,052	0.5%
2701	Kenwood K-8 Center	05	7	5	11	PE Shelter	1 Floor	2004	0	1,800	235	422,798	0.0%
2701	Kenwood K-8 Center	05	7	5	12	PE Shelter	1 Floor	1969	0	374	235	87,848	0.0%
2701	Kenwood K-8 Center	05	7	5	14	Media Center	1 Floor	1997	115,385	9,224	235	2,166,607	5.3%
2701	Kenwood K-8 Center	05	7	5	15	Classroom	2 Floors	1998	3,491,541	40,342	235	9,475,852	36.8%
6021	Arvida Middle School	05	7	5	01	Main Building	2 Floors	1975	4,795,356	114,050	242	27,618,358	17.4%
6021	Arvida Middle School	05	7	5	04	Classroom	2 Floors	1999	144,417	5,545	242	1,342,778	10.8%
6021	Arvida Middle School	05	7	5	05	Classroom	2 Floors	1999	210,314	4,748	242	1,149,776	18.3%
6021	Arvida Middle School	05	7	5	06	Classroom	1 Floor	2002	6,658	10,798	242	2,614,845	0.3%
6781	Richmond Heights Middle School	05	9	6	01	Main Building	2 Floors	1963	4,446,039	109,024	242	26,401,262	16.8%
6781	Richmond Heights Middle School	05	9	6	03	Classroom	2 Floors	1999	10,297	37,156	242	8,997,700	0.1%
6781	Richmond Heights Middle School	05	9	6	04	Covered Patio	1 Floor	1999	0	2,530	242	612,665	0.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
4381	Perrine Elementary School	05	9	5	01	Main Building	2 Floors	1977	1,925,109	59,309	226	13,410,749	14.4%
4381	Perrine Elementary School	05	9	5	03	Classroom	1 Floor	2006	16,464	11,121	226	2,514,643	0.7%
4381	Perrine Elementary School	05	9	5	04	PE Shelter	1 Floor	2006	0	2,387	226	539,740	0.0%
5421	Sunset Park Elementary School	05	7	5	01	Main Building	2 Floors	1970	1,758,874	53,684	226	12,138,843	14.5%
5421	Sunset Park Elementary School	05	7	5	03	PE Shelter	1 Floor	1974	0	2,208	226	499,265	0.0%
5421	Sunset Park Elementary School	05	7	5	04	Classroom	1 Floor	1997	826	5,828	226	1,317,808	0.1%
5421	Sunset Park Elementary School	05	7	5	59	Relocatable	1 Floor	1987	0	860	226	194,460	0.0%
0771	William A. Chapman Elementary School	05	9	6	01	Main Building	2 Floors	1976	2,310,157	59,774	226	13,515,893	17.1%
0771	William A. Chapman Elementary School	05	9	6	03	Fine Arts	1 Floor	1996	165,897	5,212	226	1,178,520	14.1%
0771	William A. Chapman Elementary School	05	9	6	04	PE Shelter	1 Floor	1996	16,154	2,439	226	551,498	2.9%
0831	Claude Pepper Elementary School	05	7	6	01	Main Building	2 Floors	1990	1,991,294	87,630	226	19,814,596	10.0%
0831	Claude Pepper Elementary School	05	7	6	02	Classroom	1 Floor	2004	60,034	10,798	226	2,441,607	2.5%
7361	Miami Killian Senior High	05	7	5	01	Classroom	2 Floors	1968	1,931,424	41,251	250	10,308,781	18.7%
7361	Miami Killian Senior High	05	7	5	02	Classroom	2 Floors	1968	1,516,730	40,603	250	10,146,844	14.9%
7361	Miami Killian Senior High	05	7	5	03	Classroom	2 Floors	1965	1,770,947	43,497	250	10,870,065	16.3%
7361	Miami Killian Senior High	05	7	5	04	Gymnasium	2 Floors	1965	3,299,793	36,890	250	9,218,951	35.8%
7361	Miami Killian Senior High	05	7	5	05	Cafeteria	1 Floor	1965	1,756,191	35,853	250	8,959,801	19.6%
7361	Miami Killian Senior High	05	7	5	09	Auditorium	2 Floors	1988	1,158	1,188	250	296,886	0.4%
7361	Miami Killian Senior High	05	7	5	10	Classroom	1 Floor	2006	232,064	65,699	250	16,418,429	1.4%
7361	Miami Killian Senior High	05	7	5	11	Classroom	2 Floors	1990	217,791	13,593	250	3,396,942	6.4%
7361	Miami Killian Senior High	05	7	5	12	Classroom	2 Floors	1990	356,129	11,929	250	2,981,102	11.9%
7361	Miami Killian Senior High	05	7	5	14	Mechanical	1 Floor	1990	1,080,763	423	250	105,709	1022.4%
7361	Miami Killian Senior High	05	7	5	15	Covered Walkway	1 Floor	1992	0	723	250	180,680	0.0%
2881	Leewood K-8 Center	05	7	5	01	Main Building	2 Floors	1971	2,676,010	69,251	226	15,658,800	17.1%
2881	Leewood K-8 Center	05	7	5	02	Dining	1 Floor	2008	0	14,814	0	0	0.0%
2891	William Lehman Elementary School	05	7	5	01	Main Building	1 Floor	1994	441,033	18,674	226	4,222,501	10.4%
2891	William Lehman Elementary School	05	7	5	02	Classroom	2 Floors	1994	230,253	27,036	226	6,113,288	3.8%
2891	William Lehman Elementary School	05	7	5	03	Classroom	2 Floors	1994	572,495	26,977	226	6,099,948	9.4%
2891	William Lehman Elementary School	05	7	5	04	Media Center	1 Floor	1994	45,813	6,006	226	1,358,056	3.4%
2891	William Lehman Elementary School	05	7	5	05	PE Shelter	1 Floor	1994	3,059	3,534	226	799,096	0.4%
2891	William Lehman Elementary School	05	7	5	07	Classroom	1 Floor	2006	0	10,354	226	2,341,211	0.0%
5671	Vineland K-8 Center	05	9	5	01	Main Building	1 Floor	1959	842,104	10,084	226	2,280,160	36.9%
5671	Vineland K-8 Center	05	9	5	02	Classroom	1 Floor	1959	1,010,556	9,203	226	2,080,951	48.6%
5671	Vineland K-8 Center	05	9	5	03	Classroom	1 Floor	1968	251,265	6,174	226	1,396,044	18.0%
5671	Vineland K-8 Center	05	9	5	04	Classroom	1 Floor	1997	3,729	4,946	226	1,118,373	0.3%
5671	Vineland K-8 Center	05	9	5	05	Classroom	1 Floor	1970	48,954	2,027	226	458,338	10.7%
5671	Vineland K-8 Center	05	9	5	06	classroom	2 Floors	2008	324,825	30,941	235	7,267,670	4.5%
5671	Vineland K-8 Center	05	9	5	07	Cafeteria	1 Floor	2008	0	2,059	235	483,634	0.0%
5671	Vineland K-8 Center	05	9	5	08	Cafeteria	1 Floor	1959	417,999	7,072	226	1,599,097	26.1%
5671	Vineland K-8 Center	05	9	5	09	Media Center	1 Floor	1997	0	5,886	226	1,330,922	0.0%
5671	Vineland K-8 Center	05	9	5	13	Play Area	1 Floor	2008	0	2,750	235	645,942	0.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
7531	Miami Sunset Senior High	05	8	6	01	Main Building	2 Floors	1977	9,877,096	248,858	250	62,190,560	15.9%
7531	Miami Sunset Senior High	05	8	6	04	Classroom	2 Floors	1992	723,233	39,154	250	9,784,733	7.4%
7531	Miami Sunset Senior High	05	8	6	07	Covered Walkway	1 Floor	1977	27,530	1,089	250	272,145	10.1%
7531	Miami Sunset Senior High	05	8	6	11	Covered Patio	1 Floor	2001	24,119	5,462	250	1,364,975	1.8%
5961	Winston Park K-8 Center	05	7	6	01	Administration	2 Floors	1984	315,782	9,434	235	2,215,934	14.3%
5961	Winston Park K-8 Center	05	7	6	02	Classroom	1 Floor	1984	201,670	4,806	235	1,128,872	17.9%
5961	Winston Park K-8 Center	05	7	6	03	Cafeteria	2 Floors	1984	346,085	7,111	235	1,670,289	20.7%
5961	Winston Park K-8 Center	05	7	6	04	Fine Arts	2 Floors	1984	365,220	9,613	235	2,257,978	16.2%
5961	Winston Park K-8 Center	05	7	6	05	Classroom	2 Floors	1984	314,421	9,612	235	2,257,744	13.9%
5961	Winston Park K-8 Center	05	7	6	06	Classroom	1 Floor	1984	198,063	4,808	235	1,129,342	17.5%
5961	Winston Park K-8 Center	05	7	6	07	Classroom	2 Floors	1984	412,897	9,612	235	2,257,744	18.3%
5961	Winston Park K-8 Center	05	7	6	08	Classroom	1 Floor	1984	194,924	4,806	235	1,128,872	17.3%
5961	Winston Park K-8 Center	05	7	6	10	Classroom	1 Floor	2006	1,156,299	41,721	235	9,799,762	11.8%
0651	Campbell Drive K-8 Center	05	9	6	01	Classroom	2 Floors	1984	489,161	9,484	226	2,144,490	22.8%
0651	Campbell Drive K-8 Center	05	9	6	02	Classroom	1 Floor	1984	97,173	4,806	226	1,086,716	8.9%
0651	Campbell Drive K-8 Center	05	9	6	03	Cafeteria	2 Floors	1984	240,790	7,111	226	1,607,915	15.0%
0651	Campbell Drive K-8 Center	05	9	6	04	Classroom	2 Floors	1984	251,922	9,612	226	2,173,433	11.6%
0651	Campbell Drive K-8 Center	05	9	6	05	Classroom	2 Floors	1984	286,362	9,612	226	2,173,433	13.2%
0651	Campbell Drive K-8 Center	05	9	6	06	Classroom	1 Floor	1984	155,211	4,777	226	1,080,159	14.4%
0651	Campbell Drive K-8 Center	05	9	6	07	Classroom	2 Floors	1984	210,256	9,612	226	2,173,433	9.7%
0651	Campbell Drive K-8 Center	05	9	6	08	Classroom	1 Floor	1984	86,870	4,806	226	1,086,716	8.0%
0651	Campbell Drive K-8 Center	05	9	6	09	PE Shelter	1 Floor	1984	347,220	7,795	226	1,762,579	19.7%
0651	Campbell Drive K-8 Center	05	9	6	10	Fine Arts	1 Floor	1997	46,909	4,272	226	965,970	4.9%
0651	Campbell Drive K-8 Center	05	9	6	11	Classroom	1 Floor	2004	51,396	12,619	226	2,853,365	1.8%
6431	Mays Middle School	05	9	6	01	Main Building	1 Floor	1935	1,477,095	44,234	242	10,711,710	13.8%
6431	Mays Middle School	05	9	6	02	Vocational	1 Floor	1955	34,956	3,581	242	867,175	4.0%
6431	Mays Middle School	05	9	6	03	Administration	1 Floor	1935	20,436	6,932	242	1,678,654	1.2%
6431	Mays Middle School	05	9	6	04	Art	1 Floor	1960	36,389	2,924	242	708,076	5.1%
6431	Mays Middle School	05	9	6	05	Classroom	1 Floor	1955	141,212	15,937	242	3,859,306	3.7%
6431	Mays Middle School	05	9	6	06	Gymnasium	1 Floor	1955	83,688	13,684	242	3,313,719	2.5%
6431	Mays Middle School	05	9	6	07	Auditorium	1 Floor	1959	532,107	12,293	242	2,976,874	17.9%
6431	Mays Middle School	05	9	6	08	Media Center	1 Floor	1998	263,462	6,795	242	1,645,478	16.0%
6431	Mays Middle School	05	9	6	09	Music	1 Floor	1961	12,780	2,347	242	568,350	2.2%
2521	Oliver Hoover Elementary School	05	7	6	01	Administration	1 Floor	1981	66,786	4,870	226	1,101,188	6.1%
2521	Oliver Hoover Elementary School	05	7	6	02	Classroom	1 Floor	1984	125,051	4,794	226	1,084,003	11.5%
2521	Oliver Hoover Elementary School	05	7	6	03	Classroom	2 Floors	1984	130,369	9,588	226	2,168,006	6.0%
2521	Oliver Hoover Elementary School	05	7	6	04	Classroom	2 Floors	1984	155,640	9,588	226	2,168,006	7.2%
2521	Oliver Hoover Elementary School	05	7	6	05	Classroom	2 Floors	1984	133,656	9,616	226	2,174,337	6.1%
2521	Oliver Hoover Elementary School	05	7	6	06	Classroom	1 Floor	1984	71,824	4,777	226	1,080,159	6.6%
2521	Oliver Hoover Elementary School	05	7	6	07	Cafeteria	1 Floor	1984	364,156	4,843	226	1,095,083	33.3%
2521	Oliver Hoover Elementary School	05	7	6	08	Classroom	2 Floors	1984	165,760	9,588	226	2,168,006	7.6%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
2521	Oliver Hoover Elementary School	05	7	6	11	Storage	1 Floor	1984	11,529	3,679	226	831,883	1.4%
2521	Oliver Hoover Primary Learning Center U	05	7	6	12	Main Building	1 Floor	2000	0	18,477	226	4,177,956	0.0%
3261	Miami Heights Elementary School	05	7	6	01	Administration	1 Floor	1965	270,103	2,977	226	673,149	40.1%
3261	Miami Heights Elementary School	05	7	6	02	Cafeteria	1 Floor	1965	133,816	5,416	226	1,224,648	10.9%
3261	Miami Heights Elementary School	05	7	6	03	Classroom	1 Floor	1965	111,910	5,918	226	1,338,158	8.4%
3261	Miami Heights Elementary School	05	7	6	04	Classroom	1 Floor	1965	68,142	3,090	226	698,700	9.8%
3261	Miami Heights Elementary School	05	7	6	05	Classroom	1 Floor	1965	63,579	3,090	226	698,700	9.1%
3261	Miami Heights Elementary School	05	7	6	06	Classroom	1 Floor	1965	176,720	4,833	226	1,092,822	16.2%
3261	Miami Heights Elementary School	05	7	6	08	Classroom	1 Floor	1967	216,299	6,140	226	1,388,356	15.6%
3261	Miami Heights Elementary School	05	7	6	09	Classroom	1 Floor	1967	210,912	6,140	226	1,388,356	15.2%
3261	Miami Heights Elementary School	05	7	6	10	Classroom	1 Floor	1969	142,625	3,981	226	900,170	15.8%
3261	Miami Heights Elementary School	05	7	6	14	PE Shelter	1 Floor	1965	0	1,369	226	309,554	0.0%
3261	Miami Heights Elementary School	05	7	6	15	Media Center	1 Floor	1992	9,300	5,819	226	1,315,773	0.7%
3261	Miami Heights Elementary School	05	7	6	17	Classroom	1 Floor	1992	0	7,045	226	1,592,991	0.0%
3261	Miami Heights Elementary School	05	7	6	18	Cafeteria	1 Floor	2002	0	7,676	226	1,735,671	0.0%
3261	Miami Heights Elementary School	05	7	6	19	Classroom	2 Floors	2002	1,347,073	35,572	226	8,043,420	16.7%
8911	Miami Agriculture South Education Center	05	7	6	01	Laboratory	1 Floor	1990	256,191	2,427	250	606,517	42.2%
8911	Miami Agriculture South Education Center	05	7	6	02	Classroom	1 Floor	1990	29,069	880	250	219,915	13.2%
8911	Robert Morgan Educational Center	05	7	6	01	Laboratory	1 Floor	1976	203,412	15,072	250	3,766,550	5.4%
8911	Robert Morgan Educational Center	05	7	6	02	Laboratory	1 Floor	1976	939,169	14,469	250	3,615,858	26.0%
8911	Robert Morgan Educational Center	05	7	6	03	Laboratory	1 Floor	1976	89,322	15,078	250	3,768,050	2.4%
8911	Robert Morgan Educational Center	05	7	6	05	Laboratory	1 Floor	1976	62,888	5,274	250	1,317,993	4.8%
8911	Robert Morgan Educational Center	05	7	6	06	Laboratory	1 Floor	1976	79,039	7,811	250	1,951,999	4.0%
8911	Robert Morgan Educational Center	05	7	6	07	Cafeteria	1 Floor	1976	901,806	36,020	250	9,001,535	10.0%
8911	Robert Morgan Educational Center	05	7	6	08	Laboratory	1 Floor	1976	622,388	33,427	250	8,353,534	7.5%
8911	Robert Morgan Educational Center	05	7	6	09	Laboratory	1 Floor	1976	225,002	8,800	250	2,199,154	10.2%
8911	Robert Morgan Educational Center	05	7	6	10	Laboratory	2 Floors	1976	488,367	34,847	250	8,708,397	5.6%
8911	Robert Morgan Educational Center	05	7	6	11	Main Building	2 Floors	1976	499,823	39,658	250	9,910,685	5.0%
8911	Robert Morgan Educational Center	05	7	6	12	Laboratory	2 Floors	1976	504,581	40,729	250	10,178,332	5.0%
8911	Robert Morgan Educational Center	05	7	6	13	Laboratory	2 Floors	1976	870,729	22,485	250	5,619,087	15.5%
4581	Redland Elementary School	05	9	6	01	Administration	1 Floor	1995	54,920	3,650	226	825,326	6.7%
4581	Redland Elementary School	05	9	6	02	Media Center	1 Floor	1995	71,266	8,917	226	2,016,282	3.5%
4581	Redland Elementary School	05	9	6	03	Cafeteria	1 Floor	1995	31,719	13,982	226	3,161,562	1.0%
4581	Redland Elementary School	05	9	6	04	Classroom	1 Floor	1995	27,818	8,742	226	1,976,711	1.4%
4581	Redland Elementary School	05	9	6	05	Classroom	2 Floors	1995	47,547	16,876	226	3,815,944	1.2%
4581	Redland Elementary School	05	9	6	06	Classroom	2 Floors	1995	26,303	4,718	226	1,066,818	2.5%
4581	Redland Elementary School	05	9	6	07	Classroom	2 Floors	1995	78,893	17,021	226	3,848,731	2.0%
4581	Redland Elementary School	05	9	6	08	Classroom	1 Floor	2004	263,788	10,984	226	2,483,665	10.6%
2021	Gloria Floyd Elementary School	05	7	5	01	Main Building	2 Floors	1977	1,687,035	64,957	226	14,687,855	11.5%
2021	Gloria Floyd Elementary School	05	7	5	03	Classroom	1 Floor	1997	120,464	9,766	226	2,208,255	5.5%
2021	Gloria Floyd Elementary School	05	7	5	04	PE Shelter	1 Floor	1988	0	2,077	226	469,644	0.0%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
4391	Irving & Beatrice Peskoe Elementary School	05	9	6	01	Administration	1 Floor	1991	14,219	3,498	226	790,956	1.8%
4391	Irving & Beatrice Peskoe Elementary School	05	9	6	02	Media Center	2 Floors	1991	84,791	8,954	226	2,024,648	4.2%
4391	Irving & Beatrice Peskoe Elementary School	05	9	6	03	Cafeteria	1 Floor	1991	118,808	13,265	226	2,999,437	4.0%
4391	Irving & Beatrice Peskoe Elementary School	05	9	6	04	Classroom	1 Floor	1991	50,777	8,999	226	2,034,823	2.5%
4391	Irving & Beatrice Peskoe Elementary School	05	9	6	05	Classroom	2 Floors	1991	63,405	16,946	226	3,831,772	1.7%
4391	Irving & Beatrice Peskoe Elementary School	05	9	6	06	Classroom	2 Floors	1991	29,651	4,736	226	1,070,888	2.8%
4391	Irving & Beatrice Peskoe Elementary School	05	9	6	07	Classroom	2 Floors	1991	61,644	17,962	226	4,061,506	1.5%
4391	Irving & Beatrice Peskoe Elementary School	05	9	6	08	Classroom	1 Floor	2004	0	10,798	226	2,441,607	0.0%
6221	Hammocks Middle School	05	7	6	01	Main Building	3 Floors	1982	3,734,544	105,992	242	25,667,032	14.5%
6221	Hammocks Middle School	05	7	6	03	Covered Patio	1 Floor	2000	0	2,709	242	656,012	0.0%
6221	Hammocks Middle School	05	7	6	04	Cafeteria	1 Floor	1982	288,062	19,103	242	4,625,985	6.2%
6221	Hammocks Middle School	05	7	6	05	Auditorium	1 Floor	1982	284,289	9,754	242	2,362,030	12.0%
6221	Hammocks Middle School	05	7	6	06	Laboratory	1 Floor	1982	83,437	6,619	242	1,602,858	5.2%
6221	Hammocks Middle School	05	7	6	07	Fine Arts	1 Floor	1991	16,631	6,444	242	1,560,480	1.1%
6221	Hammocks Middle School	05	7	6	08	Classroom	2 Floors	2000	5,775	34,191	242	8,279,696	0.1%
5981	Dr. Edward L. Whigham Elementary School	05	9	6	01	Administration	2 Floors	1995	29,083	4,441	226	1,004,184	2.9%
5981	Dr. Edward L. Whigham Elementary School	05	9	6	03	Classroom	2 Floors	1995	76,678	20,804	226	4,704,130	1.6%
5981	Dr. Edward L. Whigham Elementary School	05	9	6	04	Classroom	2 Floors	1995	74,738	22,173	226	5,013,683	1.5%
5981	Dr. Edward L. Whigham Elementary School	05	9	6	05	Classroom	2 Floors	1995	51,260	21,752	226	4,918,488	1.0%
5981	Dr. Edward L. Whigham Elementary School	05	9	6	06	Cafeteria	2 Floors	1995	216,509	11,965	226	2,705,485	8.0%
5981	Dr. Edward L. Whigham Elementary School	05	9	6	07	PE Shelter	2 Floors	1995	15,349	3,627	226	820,125	1.9%
5981	Dr. Edward L. Whigham Primary Learning Center E	05	9	6	09	Classroom	1 Floor	2004	0	18,659	226	4,219,110	0.0%
6061	Campbell Drive Middle School	05	9	6	01	Main Building	2 Floors	1974	2,490,930	116,001	242	28,090,814	8.9%
6061	Campbell Drive Middle School	05	9	6	03	Classroom	1 Floor	1996	68,338	4,590	242	1,111,515	6.1%
6061	Campbell Drive Middle School	05	9	6	04	Main Building	2 Floors	2001	21,378	32,938	242	7,976,269	0.3%
6061	Campbell Drive Middle School	05	9	6	05	Covered Patio	1 Floor	2001	0	2,655	242	642,935	0.0%
6061	Campbell Drive Middle School	05	9	6	07	Classroom	1 Floor	2004	3,527	12,619	242	3,055,818	0.1%
2941	Laura C. Saunders Elementary School	05	9	6	01	Classroom	2 Floors	1995	1,014,805	37,978	226	8,587,456	11.8%
2941	Laura C. Saunders Elementary School	05	9	6	02	Media Center	1 Floor	1995	14,381	9,524	226	2,153,535	0.7%
2941	Laura C. Saunders Elementary School	05	9	6	03	Classroom	2 Floors	1995	14,438	5,226	226	1,181,685	1.2%
2941	Laura C. Saunders Elementary School	05	9	6	04	Classroom	2 Floors	1995	20,114	13,456	226	3,042,625	0.7%
2941	Laura C. Saunders Elementary School	05	9	6	05	Cafeteria	1 Floor	1995	20,466	14,140	226	3,197,289	0.6%
2941	Laura C. Saunders Elementary School	05	9	6	07	Classroom	1 Floor	1973	63,991	6,895	226	1,559,074	4.1%
0661	Caribbean Elementary School	05	7	6	01	Administration	2 Floors	1997	1,067,983	24,012	226	5,429,512	19.7%
0661	Caribbean Elementary School	05	7	6	02	Media Center	1 Floor	1997	10,979	5,919	226	1,338,384	0.8%
0661	Caribbean Elementary School	05	7	6	03	Cafeteria	1 Floor	1997	282,157	11,349	226	2,566,197	11.0%
0661	Caribbean Elementary School	05	7	6	04	Classroom	1 Floor	1997	32,517	13,473	226	3,046,469	1.1%
0661	Caribbean Elementary School	05	7	6	05	Classroom	1 Floor	1997	4,634	2,930	226	662,522	0.7%
0661	Caribbean Elementary School	05	7	6	06	Classroom	1 Floor	1997	1,917	1,133	226	256,190	0.7%
0661	Caribbean Elementary School	05	7	6	07	Classroom	1 Floor	1997	36,224	15,637	226	3,535,785	1.0%
0661	Caribbean Elementary School	05	7	6	08	Fine Arts	1 Floor	1997	5,593	3,526	226	797,287	0.7%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
0661	Caribbean Elementary School	05	7	6	09	Classroom	1 Floor	1997	11,585	2,466	226	557,604	2.1%
0661	Caribbean Elementary School	05	7	6	10	PE Shelter	1 Floor	1997	0	3,822	226	864,218	0.0%
0661	Caribbean Elementary School	05	7	6	11	Classroom	1 Floor	2004	0	12,619	226	2,853,365	0.0%
7431	Miami Palmetto Senior High	05	9	5	01	Classroom	2 Floors	1958	1,118,834	49,685	250	12,416,470	9.0%
7431	Miami Palmetto Senior High	05	9	5	02	Classroom	2 Floors	1958	1,577,461	44,274	250	11,064,241	14.3%
7431	Miami Palmetto Senior High	05	9	5	03	Music	1 Floor	1969	28,541	771	250	192,676	14.8%
7431	Miami Palmetto Senior High	05	9	5	04	Auditorium	1 Floor	1958	279,322	14,323	250	3,579,372	7.8%
7431	Miami Palmetto Senior High	05	9	5	05	Physical Education	1 Floor	1958	345,031	34,909	250	8,723,892	4.0%
7431	Miami Palmetto Senior High	05	9	5	06	Media Center	1 Floor	1958	487,347	20,384	250	5,094,039	9.6%
7431	Miami Palmetto Senior High	05	9	5	07	Art	1 Floor	1958	114,572	4,195	250	1,048,346	10.9%
7431	Miami Palmetto Senior High	05	9	5	08	Classroom	1 Floor	2006	0	29,888	250	7,469,125	0.0%
7431	Miami Palmetto Senior High	05	9	5	09	Administration	1 Floor	1958	124,980	2,581	250	645,002	19.4%
7431	Miami Palmetto Senior High	05	9	5	10	Cafeteria	1 Floor	1958	411,043	11,950	250	2,986,350	13.8%
7431	Miami Palmetto Senior High	05	9	5	11	Classroom	1 Floor	1958	107,361	7,614	250	1,902,768	5.6%
7431	Miami Palmetto Senior High	05	9	5	13	Covered Patio	1 Floor	2001	46,793	5,025	250	1,255,767	3.7%
7431	Miami Palmetto Senior High	05	9	5	15	Classroom	2 Floors	1995	211,255	19,740	250	4,933,101	4.3%
7431	Miami Palmetto Senior High	05	9	5	16	Covered Patio	1 Floor	1991	6,083	648	250	161,938	3.8%
7431	Miami Palmetto Senior High	05	9	5	17	Gymnasium	1 Floor	2003	20,424	37,320	250	9,326,410	0.2%
6861	Southwood Middle School	05	9	5	01	Main Building	2 Floors	1975	4,094,575	238,029	242	57,641,124	7.1%
6861	Southwood Middle School	05	9	5	03	Classroom	2 Floors	2007	0	32,851	0	0	0.0%
6861	Southwood Middle School	05	9	5	04	Classroom	1 Floor	2002	19,399	9,042	242	2,189,612	0.9%
1331	Devon Aire K-8 Center	05	7	5	01	Administration	1 Floor	1978	306,751	6,464	235	1,518,316	20.2%
1331	Devon Aire K-8 Center	05	7	5	02	Classroom	1 Floor	1978	72,749	7,802	235	1,832,596	4.0%
1331	Devon Aire K-8 Center	05	7	5	03	Classroom	1 Floor	1978	141,350	7,351	235	1,726,662	8.2%
1331	Devon Aire K-8 Center	05	7	5	04	Classroom	1 Floor	1978	113,791	6,720	235	1,578,447	7.2%
1331	Devon Aire K-8 Center	05	7	5	05	Classroom	1 Floor	1978	29,403	7,480	235	1,756,962	1.7%
1331	Devon Aire K-8 Center	05	7	5	06	Fine Arts	1 Floor	1978	67,134	7,397	235	1,737,467	3.9%
1331	Devon Aire K-8 Center	05	7	5	07	Multi- Purpose	1 Floor	1978	97,044	6,869	235	1,613,446	6.0%
1331	Devon Aire K-8 Center	05	7	5	09	Media Center	1 Floor	1978	329,791	7,544	235	1,771,995	18.6%
1331	Devon Aire K-8 Center	05	7	5	10	Classroom	1 Floor	1978	115,486	6,889	235	1,618,143	7.1%
1331	Devon Aire K-8 Center	05	7	5	11	Classroom	1 Floor	1978	114,659	7,218	235	1,695,422	6.8%
1331	Devon Aire K-8 Center	05	7	5	12	Classroom	1 Floor	1993	23,248	3,412	235	801,438	2.9%
1331	Devon Aire K-8 Center	05	7	5	13	Classroom	1 Floor	1978	35,298	6,990	235	1,641,867	2.1%
1331	Devon Aire K-8 Center	05	7	5	14	Classroom	1 Floor	1978	33,749	7,364	235	1,729,715	2.0%
1331	Devon Aire K-8 Center	05	7	5	15	Combination	1 Floor	2006	0	19,317	235	4,537,332	0.0%
1331	Devon Aire K-8 Center	05	7	5	16	Classroom	3 Floors	2007	1,092,863	50,351	235	11,826,846	9.2%
1331	Devon Aire K-8 Center	05	7	5	17	Covered Walkway	1 Floor	1978	0	5,412	235	1,271,214	0.0%
1331	Devon Aire K-8 Center	05	7	5	18	Cov'd. Walk	1 Floor	2006	0	5,002	235	1,174,910	0.0%
1331	Devon Aire K-8 Center	05	7	5	19	Storage	1 Floor	1978	14,409	900	235	211,399	6.8%
7781	Felix Varela Senior High	05	7	6	01	Administration	1 Floor	1998	346,711	14,042	250	3,509,149	9.9%
7781	Felix Varela Senior High	05	7	6	02	Main Building	2 Floors	1998	1,448,919	168,350	250	42,071,304	3.4%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
7781	Felix Varela Senior High	05	7	6	03	Classroom	2 Floors	1998	1,492,532	111,416	250	27,843,282	5.4%
7781	Felix Varela Senior High	05	7	6	06	Covered Walkway	1 Floor	1998	12,701	1,223	250	305,632	4.2%
7781	Felix Varela Senior High	05	7	6	09	Covered Patio	1 Floor	1998	14,818	5,304	250	1,325,490	1.1%
7781	Felix Varela Senior High	05	7	6	11	Classroom	1 Floor	2002	114,851	10,798	250	2,698,461	4.3%
7781	Felix Varela Senior High	05	7	6	12	Classroom	1 Floor	2002	132,596	12,616	250	3,152,786	4.2%
1691	Christina M. Eve Elementary School	05	7	6	01	Classroom	1 Floor	1998	104,578	9,570	226	2,163,936	4.8%
1691	Christina M. Eve Elementary School	05	7	6	02	Cafeteria	1 Floor	1998	0	17,088	226	3,863,880	0.0%
1691	Christina M. Eve Elementary School	05	7	6	03	Main Building	2 Floors	1998	304,514	67,241	226	15,204,306	2.0%
7101	Coral Reef Senior High	05	9	6	01	Main Building	2 Floors	1995	471,066	290,344	250	72,558,064	0.6%
7101	Coral Reef Senior High	05	9	6	03	Greenhouse	1 Floor	1995	127,896	690	250	172,434	74.2%
7101	Coral Reef Senior High	05	9	6	04	400 Wing	2 Floors	2006	15,713	29,890	250	7,469,625	0.2%
3541	Robert Russa Moton Elementary School	05	9	5	01	Administration	1 Floor	1996	0	5,652	226	1,278,011	0.0%
3541	Robert Russa Moton Elementary School	05	9	5	02	Fine Arts	1 Floor	1996	2,687	3,891	226	879,820	0.3%
3541	Robert Russa Moton Elementary School	05	9	5	03	Cafeteria	1 Floor	1996	0	11,105	226	2,511,025	0.0%
3541	Robert Russa Moton Elementary School	05	9	5	04	Classroom	2 Floors	1996	5,476	19,316	226	4,367,668	0.1%
3541	Robert Russa Moton Elementary School	05	9	5	05	PE Shelter	1 Floor	1996	1,095	6,614	226	1,495,535	0.1%
3541	Robert Russa Moton Elementary School	05	9	5	06	Classroom	2 Floors	1996	7,927	19,554	226	4,421,484	0.2%
3541	Robert Russa Moton Elementary School	05	9	5	07	Classroom	1 Floor	1996	18,763	7,654	226	1,730,696	1.1%
3541	Robert Russa Moton Elementary School	05	9	5	08	Media Center	2 Floors	1996	9,021	14,563	226	3,292,936	0.3%
3541	Robert Russa Moton Elementary School	05	9	5	09	Auditorium	1 Floor	1996	0	7,266	226	1,642,963	0.0%
6131	Howard A. Doolin Middle School	05	7	5	01	Administration	1 Floor	1995	11,420	16,113	242	3,901,926	0.3%
6131	Howard A. Doolin Middle School	05	7	5	02	Classroom	2 Floors	1995	0	18,983	242	4,596,925	0.0%
6131	Howard A. Doolin Middle School	05	7	5	03	Cafeteria	1 Floor	1995	4,108	12,627	242	3,057,756	0.1%
6131	Howard A. Doolin Middle School	05	7	5	04	Media Center	1 Floor	1995	0	14,027	242	3,396,780	0.0%
6131	Howard A. Doolin Middle School	05	7	5	05	PE Shelter	1 Floor	1995	0	14,777	242	3,578,400	0.0%
6131	Howard A. Doolin Middle School	05	7	5	06	Classroom	1 Floor	1995	0	15,372	242	3,722,485	0.0%
6131	Howard A. Doolin Middle School	05	7	5	07	Classroom	1 Floor	1995	0	14,961	242	3,622,957	0.0%
6131	Howard A. Doolin Middle School	05	7	5	08	Classroom	1 Floor	1995	0	17,608	242	4,263,955	0.0%
6131	Howard A. Doolin Middle School	05	7	5	09	Classroom	1 Floor	1995	77,500	9,194	242	2,226,420	3.5%
2151	Jack D. Gordon Elementary School	05	7	6	01	Main Building	2 Floors	1992	2,806,409	79,413	226	17,956,596	15.6%
2151	Jack D. Gordon Elementary School	05	7	6	02	PE Shelter	2 Floors	1992	9,373	3,677	226	831,431	1.1%
2151	Jack D. Gordon Primary Learn Center S - Panther	05	7	6	03	PLC	1 Floor	1997	17,205	17,832	226	4,032,111	0.4%
2151	Jack D. Gordon Primary Learn Center T - Manatee	05	7	6	04	PLC	1 Floor	1997	0	17,551	226	3,968,572	0.0%
3621	Coconut Palm K-8 Academy	05	9	6	01	Main Bldg	3 Floors	2006	8,750	105,076	235	24,681,092	0.0%
3621	Coconut Palm K-8 Academy	05	9	6	02	Classroom	3 Floors	2006	0	45,073	235	10,587,107	0.0%
3621	Coconut Palm K-8 Academy	05	9	6	03	PE Shelter	1 Floor	2006	0	4,055	235	952,471	0.0%
7371	Robert Morgan Educational Center	05	7	6	14	Media Center	2 Floors	2000	0	28,116	250	7,026,295	0.0%
7371	Robert Morgan Educational Center	05	7	6	15	Classroom	2 Floors	2000	20	54,083	250	13,515,547	0.0%
7371	Robert Morgan Educational Center	05	7	6	16	Classroom	2 Floors	2000	10,196	56,452	250	14,107,569	0.1%
7371	Robert Morgan Educational Center	05	7	6	17	Gymnasium	1 Floor	2000	2,169	31,939	250	7,981,678	0.0%
7371	Robert Morgan Educational Center	05	7	6	18	Cafeteria	1 Floor	2000	11,397	32,712	250	8,174,853	0.1%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
7371	Robert Morgan Educational Center	05	7	6	19	Auditorium	2 Floors	2000	11,816	37,940	250	9,481,350	0.1%
0073	Mandarin Lakes K-8 Academy	05	9	6	01	Building 01	3 Floors	2006	0	103,923	235	24,410,266	0.0%
0073	Mandarin Lakes K-8 Academy	05	9	6	02	Buildng 02	3 Floors	2006	0	45,714	235	10,737,670	0.0%
0073	Mandarin Lakes K-8 Academy	05	9	6	03	Buildng 03	1 Floor	2006	0	4,055	235	952,471	0.0%
4031	Gateway Environmental K-8 Learning Center	05	9	6	01	Main Bldg. 01	3 Floors	2008	8,750	104,568	235	24,561,768	0.0%
4031	Gateway Environmental K-8 Learning Center	05	9	6	02	Classroom Bldg. 02	3 Floors	2008	0	46,945	235	11,026,817	0.0%
4031	Gateway Environmental K-8 Learning Center	05	9	6	05	P.E. Lockers 05	0 Floors	2008	0	4,055	235	952,471	0.0%
5003	South Dade Middle School - Grades 4-8	05	9	6	01	Main Building	2 Floors	2007	0	15,109	242	3,658,797	0.0%
5003	South Dade Middle School - Grades 4-8	05	9	6	02	Classroom	1 Floor	2007	0	8,574	242	2,076,281	0.0%
5003	South Dade Middle School - Grades 4-8	05	9	6	03	Classroom	1 Floor	2007	5,142	30,450	242	7,373,775	0.1%
5003	South Dade Middle School - Grades 4-8	05	9	6	04	Classroom	2 Floors	2007	0	22,608	242	5,474,756	0.0%
5003	South Dade Middle School - Grades 4-8	05	9	6	05	Classroom	3 Floors	2007	2,200	67,727	242	16,400,777	0.0%
6771	Jorge Mas Canosa Middle School	05	7	6	01	Administration	1 Floor	2005	0	33,927	226	7,671,458	0.0%
6771	Jorge Mas Canosa Middle School	05	7	6	02	Classroom	1 Floor	2005	0	43,455	226	9,825,897	0.0%
6771	Jorge Mas Canosa Middle School	05	7	6	03	Classroom	1 Floor	2005	7,895	113,108	226	25,575,596	0.0%
7701	South Dade Senior High	05	9	6	01	Main Building	2 Floors	2005	0	33,859	250	8,461,493	0.0%
7701	South Dade Senior High	05	9	6	02	Classroom	3 Floors	2005	0	69,422	250	17,348,822	0.0%
7701	South Dade Senior High	05	9	6	03	Classroom	3 Floors	2005	0	69,337	250	17,327,580	0.0%
7701	South Dade Senior High	05	9	6	04	Classroom	3 Floors	2005	0	77,148	250	19,279,578	0.0%
7701	South Dade Senior High	05	9	6	05	Gym	2 Floors	2005	0	123,824	250	30,944,088	0.0%
7701	South Dade Senior High	05	9	6	09	Cov'd Patio	1 Floor	2002	0	4,997	250	1,248,769	0.0%
7701	South Dade Senior High	05	9	6	18	Classroom	1 Floor	1994	0	18,926	250	4,729,679	0.0%
7171	Medical Academy for Science and Technology	05	9	6	01	Main (Hospital)	3 Floors	1965	0	97,905	250	24,466,830	0.0%
7171	Medical Academy for Science and Technology	05	9	6	02	Administration	1 Floor	1965	0	1,209	250	302,134	0.0%
5861	Dr. Henry W. Mack/West Little River K-8 Center	06	2	3	01	Main Building	2 Floors	1948	8,697,249	44,750	226	10,118,718	86.0%
5861	Dr. Henry W. Mack/West Little River K-8 Center	06	2	3	02	Classroom	1 Floor	1966	1,523,091	6,223	226	1,407,124	108.2%
5861	Dr. Henry W. Mack/West Little River K-8 Center	06	2	3	03	Classroom	1 Floor	1969	1,128,328	4,073	226	920,973	122.5%
5861	Dr. Henry W. Mack/West Little River K-8 Center	06	2	3	08	Classroom	1 Floor	1998	146,477	9,481	226	2,143,812	6.8%
5861	Dr. Henry W. Mack/West Little River K-8 Center	06	2	3	09	PE Shelter	1 Floor	1998	840	3,059	226	691,691	0.1%
6391	Madison Middle School	06	2	3	01	Media Center	1 Floor	1991	759,450	10,643	242	2,577,310	29.5%
6391	Madison Middle School	06	2	3	02	Classroom	1 Floor	1954	1,388,812	7,235	242	1,752,028	79.3%
6391	Madison Middle School	06	2	3	03	Main Building	2 Floors	1954	5,729,557	17,238	242	4,174,356	137.3%
6391	Madison Middle School	06	2	3	04	Locker Rooms	1 Floor	1954	1,120,684	6,762	242	1,637,487	68.4%
6391	Madison Middle School	06	2	3	05	Fine Arts	1 Floor	1954	1,067,521	7,188	242	1,740,647	61.3%
6391	Madison Middle School	06	2	3	06	Classroom	1 Floor	1954	451,583	3,854	242	933,285	48.4%
6391	Madison Middle School	06	2	3	07	Cafeteria	1 Floor	1954	1,512,748	8,591	242	2,080,397	72.7%
6391	Madison Middle School	06	2	3	08	Auditorium	1 Floor	1954	900,265	7,655	242	1,853,736	48.6%
6391	Madison Middle School	06	2	3	09	Classroom	1 Floor	1973	698,819	4,804	242	1,163,337	60.1%
6391	Madison Middle School	06	2	3	12	Covered Walkway	1 Floor	1973	14,301	1,114	242	269,766	5.3%
6391	Madison Middle School	06	2	3	13	Administration	1 Floor	1991	542,049	4,811	242	1,165,032	46.5%
3821	North County K-8 Center	06	1	1	01	Administration	1 Floor	1962	678,287	2,908	226	657,547	103.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
3821	North County K-8 Center	06	1	1	02	Auditorium	1 Floor	1962	433,299	4,792	226	1,083,551	40.0%
3821	North County K-8 Center	06	1	1	03	Classroom	1 Floor	1962	560,027	9,864	226	2,230,414	25.1%
3821	North County K-8 Center	06	1	1	04	Classroom	1 Floor	1962	787,429	9,798	226	2,215,490	35.5%
3821	North County K-8 Center	06	1	1	05	Classroom	1 Floor	1967	619,030	6,203	226	1,402,601	44.1%
3821	North County K-8 Center	06	1	1	06	Classroom	1 Floor	1969	225,065	2,075	226	469,192	48.0%
3821	North County K-8 Center	06	1	1	10	Media Center	1 Floor	1993	204,446	4,630	226	1,046,920	19.5%
3821	North County K-8 Center	06	1	1	11	Classroom	1 Floor	2006	0	9,263	226	2,094,518	0.0%
5931	Phillis Wheatley Elementary School	06	2	4	01	Classroom	2 Floors	1952	3,439,781	41,216	226	9,319,621	36.9%
5931	Phillis Wheatley Elementary School	06	2	4	02	Classroom	2 Floors	1960	1,287,148	6,800	226	1,537,593	83.7%
5931	Phillis Wheatley Elementary School	06	2	4	03	Classroom	1 Floor	2000	2,685	5,219	226	1,180,103	0.2%
5931	Phillis Wheatley Elementary School	06	2	4	05	Storage	1 Floor	2000	0	2,665	226	602,601	0.0%
5931	Phillis Wheatley Elementary School	06	2	4	06	Media Center	1 Floor	2000	56,343	4,026	226	910,345	6.2%
7381	Miami Norland Senior High	06	1	2	01	Main Building	2 Floors	1958	3,940,136	52,217	250	13,049,226	30.2%
7381	Miami Norland Senior High	06	1	2	02	Classroom	2 Floors	1958	3,186,313	43,927	250	10,977,524	29.0%
7381	Miami Norland Senior High	06	1	2	03	Auditorium	1 Floor	1958	1,188,602	14,878	250	3,718,069	32.0%
7381	Miami Norland Senior High	06	1	2	04	Cafeteria	1 Floor	1958	847,405	10,338	250	2,583,506	32.8%
7381	Miami Norland Senior High	06	1	2	05	Fine Arts	1 Floor	1958	257,486	4,606	250	1,151,057	22.4%
7381	Miami Norland Senior High	06	1	2	06	Gymnasium	1 Floor	1958	396,802	33,784	250	8,442,750	4.7%
7381	Miami Norland Senior High	06	1	2	07	Classroom	1 Floor	1964	1,320,021	20,384	250	5,094,039	25.9%
7381	Miami Norland Senior High	06	1	2	08	Classroom	1 Floor	1958	359,534	11,386	250	2,845,405	12.6%
7381	Miami Norland Senior High	06	1	2	09	Classroom	1 Floor	1958	170,531	2,581	250	645,002	26.4%
7381	Miami Norland Senior High	06	1	2	16	Classroom	1 Floor	1992	30,709	485	250	121,203	25.3%
7381	Miami Norland Senior High	06	1	2	17	Classroom	1 Floor	1995	473,273	9,001	250	2,249,384	21.0%
7381	Miami Norland Senior High	06	1	2	18	Gymnasium	1 Floor	2003	0	20,841	250	5,208,245	0.0%
0081	Lenora Braynon Smith Elementary School	06	2	4	01	Main Building	2 Floors	1949	4,142,041	46,359	226	10,482,539	39.5%
0081	Lenora Braynon Smith Elementary School	06	2	4	02	Classroom	1 Floor	1967	268,746	6,130	226	1,386,095	19.4%
0081	Lenora Braynon Smith Elementary School	06	2	4	03	Classroom	1 Floor	1969	186,560	4,013	226	907,406	20.6%
0081	Lenora Braynon Smith Elementary School	06	2	4	08	PE Shelter	1 Floor	1997	736	2,690	226	608,254	0.1%
0081	Lenora Braynon Smith Elementary School	06	2	4	09	Media Center	1 Floor	1997	198,213	4,834	226	1,093,048	18.1%
0081	Lenora Braynon Smith Elementary School	06	2	4	10	Art	1 Floor	1997	25,908	1,687	226	381,459	6.8%
0081	Lenora Braynon Smith Elementary School	06	2	4	11	Music	1 Floor	1997	144,413	2,227	226	503,562	28.7%
0081	Lenora Braynon Smith Elementary School	06	2	4	12	Clinic	1 Floor	1999	109,881	2,384	226	539,062	20.4%
4461	Pine Villa Elementary School	06	9	6	01	Main Building	2 Floors	1958	588,459	9,909	226	2,240,589	26.3%
4461	Pine Villa Elementary School	06	9	6	02	Classroom	2 Floors	1958	501,448	9,417	226	2,129,340	23.5%
4461	Pine Villa Elementary School	06	9	6	03	Cafeteria	2 Floors	1958	125,820	4,450	226	1,006,219	12.5%
4461	Pine Villa Elementary School	06	9	6	05	Classroom	1 Floor	1967	352,052	6,130	226	1,386,095	25.4%
4461	Pine Villa Elementary School	06	9	6	06	Classroom	1 Floor	2004	1,975,081	12,619	226	2,853,365	69.2%
4461	Pine Villa Elementary School	06	9	6	09	Classroom	1 Floor	1958	41,610	785	226	177,502	23.4%
4461	Pine Villa Elementary School	06	9	6	12	Classroom	1 Floor	1958	40,803	785	226	177,502	23.0%
4461	Pine Villa Elementary School	06	9	6	13	Fine Arts	1 Floor	1995	0	3,195	226	722,443	0.0%
4461	Pine Villa Elementary School	06	9	6	14	Classroom	1 Floor	1995	0	2,928	226	662,069	0.0%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
4461	Pine Villa Elementary School	06	9	6	16	Media Center	1 Floor	1995	144,289	5,989	226	1,354,212	10.7%
6721	Parkway Middle School	06	1	2	01	Administration	2 Floors	1961	1,044,609	19,461	242	4,712,678	22.2%
6721	Parkway Middle School	06	1	2	02	Classroom	2 Floors	1961	1,168,949	22,606	242	5,474,271	21.4%
6721	Parkway Middle School	06	1	2	03	Locker Rooms	1 Floor	1961	192,405	5,179	242	1,254,147	15.3%
6721	Parkway Middle School	06	1	2	04	Classroom	2 Floors	1961	410,638	8,727	242	2,113,331	19.4%
6721	Parkway Middle School	06	1	2	05	Cafeteria	2 Floors	1961	721,701	15,759	242	3,816,201	18.9%
3021	Jesse J. McCrary, Jr. Elementary School	06	2	4	01	Media Center	1 Floor	1924	146,085	4,447	226	1,005,541	14.5%
3021	Jesse J. McCrary, Jr. Elementary School	06	2	4	02	Classroom	2 Floors	1924	1,838,873	24,923	226	5,635,504	32.6%
3021	Jesse J. McCrary, Jr. Elementary School	06	2	4	03	Cafeteria	2 Floors	1947	985,772	11,122	226	2,514,869	39.2%
3021	Jesse J. McCrary, Jr. Elementary School	06	2	4	04	Classroom	2 Floors	1924	241,402	3,492	226	789,599	30.6%
3021	Jesse J. McCrary, Jr. Elementary School	06	2	4	06	Classroom	2 Floors	1955	367,508	10,990	226	2,485,021	14.8%
3021	Jesse J. McCrary, Jr. Elementary School	06	2	4	12	PE Shelter	1 Floor	1992	2,327	2,653	226	599,887	0.4%
4401	Kelsey L. Pharr Elementary School	06	2	4	01	Main Building	2 Floors	1967	1,646,434	43,367	226	9,805,998	16.8%
4401	Kelsey L. Pharr Elementary School	06	2	4	02	Classroom	1 Floor	1969	231,236	2,146	226	485,246	47.7%
4401	Kelsey L. Pharr Elementary School	06	2	4	05	Music	1 Floor	2001	29,169	2,484	226	561,674	5.2%
4401	Kelsey L. Pharr Elementary School	06	2	4	06	PE Shelter	1 Floor	2001	0	2,800	226	633,126	0.0%
1361	Frederick Douglass Elementary School	06	2	4	01	Main Building	2 Floors	1953	2,155,083	58,029	226	13,121,320	16.4%
6141	Charles R. Drew Middle School	06	2	3	01	Main Building	2 Floors	1967	5,722,461	99,328	242	24,053,278	23.8%
6141	Charles R. Drew Middle School	06	2	3	03	Cafeteria	1 Floor	1967	940,620	9,231	242	2,235,380	42.1%
6141	Charles R. Drew Middle School	06	2	3	06	Classroom	2 Floors	1994	141,013	14,570	242	3,528,273	4.0%
6011	Allapattah Middle School	06	2	4	01	Main Building	2 Floors	1963	5,313,420	140,185	242	33,947,212	15.7%
7411	Miami Northwestern Senior High	06	2	3	01	Main Building	3 Floors	1994	13,849,237	342,011	250	85,469,848	16.2%
7411	Miami Northwestern Senior High	06	2	3	04	Covered Walkway	1 Floor	1994	15,094	860	250	214,917	7.0%
7151	Homestead Senior High	06	9	6	01	Main Building	2 Floors	1977	11,872,643	318,353	250	79,557,624	14.9%
7151	Homestead Senior High	06	9	6	02	Classroom	1 Floor	2004	50,805	10,798	250	2,698,461	1.9%
7151	Homestead Senior High	06	9	6	03	Classroom	1 Floor	2004	50,805	10,798	250	2,698,461	1.9%
7151	Homestead Senior High	06	9	6	04	Covered Patio	1 Floor	2002	24,990	5,041	250	1,259,765	2.0%
7301	Miami Edison Senior High	06	2	4	01	Main Building	3 Floors	1976	3,768,022	221,673	250	55,396,924	6.8%
7301	Miami Edison Senior High	06	2	4	02	Gymnasium	1 Floor	1948	377,912	4,947	250	1,236,274	30.6%
7301	Miami Edison Senior High	06	2	4	03	Covered Patio	1 Floor	1992	0	617	250	154,191	0.0%
7731	Miami Southridge Senior High	06	7	6	01	Main Building	3 Floors	1974	8,586,605	273,975	250	68,467,392	12.5%
7731	Miami Southridge Senior High	06	7	6	02	Classroom	1 Floor	1974	226,608	6,272	250	1,567,397	14.5%
7731	Miami Southridge Senior High	06	7	6	04	Covered Walkway	1 Floor	1990	0	791	250	197,674	0.0%
7731	Miami Southridge Senior High	06	7	6	05	Classroom	1 Floor	2002	0	12,619	250	3,153,536	0.0%
7731	Miami Southridge Senior High	06	7	6	06	Covered Patio	1 Floor	2002	0	4,768	250	1,191,541	0.0%
7791	Booker T. Washington Senior High	06	2	4	01	Classroom	3 Floors	1986	527,143	10,664	250	2,664,974	19.8%
7791	Booker T. Washington Senior High	06	2	4	02	Main Building	3 Floors	1986	889,812	34,364	250	8,587,694	10.4%
7791	Booker T. Washington Senior High	06	2	4	03	Classroom	1 Floor	1986	72,859	2,712	250	677,739	10.8%
7791	Booker T. Washington Senior High	06	2	4	04	Cafeteria	1 Floor	1986	18,985	11,959	250	2,988,600	0.6%
7791	Booker T. Washington Senior High	06	2	4	05	Cafeteria	1 Floor	1986	392,197	12,192	250	3,046,827	12.9%
7791	Booker T. Washington Senior High	06	2	4	06	Music	1 Floor	1986	205,097	7,335	250	1,833,044	11.2%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
7791	Booker T. Washington Senior High	06	2	4	07	Vocational	1 Floor	1986	414,825	13,155	250	3,287,485	12.6%
7791	Booker T. Washington Senior High	06	2	4	08	Classroom	3 Floors	1986	451,179	11,320	250	2,828,911	15.9%
7791	Booker T. Washington Senior High	06	2	4	09	Classroom	3 Floors	1986	459,751	11,379	250	2,843,655	16.2%
7791	Booker T. Washington Senior High	06	2	4	10	Classroom	3 Floors	1986	878,635	17,814	250	4,451,786	19.7%
7791	Booker T. Washington Senior High	06	2	4	11	Classroom	3 Floors	1986	520,733	11,147	250	2,785,678	18.7%
7791	Booker T. Washington Senior High	06	2	4	12	Gymnasium	1 Floor	1986	379,526	43,828	250	10,952,783	3.5%
7791	Booker T. Washington Senior High	06	2	4	13	Classroom	3 Floors	2001	309,824	62,982	250	15,739,441	2.0%
7791	Booker T. Washington Senior High	06	2	4	14	Auditorium	2 Floors	2001	0	20,099	250	5,022,817	0.0%
6361	Jose de Diego Middle School	06	2	4	01	Main Building	3 Floors	1998	601,005	91,541	242	22,167,578	2.7%
6361	Jose de Diego Middle School	06	2	4	02	Cafeteria	1 Floor	1998	195,007	20,555	242	4,977,601	3.9%
6361	Jose de Diego Middle School	06	2	4	03	Auditorium	1 Floor	1998	156,731	12,448	242	3,014,409	5.2%
6361	Jose de Diego Middle School	06	2	4	04	Fine Arts	2 Floors	1998	117,833	16,675	242	4,038,020	2.9%
6361	Jose de Diego Middle School	06	2	4	05	Covered Patio	1 Floor	1998	0	2,721	242	658,918	0.0%
2501	Holmes Elementary School	06	2	3	01	Cafeteria	1 Floor	1955	0	13,982	226	3,161,562	0.0%
2501	Holmes Elementary School	06	2	3	02	Classroom	1 Floor	1992	0	5,107	226	1,154,777	0.0%
2501	Holmes Elementary School	06	2	3	03	Administration	1 Floor	2006	0	6,359	226	1,437,875	0.0%
2501	Holmes Elementary School	06	2	3	04	Classroom	1 Floor	2006	0	3,413	226	771,736	0.0%
2501	Holmes Elementary School	06	2	3	05	Classroom	2 Floors	2006	0	34,368	226	7,771,175	0.0%
2501	Holmes Elementary School	06	2	3	06	Gymnasium	1 Floor	2006	8,616	2,312	226	522,782	1.6%
6481	Miami Edison Middle School	06	2	4	01	Gymnasium	1 Floor	1929	113,952	19,626	242	4,752,634	2.4%
6481	Miami Edison Middle School	06	2	4	02	Main Building	3 Floors	1927	380,178	46,337	242	11,220,972	3.4%
6481	Miami Edison Middle School	06	2	4	03	Auditorium	2 Floors	1931	209,707	29,751	242	7,204,505	2.9%
6481	Miami Edison Middle School	06	2	4	04	Classroom	3 Floors	1995	653,454	73,796	242	17,870,446	3.7%
6631	North Miami Middle School (NEW)	06	1	2	01	Building 01	3 Floors	2006	0	52,885	242	12,806,637	0.0%
6631	North Miami Middle School (NEW)	06	1	2	02	Building 02	3 Floors	2006	0	31,503	242	7,628,770	0.0%
6631	North Miami Middle School (NEW)	06	1	2	03	Building 03	1 Floor	2006	0	6,504	242	1,575,009	0.0%
7341	Miami Jackson Senior High	06	2	4	01	Main Building	3 Floors	2004	0	163,382	250	40,829,780	0.0%
7341	Miami Jackson Senior High	06	2	4	02	Auditorium	2 Floors	2004	0	62,711	250	15,671,717	0.0%
7341	Miami Jackson Senior High	06	2	4	03	Cafeteria	1 Floor	2004	28,376	37,832	250	9,454,360	0.3%
7341	Miami Jackson Senior High	06	2	4	04	Band	1 Floor	1991	0	8,545	250	2,135,428	0.0%
7341	Miami Jackson Senior High	06	2	4	05	Library	2 Floors	1991	0	29,607	250	7,398,902	0.0%
7341	Miami Jackson Senior High	06	2	4	06	Clinic	1 Floor	2004	0	2,996	250	748,712	0.0%
7591	North Miami Senior High	06	1	2	01	Main Bldg	3 Floors	2007	0	86,847	0	0	0.0%
7591	North Miami Senior High	06	1	2	02		4 Floors	2007	0	189,845	0	0	0.0%
7591	North Miami Senior High	06	1	2	03	Auditorium	3 Floors	2007	0	96,974	0	0	0.0%
7591	North Miami Senior High	06	1	2	04	Clinic	3 Floors	2007	0	52,560	0	0	0.0%
7251	Miami Central Senior High	06	2	3	02	Classroom	3 Floors	1993	0	27,295	250	6,821,124	0.0%
7251	Miami Central Senior High	06	2	3	04	Classroom	2 Floors	1969	0	89,080	250	22,261,430	0.0%
7251	Miami Central Senior High	06	2	3	06	Classroom	1 Floor	1959	0	9,919	250	2,478,796	0.0%
7251	Miami Central Senior High	06	2	3	7000	Cafeteria	1 Floor	2007	0	23,325	0	0	0.0%
7251	Miami Central Senior High	06	2	3	8000	Gymnasium	1 Floor	1959	0	13,560	250	3,388,696	0.0%

Miami-Dade
Campus FCI for:

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
7231	Miami Carol City Senior High	06	1	1	01	Administration	3 Floors	2008	0	131,000	0	0	0.0%
7231	Miami Carol City Senior High	06	1	1	03	Physical Education	1 Floor	2008	0	48,000	0	0	0.0%
7231	Miami Carol City Senior High	06	1	1	04	Music Department	2 Floors	2008	0	14,000	0	0	0.0%
7231	Miami Carol City Senior High	06	1	1	05	Vocational	1 Floor	2008	0	26,500	0	0	0.0%
7231	Miami Carol City Senior High	06	1	1	06	Classroom	3 Floors	2007	0	47,000	0	0	0.0%
7231	Miami Carol City Senior High	06	1	1	07	Classroom	2 Floors	2008	0	28,000	0	0	0.0%
7231	Miami Carol City Senior High	06	1	1	100	Main Building	2 Floors	1963	0	160,069	250	40,001,852	0.0%
7231	Miami Carol City Senior High	06	1	1	200	Classroom	1 Floor	1963	0	29,989	250	7,494,365	0.0%
7231	Miami Carol City Senior High	06	1	1	300	Locker Rooms	1 Floor	1963	0	13,074	250	3,267,242	0.0%
7231	Miami Carol City Senior High	06	1	1	400	Gymnasium	1 Floor	1963	0	13,064	250	3,264,743	0.0%
8221	Miami Beach Adult & Community Ed Center (7202)	08	3	2	12	Classroom	2 Floors	1934	1,432,351	7,611	250	1,902,018	75.3%
0921	Neva King Cooper Educational Center	08	9	6	01	Administration	1 Floor	1954	28,265	1,141	134	153,282	18.4%
0921	Neva King Cooper Educational Center	08	9	6	02	Classroom	1 Floor	1913	58,154	3,119	134	419,006	13.9%
0921	Neva King Cooper Educational Center	08	9	6	03	Classroom	1 Floor	1913	41,955	1,141	134	153,282	27.4%
0921	Neva King Cooper Educational Center	08	9	6	04	Classroom	1 Floor	1913	200,785	3,123	134	419,544	47.9%
0921	Neva King Cooper Educational Center	08	9	6	05	Cafeteria	1 Floor	1984	65,318	8,289	134	1,113,544	5.9%
0921	Neva King Cooper Educational Center	08	9	6	07	Classroom	1 Floor	1984	34,830	1,566	134	210,376	16.6%
0921	Neva King Cooper Educational Center	08	9	6	08	Classroom	1 Floor	1958	18,964	1,260	134	169,268	11.2%
0921	Neva King Cooper Educational Center	08	9	6	09	Classroom	1 Floor	1913	16,228	1,206	134	162,014	10.0%
0921	Neva King Cooper Educational Center	08	9	6	10	Administration	1 Floor	1949	17,358	668	134	89,739	19.3%
0921	Neva King Cooper Educational Center	08	9	6	11	Classroom	1 Floor	1958	20,635	1,109	134	148,983	13.9%
0921	Neva King Cooper Educational Center	08	9	6	12	Classroom	1 Floor	1958	24,843	1,260	134	169,268	14.7%
0921	Neva King Cooper Educational Center	08	9	6	13	Media Center	1 Floor	1958	31,583	3,201	134	430,022	7.3%
0921	Neva King Cooper Educational Center	08	9	6	14	Classroom	1 Floor	1958	190,552	1,645	134	220,989	86.2%
0921	Neva King Cooper Educational Center	08	9	6	16	Classroom	1 Floor	1913	83,682	6,470	134	869,180	9.6%
0921	Neva King Cooper Educational Center	08	9	6	18	PE Shelter	1 Floor	1994	0	1,990	134	267,337	0.0%
8161	Corporate Academy North	08	2	3	01	Administration	1 Floor	1957	235,644	2,758	250	689,235	34.2%
8161	Corporate Academy North	08	2	3	02	Classroom	2 Floors	1957	2,929,239	22,186	250	5,544,366	52.8%
8161	Corporate Academy North	08	2	3	03	Classroom	1 Floor	1961	1,164,574	7,741	250	1,934,505	60.2%
8161	Corporate Academy North	08	2	3	04	Cafeteria	1 Floor	1957	785,618	5,846	250	1,460,938	53.8%
8161	Corporate Academy North	08	2	3	08	Media Center	1 Floor	1995	145,961	11,145	250	2,785,178	5.2%
8161	Corporate Academy North	08	2	3	09	PE Shelter	1 Floor	1995	45,763	2,809	250	701,980	6.5%
7254	YMAACD @ MacArthur North SH	08	4	1	01	Administration	1 Floor	1989	651,990	5,826	250	1,455,940	44.8%
7254	YMAACD @ MacArthur North SH	08	4	1	02	Locker Rooms	1 Floor	1989	341,074	5,251	250	1,312,245	26.0%
7254	YMAACD @ MacArthur North SH	08	4	1	03	Media Center	1 Floor	1989	827,751	12,006	250	3,000,345	27.6%
7254	YMAACD @ MacArthur North SH	08	4	1	04	Classroom	1 Floor	1972	908,068	12,006	250	3,000,345	30.3%
7254	YMAACD @ MacArthur North SH	08	4	1	05	Classroom	1 Floor	1989	365,786	12,396	250	3,097,808	11.8%
7254	YMAACD @ MacArthur North SH	08	4	1	06	Cafeteria	1 Floor	1989	858,835	11,213	250	2,802,171	30.6%
7254	YMAACD @ MacArthur North SH	08	4	1	07	Classroom	1 Floor	1989	503,548	7,692	250	1,922,260	26.2%
8139	D A Dorsey Educational Center	08	2	3	01	Vocational Laboratory	1 Floor	1937	234,687	2,465	250	616,013	38.1%
8139	D A Dorsey Educational Center	08	2	3	02	Vocational Laboratory	1 Floor	1958	427,424	5,291	250	1,322,241	32.3%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
8139	D A Dorsey Educational Center	08	2	3	03	Administration	2 Floors	1937	732,717	4,971	250	1,242,272	59.0%
8139	D A Dorsey Educational Center	08	2	3	04	Classroom	1 Floor	1958	1,449,522	22,171	250	5,540,617	26.2%
8139	D A Dorsey Educational Center	08	2	3	06	Auditorium	1 Floor	1958	510,613	8,728	250	2,181,160	23.4%
8139	D A Dorsey Educational Center	08	2	3	07	Vocational Laboratory	1 Floor	1958	832,441	5,993	250	1,497,673	55.6%
8139	D A Dorsey Educational Center	08	2	3	08	Vocational Laboratory	1 Floor	1937	597,263	5,873	250	1,467,685	40.7%
8139	D A Dorsey Educational Center	08	2	3	09	Vocational Laboratory	1 Floor	1958	251,477	3,294	250	823,183	30.5%
8139	D A Dorsey Educational Center	08	2	3	10	Vocational Laboratory	1 Floor	1950	422,575	8,063	250	2,014,974	21.0%
8141	Juvenile Justice Center	08	2	3	02	Gymnasium	1 Floor	1979	1,394,862	15,216	250	3,802,536	36.7%
8141	Juvenile Justice Center	08	2	3	06	Classroom	1 Floor	1979	471,530	2,784	250	695,732	67.8%
8141	Juvenile Justice Center	08	2	3	07	Classroom	1 Floor	1979	197,111	4,211	250	1,052,345	18.7%
7702	South Dade Adult Education Center	08	9	6	01	Main Building	2 Floors	1969	1,903,616	23,963	250	5,988,445	31.8%
7631	Miami MacArthur South	08	9	6	01	Administration	1 Floor	1960	282,846	2,460	226	556,247	50.8%
7631	Miami MacArthur South	08	9	6	02	Classroom	1 Floor	1960	324,382	4,951	226	1,119,503	29.0%
7631	Miami MacArthur South	08	9	6	03	Classroom	1 Floor	1960	94,466	2,074	226	468,966	20.1%
7631	Miami MacArthur South	08	9	6	04	Classroom	1 Floor	1959	240,493	4,951	226	1,119,503	21.5%
7631	Miami MacArthur South	08	9	6	05	Classroom	1 Floor	1959	288,797	4,950	226	1,119,277	25.8%
7631	Miami MacArthur South	08	9	6	06	Classroom	1 Floor	1959	317,320	2,131	226	481,854	65.9%
7631	Miami MacArthur South	08	9	6	07	Cafeteria	1 Floor	1959	956,890	5,736	226	1,297,005	73.8%
7631	Miami MacArthur South	08	9	6	08	Media Center	1 Floor	2000	0	4,281	226	968,005	0.0%
7631	Miami MacArthur South	08	9	6	09	Classroom	1 Floor	2000	921	4,088	226	924,365	0.1%
7631	Miami MacArthur South	08	9	6	10	Classroom	1 Floor	1973	43,792	6,130	226	1,386,095	3.2%
7631	Miami MacArthur South	08	9	6	12	PE Shelter	1 Floor	2000	0	3,169	226	716,564	0.0%
2861	YWAACD@JRE Lee Opportunity Sch	08	6	5	01	Cafeteria	1 Floor	1955	516,118	10,028	250	2,506,035	20.6%
2861	YWAACD@JRE Lee Opportunity Sch	08	6	5	02	Classroom	1 Floor	1955	59,674	4,163	250	1,040,350	5.7%
2861	YWAACD@JRE Lee Opportunity Sch	08	6	5	03	Classroom	2 Floors	1955	317,877	8,674	250	2,167,666	14.7%
2861	YWAACD@JRE Lee Opportunity Sch	08	6	5	04	Media Center	1 Floor	1955	253,667	8,672	250	2,167,166	11.7%
2861	YWAACD@JRE Lee Opportunity Sch	08	6	5	05	Classroom	1 Floor	1969	22,173	2,074	250	518,300	4.3%
8151	Robert Renick Educational Center	08	1	2	01	Media Center	1 Floor	1991	130,386	2,831	134	380,317	34.3%
8151	Robert Renick Educational Center	08	1	2	02	Classroom	1 Floor	1991	703,300	13,704	134	1,840,995	38.2%
8151	Robert Renick Educational Center	08	1	2	05	Classroom	1 Floor	1991	117,310	8,718	134	1,171,176	10.0%
8151	Robert Renick Educational Center	08	1	2	06	Classroom	1 Floor	1991	32,784	931	134	125,071	26.2%
8151	Robert Renick Educational Center	08	1	2	07	Classroom	1 Floor	1991	413,707	12,460	134	1,673,876	24.7%
8151	Robert Renick Educational Center	08	1	2	08	Classroom	1 Floor	1991	64,541	9,472	134	1,272,469	5.1%
8151	Robert Renick Educational Center	08	1	2	10	Classroom	1 Floor	1991	60,963	5,611	134	753,782	8.1%
8151	Robert Renick Educational Center	08	1	2	11	Classroom	1 Floor	1991	60,444	4,409	134	592,305	10.2%
8151	Robert Renick Educational Center	08	1	2	12	Cafeteria	1 Floor	1991	519,076	8,975	134	1,205,702	43.1%
8151	Robert Renick Educational Center	08	1	2	13	Athletics	1 Floor	1991	210,177	5,869	134	788,441	26.7%
8181	Ruth Owens Kruse Educational Center	08	7	5	01	Main Building	1 Floor	1990	3,020,880	87,755	134	11,789,006	25.6%
7841	English Center	08	6	4	01	Classroom	1 Floor	1952	194,650	3,264	250	815,686	23.9%
7841	English Center	08	6	4	02	Classroom	1 Floor	1952	172,470	3,264	250	815,686	21.1%
7841	English Center	08	6	4	03	Classroom	1 Floor	1952	100,545	3,264	250	815,686	12.3%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of						FCI
							Floors	Yr. Built	Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	
7841	English Center	08	6	4	04	Classroom	1 Floor	1952	82,970	3,264	250	815,686	10.2%
7841	English Center	08	6	4	05	Classroom	1 Floor	1952	83,295	3,264	250	815,686	10.2%
7841	English Center	08	6	4	06	Cafeteria	1 Floor	1952	265,080	7,725	250	1,930,507	13.7%
7841	English Center	08	6	4	07	Administration	1 Floor	1952	228,444	2,236	250	558,785	40.9%
7841	English Center	08	6	4	08	Media Center	1 Floor	1952	227,150	2,999	250	749,462	30.3%
7841	English Center	08	6	4	09	Mechanical	1 Floor	1952	8,467	661	250	165,186	5.1%
7841	English Center	08	6	4	11	Administration	1 Floor	1969	46,496	2,074	250	518,300	9.0%
8119	The 500 Role Models Academy	08	2	3	01	Classroom	1 Floor	1997	783,282	13,116	250	3,277,738	23.9%
8119	The 500 Role Models Academy	08	2	3	02	Cafeteria	1 Floor	1997	206,123	3,356	250	838,677	24.6%
8119	The 500 Role Models Academy	08	2	3	03	Media Center	1 Floor	1997	717,407	14,847	250	3,710,322	19.3%
8119	The 500 Role Models Academy	08	2	3	04	PE Shelter	1 Floor	1997	24,732	2,658	250	664,244	3.7%
8101	Jan Mann Opportunity School	08	1	1	01	Administration	1 Floor	1994	124,419	3,574	250	893,156	13.9%
8101	Jan Mann Opportunity School	08	1	1	02	Classroom	1 Floor	1994	133,828	6,724	250	1,680,353	8.0%
8101	Jan Mann Opportunity School	08	1	1	03	Media Center	1 Floor	1994	119,935	6,233	250	1,557,650	7.7%
8101	Jan Mann Opportunity School	08	1	1	04	Classroom	1 Floor	1994	68,826	3,419	250	854,421	8.1%
8101	Jan Mann Opportunity School	08	1	1	05	Classroom	1 Floor	1994	901,413	20,513	250	5,126,277	17.6%
8101	Jan Mann Opportunity School	08	1	1	06	Classroom	1 Floor	1994	155,943	7,434	250	1,857,785	8.4%
8101	Jan Mann Opportunity School	08	1	1	07	Classroom	1 Floor	1994	692,706	6,623	250	1,655,113	41.9%
8131	Dorothy M. Wallace Cope Center	08	9	6	01	Main Building	1 Floor	1992	2,553,812	44,648	250	11,157,705	22.9%
8901	Miami Lakes Educational Center (8901)	08	4	1	01	Laboratory	1 Floor	1974	1,761,390	47,529	250	11,877,677	14.8%
8901	Miami Lakes Educational Center (8901)	08	4	1	02	Laboratory	1 Floor	1974	2,165,899	49,766	250	12,436,712	17.4%
8901	Miami Lakes Educational Center (8901)	08	4	1	03	Main Building	1 Floor	1977	4,081,483	67,538	250	16,878,002	24.2%
8901	Miami Lakes Educational Center (8901)	08	4	1	04	Laboratory	1 Floor	1977	728,839	6,923	250	1,730,084	42.1%
9732	Merrick Educational Center	08	6	4	01	Classroom	2 Floors	1938	21,397	15,494	134	2,081,464	1.0%
9732	Merrick Educational Center	08	6	4	03	Classroom	2 Floors	1958	101,518	19,194	134	2,578,522	3.9%
8005	Lindsey Hopkins Technical Education Center	08	2	4	01	Main Building	3 Floors	1980	2,723,260	86,515	250	21,620,426	12.6%
8005	Lindsey Hopkins Technical Education Center	08	2	4	02	Vocational Laboratory	1 Floor	1980	414,511	24,873	250	6,215,857	6.7%
8005	Lindsey Hopkins Technical Education Center	08	2	4	03	Administration	4 Floors	1980	523,124	22,144	250	5,533,870	9.5%
8005	Lindsey Hopkins Technical Education Center	08	2	4	04	Classroom	2 Floors	1980	2,712,796	50,231	250	12,552,917	21.6%
8005	Lindsey Hopkins Technical Education Center	08	2	4	05	Classroom	4 Floors	1980	551,055	35,011	250	8,749,382	6.3%
8005	Lindsey Hopkins Technical Education Center	08	2	4	06	Cafeteria	3 Floors	1980	2,070,723	66,149	250	16,530,886	12.5%
8005	Lindsey Hopkins Technical Education Center	08	2	4	07	Classroom	1 Floor	1980	831,181	23,524	250	5,878,737	14.1%
8121	Cope Center North	08	2	3	01	Main Building	1 Floor	1990	1,480,137	51,434	250	12,853,552	11.5%
8011	Citrus Grove Occupational	08	6	4	01	Administration	1 Floor	1961	0	1,820	134	244,499	0.0%
8011	Citrus Grove Occupational	08	6	4	02	Classroom	1 Floor	1961	0	10,725	134	1,440,797	0.0%
9799	Homeless Assistance Center	08	2	4	01	Main Building	1 Floor	1995	34,560	6,945	250	1,735,582	2.0%
9181	Stores And Distribution Center	35	8	5	01	Warehouse	1 Floor	1975	1,450,443	94,988	103	9,783,764	14.8%
9181	Stores And Distribution Center	35	8	5	04	Administration	2 Floors	1959	138,841	37,572	103	3,869,916	3.6%
9913	MDCPS Police Center	35	2	3	01	Administration	1 Floor	1948	613,299	5,334	200	1,064,902	57.6%
9025	Food & Nutrition Center	35	8	5	03	Administration	1 Floor	1966	20,493	2,962	200	591,346	3.5%
9025	Food & Nutrition Center	35	8	5	09	Administration	1 Floor	1972	329,345	7,380	200	1,473,374	22.4%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
9025	Food & Nutrition Center	35	8	5	10	Administration	1 Floor	1964	27,633	2,674	200	533,849	5.2%
9134	Materials Control Center	35	8	5	09	Administration	1 Floor	1972	126,297	4,873	103	501,919	25.2%
9606	Anna Brenner Meyers Telecommunications	35	2	4	01	Main Building	3 Floors	1980	1,203,205	49,510	200	9,884,384	12.2%
9606	Radio Transmission Station	35	2	2	01	Administration	2 Floors	1960	154,561	4,958	200	989,836	15.6%
9606	Radio Transmission Station	35	2	2	03	Administration	1 Floor	2001	37,810	5,840	200	1,165,922	3.2%
9412	Information Technology Services	35	8	5	01	ITS Building	1 Floor	1972	1,359,488	35,174	200	7,022,285	19.4%
9412	Information Technology Services	35	8	5	02	Training Center	1 Floor	1988	0	7,062	200	1,409,887	0.0%
9798	Nathaniel "Traz" Powel Football Stadium	40	2	3	01	Locker Rooms	1 Floor	1962	3,254,899	3,874	134	520,433	625.4%
9798	Nathaniel "Traz" Powel Football Stadium	40	2	3	04	Ticket Booth	1 Floor	1993	4,830	70	134	9,404	51.4%
9798	Nathaniel "Traz" Powel Football Stadium	40	2	3	05	Ticket Booth	1 Floor	1993	4,487	70	134	9,404	47.7%
9485	Biscayne Nature Center	40	6	4	01	Media Center	2 Floors	1998	343,835	13,322	134	1,789,677	19.2%
9485	Biscayne Nature Center	40	6	4	03	Covered Walkway	1 Floor	1998	4,233	1,863	134	250,275	1.7%
9618	Florida Diagnostic Learning Resource System	40	6	5	01	Administration	1 Floor	2004	368,133	15,870	226	3,588,470	10.3%
9796	North Miami Stadium	40	1	3	03	Locker Rooms	1 Floor	1983	0	2,034	134	273,248	0.0%
9796	North Miami Stadium	40	1	3	05	Control Booth	1 Floor	1983	0	163	134	21,897	0.0%
9571	Closed Regional Center I	45	4	1	01	Administration	1 Floor	1970	1,641,276	2,824	200	563,795	291.1%
9574	Region IV	45	6	5	01	Administration	1 Floor	1971	505,240	2,760	200	551,018	91.7%
9572	Region II	45	6	4	01	Administration	2 Floors	1964	674,219	7,419	200	1,481,160	45.5%
9028	Student Services & Attendance	45	5	3	01	Administration	1 Floor	1970	232,449	3,944	200	787,397	29.5%
9015	School Board Administration - Main Building	45	2	4	01	SBAB Addition	9 Floors	1982	9,585,126	135,059	200	26,963,746	35.5%
9015	School Board Administration - Main Building	45	2	4	02	HOB	9 Floors	1982	755,664	71,786	200	14,331,658	5.3%
9015	School Board Administration - Annex	45	2	4	03	Jefferson Annex	4 Floors	1992	2,570,710	154,432	200	30,831,452	8.3%
9015	School Board Administration - Garage	45	2	4	04	Garage / Administration	2 Floors	1994	218,494	21,498	200	4,291,951	5.1%
9221	Maintenance Operations Plant Operations	50	2	3	01	Administration	1 Floor	1988	195,910	1,380	103	142,140	137.8%
9221	Maintenance Operations Plant Operations	50	2	3	02	Administration	1 Floor	1988	118,690	801	103	82,503	143.9%
9221	Maintenance Operations Plant Operations	50	2	3	03	Administration	1 Floor	1988	296,242	3,676	103	378,628	78.2%
9221	Maintenance Operations Plant Operations	50	2	3	04	Administration	1 Floor	1988	382,996	1,604	103	165,212	231.8%
9261	Maintenance Operations South	50	9	6	06	Administration	1 Floor	1991	267,151	4,533	103	466,899	57.2%
9271	Maintenance Operations Mill Annex	50	2	3	01	Mill Annex	1 Floor	1958	409,566	7,383	103	760,449	53.9%
9262	Maintenance Operation Center * North Sat. (Toys)	50	2	1	01	Administration	2 Floors	1998	2,848,637	303,371	103	31,247,212	9.1%
9281	Regional Maint Center 4	50	2	4	01	Administration	1 Floor	1965	36,000	8,864	200	1,769,646	2.0%
9281	Maintenance Operations South Central	50	2	4	01	Warehouse	2 Floors	1948	444,066	32,210	103	3,317,630	13.4%
9281	Maintenance Operations South Central	50	2	4	02	Carpentry	1 Floor	1948	58,980	15,948	103	1,642,644	3.6%
9281	Maintenance Operations South Central	50	2	4	08	Shop	1 Floor	1964	15,834	643	103	66,229	23.9%
9281	Maintenance Operations South Central	50	2	4	10	Gas Office	1 Floor	1964	3,152	114	103	11,742	26.8%
9281	Maintenance Operations South Central	50	2	4	14	Shop	1 Floor	1991	19,504	1,609	103	165,727	11.8%
9264	Maintenance Operations Coral Reef	50	7	5	01	Administration / Warehouse	2 Floors	1996	42,358	39,835	103	4,103,005	1.0%
2201	Goulds Center	55	9	6	01	Classroom	1 Floor	1961	153,184	6,868	134	922,647	16.6%
2201	Goulds Center	55	9	6	02	Classroom	1 Floor	1961	32,210	6,741	134	905,586	3.6%
2201	Goulds Center	55	9	6	03	Administration	1 Floor	1961	79,854	2,966	134	398,452	20.0%
2201	Goulds Center	55	9	6	04	Cafeteria	1 Floor	1961	263,027	4,559	134	612,456	42.9%

**Miami-Dade
Campus FCI for:**

Loc #	Name	Reg	Board	RMAC	Bld. #	Building Name	Number of		Def Cost	Perm SF	\$/SF to Repl.	Replace Cost	FCI
							Floors	Yr. Built					
0281	Bethune Center	55	2	4	01	Cafeteria	1 Floor	1951	11,379	10,657	134	1,431,661	0.8%
0281	Bethune Center	55	2	4	02	Classroom	1 Floor	1951	651,744	10,221	134	1,373,089	47.5%
0281	Bethune Center	55	2	4	03	Classroom	1 Floor	1951	43,739	9,263	134	1,244,391	3.5%
0281	Bethune Center	55	2	4	04	Classroom	1 Floor	1956	7,519	9,290	134	1,248,019	0.6%
9235	Southwest Transportation Center	75	7	5	01	Administration	1 Floor	1993	386,449	6,776	103	697,928	55.4%
9236	Northwest Transportation Center	75	5	3	01	Administration	2 Floors	1989	1,441,492	17,667	103	1,819,701	79.2%
9230	Transportation Administration	75	7	5	01	Administration	1 Floor	1993	92,850	11,029	103	1,135,987	8.2%
9234	Northeast Transportation Center	75	2	3	01	Administration	2 Floors	1991	910,168	8,912	103	917,936	99.2%
9234	Northeast Transportation Center	75	2	3	02	Building - Building - 2	1 Floor	1991	7,145	24	103	2,472	289.0%
9234	Northeast Transportation Center	75	2	3	03	Security	1 Floor	1991	139,818	57	103	5,871	2381.5%
9234	Northeast Transportation Center	75	2	3	04	Bus Maintenance	2 Floors	1991	1,301,352	25,014	103	2,576,442	50.5%
9234	Northeast Transportation Center	75	2	3	05	Administration	1 Floor	1991	107,487	1,061	103	109,283	98.4%
9234	Northeast Transportation Center	75	2	3	06	Bus Maintenance	1 Floor	1991	536,993	10,710	103	1,103,130	48.7%
9234	Northeast Transportation Center	75	2	3	07	Work Bay	1 Floor	1991	2,382	692	103	71,276	3.3%
9234	Northeast Transportation Center	75	2	3	08	Building - Building - 8	1 Floor	1991	289	24	103	2,472	11.7%
9231	Central East Transportation Center	75	8	5	05	Bus Maintenance	2 Floors	1959	304,023	12,158	103	1,252,274	24.3%
9231	Central East Transportation Center	75	8	5	06	Bus Tire Maintenance	1 Floor	1966	18,183	856	103	88,168	20.6%
9231	Central East Transportation Center	75	8	5	07	Fuel Station	1 Floor	1968	20,677	1,491	103	153,573	13.5%
9231	Central East Transportation Center	75	8	5	08	Security	1 Floor	1970	21,189	18	103	1,854	1142.9%
9238	Redland Vehicle Maintenance Facility	75	9	6	02	Mechanical Shop	2 Floors	1991	121,018	8,967	103	923,601	13.1%
9238	Redland Vehicle Maintenance Facility	75	9	6	03	Administration	1 Floor	1991	64,408	326	103	33,578	191.8%
9292	Transportation Vehicle Maintenance	75	7	5	01	Shop	2 Floors	1993	212,611	46,742	103	4,814,426	4.4%
9233	South Transportation Center	75	9	6	01	Administration	2 Floors	1991	637,644	23,534	103	2,424,002	26.3%
9232	North Transportation Center	75	1	1	01	Shop	2 Floors	1991	381,873	12,744	103	1,312,632	29.1%
9232	North Transportation Center	75	1	1	03	Administration	1 Floor	1991	210,885	3,185	103	328,055	64.3%
9232	North Transportation Center	75	1	1	05	Covered Walkway	1 Floor	1991	2,021	2,880	103	296,640	0.7%
9232	North Transportation Center	75	1	1	07	Shop	2 Floors	1991	227,152	6,912	103	711,936	31.9%
9232	North Transportation Center	75	1	1	10	Covered Walkway	1 Floor	1991	0	608	103	62,624	0.0%
9239	John H. Schee Transportation Center	75	2	2	01	Administration	1 Floor	2001	157,877	24,490	103	2,522,470	6.3%
9237	Central West Transportation Center	75	5	5	01	Bus Maintenance	1 Floor	2006	10,265	26,738	103	2,754,014	0.4%
9001	Old YMAACD @ MacArthur South SH	99	7	5	01	Classroom	1 Floor	1960	673,810	6,808	250	1,701,345	39.6%
9001	Old YMAACD @ MacArthur South SH	99	7	5	02	Classroom	1 Floor	1960	382,439	4,264	250	1,065,590	35.9%
9001	Old YMAACD @ MacArthur South SH	99	7	5	03	Classroom	1 Floor	1960	907,765	5,054	250	1,263,014	71.9%
9001	Old YMAACD @ MacArthur South SH	99	7	5	04	Classroom	1 Floor	1976	576,639	6,984	250	1,745,328	33.0%
9001	Old YMAACD @ MacArthur South SH	99	7	5	06	Classroom	1 Floor	1960	794,628	3,154	250	788,197	100.8%
9001	Old YMAACD @ MacArthur South SH	99	7	5	07	Classroom	1 Floor	1960	347,625	6,087	250	1,521,164	22.9%
9001	Old YMAACD @ MacArthur South SH	99	7	5	08	Laboratory	1 Floor	1977	176,024	3,887	250	971,376	18.1%
9001	Old YMAACD @ MacArthur South SH	99	7	5	12	Cafeteria	1 Floor	1960	1,028,619	8,907	250	2,225,893	46.2%
9001	Old YMAACD @ MacArthur South SH	99	7	5	13	Laboratory	1 Floor	1983	64,929	1,147	250	286,640	22.7%
9001	Old YMAACD @ MacArthur South SH	99	7	5	14	Gymnasium	1 Floor	1983	474,787	9,352	250	2,337,100	20.3%
9001	Old YMAACD @ MacArthur South SH	99	7	5	50	Relocatable	1 Floor	2007	0	5,184	250	1,295,501	0.0%